## KOLAR Document ID: 1547627

	WELL R			WWC-5		vision of Wat				
		Correction		ge in Well Use		ources App. 1			Well ID	
		ATER WEL	<i>L</i> :	Fraction		ction Number	er	Township Numb		nge Number
County				1/4 1/4 1/2		1 4 1 1		T S	R	
2 WELL OWNER: Last Name: Firs Business:			First:	Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:						
Address:					direction from	nearest town o	or inter	section): If at owner	r's address,	
Address:										
City:		-	State:	ZIP:						
3 LOCAT		4 DEPTH	OF COM	<b>IPLETED WELL:</b>	fi	5 Latit	տես			(daaimal dagraas)
WITH "				Encountered: 1)						
SECTIO	<b>N BOX:</b>			3) ft., or 4) [		Datum: WGS 84 NAD 83 NAD 27				
	` 	WELL'S ST	TATIC WA	TER LEVEL:	ft.			Latitude/Longitude		
				, measured on (mo-day			GPS (1	unit make/model:		)
NW	NE			, measured on (mo-day				WAAS enabled?		10)
	Б	~		vater was 1 s pumping			□ Land Survey □ Topographic Map □ Online Mapper:			
W	E	unter		vater was						
SW	SE	after	hours	s pumping	. gpm					
	K L	Estimated Y		61		6 Elevation:ft. [] Ground Level []				
	S	Bore Hole I		in. to						
1 r		DE LICED		in. to	It.			Ouler	•••••	
1. Domestic:		BE USED A		tor Supply, wall ID				ld Watar Supply la	2000	
T. Domestic: ☐ House				ater Supply: well ID g: how many wells?						
				echarge: well ID						
Livesto				g: well ID				al: how many bores		
2. 🗌 Irrigati				al Remediation: well II				Loop Horizont		
3. 🗌 Feedlo			Air Sparge		Extraction	b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):				
4. 🗌 Industr			Recovery	-						
				nitted to KDHE?	Yes 🗌 No	If yes, dat	e san	nple was submitte	d:	
		Yes			C A GI					
				C Other						
		III. 10 surface		Diameter . Weight				or gauge No		
		PERFORAT				wan une	Kiless	of gauge 110.	••••••	
		less Steel				🗌 Otl	her (S	Specify)		
Brass		anized Steel			used (open hol					
		ATION OPE								
	nuous Slot	Mill Slot						Other (Specify)		
_	ered Shutter	Key Punch		n ft. to		None (Open H		6 F	<b>6</b> 4	C.
					· ·			,		
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft. o ft. o ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.										
				ft., From						
		e contaminati	on: No	potential source of cor	ntamination wi	thin 200 ft.				
□ Septic			Lateral Line			Livestock Pe			cide Storage	
			Cess Pool	Sewage La		Fuel Storage			oned Water	
	ight Sewer Lin			☐ Feedyard		Fertilizer Sto	orage		ll/Gas Well	
Direction from well? ft.										
10 FROM	ТО		ITHOLO		FROM	ТО		HO. LOG (cont.) or		G INTERVALS
					Notes:					
					110165.					
<b>11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:</b> This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)										
under my j	urisdiction ar	nd was compl	eted on (n	no-day-year)	and	this record	is tru	e to the best of m	y knowled	ge and belief.
				This W						
	usiness naille	Send one copy to	WATER W	ELL OWNER and retain	one for your rec	ords. Fee of \$	5.00 fe	or each constructed we	<u></u> :11.	
-	nent of Health a	nd Environment	, Bureau of V	Water, Geology Section, 10					7. Telephon	
Visit us at h	ttn://www.kdhe	ks.gov/waterwel	l/index html						KS	SA 82a-1212

Form	WWC5	
Contractor	Jonagan Water Well Service LLC	
Well Owner	Preston Baker	
Doc ID	1547627	

## Lithology

From	То	LithologicLog
0	8	fine sand
8	28	fine to med sand and gravel loose
28	102	brown sandy clay
102	117	fine to med sand and gravel loose
117	121	brown sandy clay few hd str of rock
121	123	brown clay
123	127	fine med sand and gravel loose few hd str
127	151	brown sandy clay
151	162	brown sandy clay
162	170	brown sandy clay sticky
170	185	brown clay
185	190	fine med sand and gravel loose with few hd rock
190	211	brown sandy clay
211	212	fine med sand and gravel loose
212	214	rock hard
214	222	brown sandy clay few hd str of rock
222	232	brown sandy clay with hd str
232	234	rock hard
234	240	brown sandy clay with str of gravel and rock

Form	WWC5	
Contractor	Jonagan Water Well Service LLC	
Well Owner	Preston Baker	
Doc ID	1547627	

## Lithology

From	То	LithologicLog
240	267	fine med sand and gravel loose
267	271	brown clay
271	273	brown sandy clay
273	276	fine med sand and gravel loose
276	278	rock hard
278	305	fine med sand and gravel loose
305	310	fine med sand and gravel loose with real fine sand
310	312	brown clay