

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Finney	NW $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$	2	T 24 S	R 34 E (W)

Distance and direction from nearest town or city street address of well if located within city?
Brine pond - West of brine pond

2 WATER WELL OWNER: Tyson Foods	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	Application Number:
City, State, ZIP Code : Garden City, Ks	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 65 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1 _____ ft. 2 _____ ft. 3 _____ ft. WELL'S STATIC WATER LEVEL 39 ft. below land surface measured on mo/day/yr Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm Bore Hole Diameter 10 in. to 65 ft. and _____ in. to _____ ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes _____ No X If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes _____ No X

5 TYPE OF BLANK CASING USED:	5 Wrought Iron	8 Concrete tile	CASING JOINTS: Glued _____ Clamped _____
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below) _____ Welded _____
2 PVC	4 ABS	7 Fiberglass	Threaded X
Blank casing diameter 4 in. to 35 ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.			
Casing height above land surface 0 in., weight 2.071 lbs./ft. Wall thickness or gauge No. .237			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify) _____
SCREEN-PERFORATED INTERVALS: From 35 ft. to 65 ft. From _____ ft. to _____ ft.			
GRAVEL PACK INTERVALS: From 33 ft. to 65 ft. From _____ ft. to _____ ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other _____
Grout intervals From 0 ft. to 31 ft. From 31 ft. to 33 ft. From _____ ft. to _____ ft.				
What is the nearest source of possible contamination:	10 Livestock pens	14 Abandoned water well		
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/ Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	Contaminated site
Direction from well?	How many feet?			

FROM	TO	CODE	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	5		Lean clay topsoil w/winter wht			
			Roots, med plasticity (soil			
			Cuttings)grading into silt w/fine			
			Gravel			
5	15		Fine to med sd w/fines & trace			
			Gravel, well sorted			
15	25		Fine to coarse sand w/fine &			
			Gravel, poorly sorted			
25	35		Silty fine sd & silt w/sand			
			& caliche.			
35	60		Fine to coarse sand w/fines &			
			Gravel, poorly sorted & fine			
			Sandy silt			
60	65		Lean clay w/ sand, stiff			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 3-31-05	and this record is true to the best of my knowledge and belief. Kansas
Water Well Contractor's License No. 554	This Water Well Record was completed on (mo/day/yr) 8-19-05
under the business name of Woofter Pump & Well Inc.	by (signature) <i>[Signature]</i>