WATER WELL RECORD	Form WWC-5	Division of Wate	er Resources; App. No.	F1 204	
1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number	
County: Finney	SE 1/4 SE 1/4 SE		T 24 S	R 34 EW	
Distance and direction from nearest town or			g Systems (decimal de	grees, min. of 4 digits)	
located within city? NW Corner of Holcomb-1 M. W. on Jones Latitude:					
615 ft. North & 65 ft. West		Longitude:	Longitude:		
2 WATER WELL OWNER: J. O. Cattle Co.		Elevation:	Elevation:		
RR#, St. Address, Box # : P. O. Bo	ox 7	Datum:			
	KS 67851	Data Collection			
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 370					
LOCATION					
WITH AN "X" IN Depth(s) Groundwater Encountered (1)					
SECTION BOX: WELL'S STATIC WATER LEVEL65					
t unip test data. Wen water wastt arter nours pumping gpm					
Est. Yieldgpm: Well water wasft. afterhours pumpinggpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well					
[NW NE					
W E Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yrs					
Sample was submitted					
S					
5 TYPE OF CASING USED: 5 Wroug	ht Iron 8 Concret	e tile CASIN	G JOINTS: Glued	Clamped	
		pecify below)	Welded.	XX	
2 PVC 4 ABS 7 Fibergl	ass				
Blank casing diameter16 in. to1	40 ft., Diameter	in. to ft.	, Diameter	in. toft.	
Casing height above land surface					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)					
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot (3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From					
Fromft. toft., Fromft. toft.					
GRAVEL PACK INTERVALS: From					
From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement (2) Cement grout 3 Bentonite 4 Other					
Grout Intervals: From					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage (14 Abandoned water well below)					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well					
Direction from well? Southeast		w many feet?40.ft.			
FROM TO LITHOLOG	GIC LOG	FROM TO	PLUGGING INT	ERVALS	
	1 . 1 1				
See attac	ned log				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged					
under my jurisdiction and was completed on (mo/day/year)6-25-07 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 208. This Water Well Record was completed on (mo/day/year)					
under the business name of Minter-Wilson Drilling Co., Inc. by (signature) Mora Keller					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone					
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html.					

MINTER-WILSON DRILLING CO. Water Systems Complete Installation

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

INCORPORATED

Phone 276-8269 • P.O. Box A • GARDEN CITY, KANSAS 67846

J. O. Cattle Company Finney County 5-15-07

Location: SW\forall 1-24-34 - From Holcomb - 1 mile west on Jones Ave.,
192 ft. north & 21 ft. east to well
Offset - 24 ft. north & 96 ft. west

Static Water Level - 60 ft.

Test #1

0' to 2' - Top soil 2' to 6' - Brown clay 6' to 7' - Fine sand - loose 7' to 10' - Brown sandy clay 10' to 22' - Fine to medium sand & gravel - loose 22' to 35' - Medium coarse gravel - loose 35' to 38' - Fine to medium sand & gravel 38' to 53' - Brown clay 53' to 58' - Fine fine sand - loose 58' to 72' - Brown sandy clay 72' to 79' - Fine sand - clay streak 79' to 89' - Brown sandy clay 89' to 117' - Fine to medium sand & gravel 117' to 138' - Brown sandy clay 138' to 154' - Fine to medium sand & gravel 154' to 172' - Brown sandy clay 172' to 179' - Fine to medium sand & gravel 179' to 185' - Brown sandy clay 185' to 199' - Fine sand 199' to 209' - Brown sandy clay 209' to 220' - Fine to medium sand & gravel 220' to 230' - Brown clay - sticky 230' to 268' - Brown clay 268' to 275' - Fine sand - small clay streak 275' to 280' - Fine to medium sand & gravel 280' to 306' - Brown gray clay 306' to 338' - Fine to medium sand & gravel - small yellow rock mixed 338' to 348' - Yellow clay

358' to 362' - Yellow clay

362' to 365' - Shale

348' to 358' - Fine to medium sand - small yellow rock mixed