YY EX I IV.	K WEI	L RECORD	Form W	WC-3	Di	vision of Water	r Resources App. No), \	
		OF WATER WELL:	Fraction	I/ NE I/		on Number 10		Range Number	
	County: Finney								
				1	Global Positioning System (GPS) information: Latitude:				
	from nearest town or intersection: If at owner's address, check here .					Longitude: (in decimal degrees) Longitude: (in decimal degrees)			
2 VV	2 West of Holcomb					Elevation:			
						Datum: WGS 84, NAD 83, NAD 27			
	30 Oattle					Collection Method:			
	RR#, Street Address, Box #: P.O. Box 248					GPS unit (Make/Model:)			
City	City, State, ZIP Code : Holcomb, KS 67851				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL									
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 219								
SECT	TION BO	BOX: Depth(s) Groundwater Encountered (1)							
	N	WEEL S STATIC WATER LEVELt. DOW land surface incasured on morady/yi							
	Pump test data: Well water was								
NV									
w									
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SV	SWSE								
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
	Was a chemical/bacteriological sample submitted to Department? Yes V No If yes, mo/day/yr sample was submitted								
ļ	1 mile Water well disinfected? Yes No								
water weir distincted: [32] Tes [1] No									
5 TYPE OF CASING USED: Steel PVC Other Eagle Loc									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .5 in. to .210 ft., Diameter									
Casing height above land surface. 24									
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)									
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From .30 ft. to .75 ft., From .82 ft. to .210 ft.									
From ft. to ft. From ft. to ft.									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
What is the nearest source of possible contamination:									
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well									
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well									
Direction from well North Distance from well 60 feet									
FROM	TO	LITHOLOG	IC LOG	FROM	TO			GGING INTERVALS	
0	25	Sand & Gravel		200	220	Sand and S	Sandy clay		
25	40	Sandy Clay							
40	52	Sand & Gravel				<u> </u>	www.www.ma		
52	60	Sand and Gravel			**************				
60	76	Sand							
76	92	Clay Brown							
92	100	Fine Sand							
100	120	Sand and Little Clay	-						
120	130	Clay							
130 200 Sand Little Clay									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo/day/year) .1.1/1.1/10 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 473 This Water Well Record was completed on (mo/day/year) .11/16/10 under the business name of .Tyler Water Well									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies									
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html. Chock: White Cony Plus Cony Pink Cony P									
KSA 82a-1212 Check: White Copy, Deluc Copy, Pink Copy									