

WATER WELL R		1 VV VV C-3	13405		ion of Water		Well ID
		nge in Well Use			rces App. No.	_	
1 LOCATION OF WATER WELL: Fraction County: 14 14 14			1/4 1/4	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			
				rection from nearest town or intersection): If at owner's address, check here:			
Address:					s address, eneck nere.		
Address:	Q	ZID.					
City:  3 LOCATE WELL	State:	ZIP:					
WITH "X" IN		MPLETED WELI			5 Latitud	e:	(decimal degrees)
SECTION BOX:		r Encountered: 1)			Longitu	de:	(decimal degrees)
N		3) ft., or			Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27		
		ATER LEVEL:				or Latitude/Longitude:	,
NW XNE		ce, measured on (mo-c					)
NWNE		water was			(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map		
W E		ırs pumping			Online Mapper:		
SW SE		water was				**	
		irs pumping	gpm		6 Elevatio	n: ft	☐ Ground Level ☐ TOC
S	Estimated Yield:	gpm in. to	ft and		Source: Land Survey GPS Topographic Map		
mile		in. to					
7 WELL WATER TO					I .		
1. Domestic:		Vater Supply: well ID			10. 🔲 Oil F	ield Water Supply: lea	se
☐ Household		ing: how many wells				e: well ID	
Lawn & Garden		Recharge: well ID				d Uncased G	
Livestock		ing: well ID				mal: how many bores?	
2. ☐ Irrigation 3. ☐ Feedlot	9. Environme ☐ Air Spa	ntal Remediation: we ge Soil Vap			a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water		
4. ☐ Industrial	☐ Recover			11			
Was a chemical/bacter				I No. I			
Water well disinfected?		initied to KDHE!	res	INO I	ii yes, date s	ampie was suominied	
8 TYPE OF CASING		VC D Other	(	'ASINC	GIOINTS: I	☐ Glued ☐ Clamped	□ Welded □ Threaded
Casing diameter							
Casing height above land s							
TYPE OF SCREEN OR							
		erglass			☐ Other	(Specify)	
			ne used (ope	n hole)			
SCREEN OR PERFORA			lm 104	□ p ::		704 (g :c)	
	☐ Mill Slot ☐ ☐ Key Punched ☐				ne (Open Hole	Other (Specify)	
							ft to ft
	SCREEN-PERFORATED INTERVALS: From						
9 GROUT MATERIA							
Grout Intervals: From							
Nearest source of possible							
Septic Tank	Lateral Li				ivestock Pens		
Sewer Lines	Cess Pool				uel Storage		ned Water Well
☐ Watertight Sewer Lin				□F€	ertilizer Storaș	ge 🔲 Oil Well	/Gas well
☐ Other (Specify)							
10 FROM TO		OGIC LOG	FRC				PLUGGING INTERVALS
Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged							
under my jurisdiction an							
Kansas Water Well Con	tractor's License No.	This	Water Wel	l Recoi	rd was comp	leted on (mo-day-yea	ar)
under the business name	e of						
VC Domenture of CIT 1:1	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.					Tolombons 705 206 2565	
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							

Form	WWC5		
Contractor	Downey Drilling, Inc.		
Well Owner			
Doc ID	1313405		

## Litholgy

Littioigy		
From	То	LithologicLog
0	15	SILTY SAND
15	32	SILTY SC/SILT & SAND
32	63	F/M/TR. C GRAVEL
63	97	COARSE SAND/F. GRAVEL & SILT
97	123	SANDY CLAY
123	132	F. GRAVEL W/ SILTY SC
132	140	F. GRAVEL & V.C. SAND
140	142	SANDY CLAY
142	146	FINE GRAVEL
146	147	CEM. SAND
147	158	SANDY CLAY & F/M GRAVEL
158	165	SANDY CLAY
165	169	FINE GRAVEL
169	174	SANDY CLAY
174	176	FINE GRAVEL
176	186	SANDY CLAY
186	202	SANDY CLAY
202	207	SANDY CLAY W/F. GRAVEL
207	223	F. GRAVEL
223	228	SANDY CLAY
228	234	SANDY CLAY W/ MAG
234	257	SANDY CLAY

Form	WWC5		
Contractor	Downey Drilling, Inc.		
Well Owner			
Doc ID	1313405		

## Litholgy

From	То	LithologicLog
257	269	V. C SAND & F. GRAVEL
269	273	SANDY CLAY & SILT
273	284	VC SAND & F. GRAVEL
284	289	VV C SAND & MAG/SILT LENSES
289	300	VV C SAND & F. GRAVEL
300	304	VV C SAND & F. GRAVEL
304	306	SANDY CLAY
306	320	VV C SAND & F. GRAVEL
320	340	F/TR MED. GRAVEL
340	343	VVC SAND & FINE GRAVEL
343	346	SILTSTONE & TR. SOAPSTONE
346	350	MED/TR C SAND
350	356	SILTSTONE & TR. SOAPSTONE
356	357	CLAY
357	360	MED SAND
360	365	ROCK & SAND
356	357	RED CLAY
357	360	MED. SAND
360	365	ROCK & BLK SAND
365	368	CLAY
368	380	CLAY
380	388	CLAY