	T=	I Committee No.	T. I. N.	Danes Manches		
1 LOCATION OF WATER WELL: County: Finney	Fraction SE 1/4 NW 1/4 NE 1/4 N		umber Township Number 24 S	Range Number 34 □ E ☑ W		
Street/Rural Address of Well Location;	Global Position	Global Positioning Systems (GPS) Information:				
direction from nearest town or intersect	ion. If at owner's address,	Latitude: 38.00225 (in decimal degrees)				
check here		-	01.03291 (ii	n decimal degrees)		
		Elevation:	WCC04 DIAD02	□ NAD27		
~1 mi. N and 2 mi. W of Holcomb or	Collection Metho	✓ WGS84 □ NAD83	□ NAD21			
2 WATER WELL OWNER: Northern	n Natural Gas		od: Make/Model: Google B	Earth		
1	Country Estates		ap/Photo Topographic			
City, State ZIP Code Liberal,	KS 67901					
2	A	<u> </u>		2 J-13 M 2 > 13 M		
3 MARK WELL'S LOCATION	4 DEPTH OF WELL:	118 ft.				
WITH AN "X" IN SECTION BOX:	WELL'S STATIC WATER	LEVEL: Dry	ft.			
N N	WELL WAS USED AS:					
			_			
NW — NE —		Water Supply	☐ Dewatering			
		ield Water Supply	Monitoring			
W E	<u> </u>	stic (Lawn/Garden) onditioning	☐ Injection Well ☐ Other			
	industria in Air Co	muluoming				
	Was a shamisal/hastariala	aisal sammla suhm	nitted to Donastment?	☐ Yes 🗹 No		
S	Was a chemical/bacteriolo	gicai sample suon	inted to Department?	L 163 E 140		
5 TYPE OF BLANK CASING USED:						
☐ Steel ☐ RMP (SR)	☐ Wrought ☐ I	Fiberglass	Other:			
✓ PVC □ ABS		Concrete Tile				
Blank casing diameter: 2 in	n Was casing nulled?	Yes No	If Yes, how much 3'			
Casing height above or below land surf		ics No	ii res, now mach			
6 GROUT PLUG MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other:						
Grout Plug Intervals: From <u>3</u> ft. To <u>118</u> ft. From ft. To ft. From ft. To ft.						
What is the nearest source of possible contamination:						
☐ Septic tank ☐ Seepage pit ☐ Fuel storage ☐ Other (specify below):						
☐ Sewer lines ☐ Pit j	privy	storage				
☐ Watertight sewer lines ☐ Sew	rage lagoon					
☐ Lateral lines ☐ Feedyard ☐ Abandoned water well ☐ Direction from well:						
☐ Cess pool ☐ Live	estock pens	as well	How many feet:	*****		
FROM TO PLUGG	ING MATERIAL FR	ом то	PLUGGING M	ATERIAL		
0 3 Native soil				***		
3 118 Bentonite (2)")			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
3 110 Bentonite (2			EW-1			
	· · · · · · · · · · · · · · · · · · ·					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was						
completed on (mo/day/year) 9/21/2017 and this record is true to the best of my knowledge and belief. Kansas Water						
Well Contractor's License No. 527.		J-1. [.]		3/2017 under the		
business name of GeoCore Inc. by (signature) by (signature)						
INSTRUCTIONS: Use typewriter or ballpoint pen. Please press firmly and print clearly. Please fill in blanks, underline or circle the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW						
Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone 785/296-5524. Send one to Water Well Owner and retain one for your records. Visit us at http://www.kdheks.gov/waterwell/index.html.						

WATER WELL PLUGGING RECORD Form WWC-5P KSA 82a-1212 ID NO. EW-1



Northern Natural Gas Holcomb Plant About 1 mi. North and 2 mi. West of Holcomb, Kansas Sheet 1 of 2

GPS Coordinates:

EW1:	38.00225, -101.03291	EW7:	38.00192, -101.03235
EW2:	38.00230, -101.03274	EW8:	38.00148, -101.03272
EW3:	38.00234, -101.03257	EW9:	38.00150, -101.03258
EW4:	38.00185, -101.03283	EW10:	38.00153, - 101.03240
EW5:	38.00187, -101.03268	EW11:	38.00154, -101.03222
EW6:	38.00190, -101.03251	EW12:	38.00158, -101.03207

Finney Co T.24S R.34W Sec 3

Northern Natural Gas Holcomb Plant About 1 mi. North and 2 mi. West of Holcomb, Kansas Sheet 2 of 2

GPS Coordinates:

MW-1: 38.00136, -101.03219 MW-2: 38.00127, -101.03218 MW-3: 38.00128, -101.03200 MW-4: 38.00136, -101.03201 MW-5: 38.00125, -101.03235 MW-6: 38.00144, -101.03202 MW-7: 38.00148, -101.03229 MW-8: 38.00115, -101.03232 MW-9: 38.00117, -101.03200 MW-10: 38.00147, -101.03171 MW-11: 38.00121, -101.03161 MW-12: 38.00134, -101.03259 MW-13: 38.00163, -101.03237 MW-14: 38.00174, -101.03246 MW-15: 38.00149, -101.03243 MW-16: 38.00162, -101.03214 MW-17: 38.00155, -101.03260 MW-18: 38.00149, -101.03237 MW-19: 38.00216, -101.03249 MW-20: 38.00136, -101.03224 MW-21: 38.00199, -101.03245 MW-22: 38.00248, -101.03307 MW-23: 38.00283, -101.03255 MW-24: 38.00281, -101.03216 MW-25: 38.00230, -101.03306 MW-26: 38.00230, -101.03177 MW-27: 38.00196, -101.03179 MW-28: 38.00199, -101.03331 MW-29: 38.00156, -101.03330 MW-30: 38.00123, -101.03307 MW-31: 38.00078, -101.03233 MW-32: 38.00308, -101.03330 MW-33: 38.00314, -101.03255 MW-34: 38.00277, -101.03163 MW-36: 38.00123, -101.03200 MW-37: 38.00250, -101.03362 MW-38: 38.00163, -101.03037 MW-39: 38.00164, -101.03030 MW-40: 38.00154, -101.03006 MW-41: 38.00139, -101.03029 MW-42: 38.00216, -101.03251 MW-43: 38.00128, -101.03229 MW-44: 38.00156, -101.03233 MW-45: 38.00216, -101.03338 MW-46: 38.00206, -101.03262 MW-47: 38.00224, -101.03183 MW-48: 38.00285, -101.03236

MW-49: 38.00298, -101.03318

AAS-1: