WATER WELL PLUGGING RECORD Form WWC-5P KSA 82a-1212 ID NO. MW-25

1 LOCATION OF WATER WELL: County: Finney	Fraction SE 1/4 NW 1/4 NE 1/4 N		iber Township Number 24 S	r Range Number 34 □ E ☑ W		
	Systems (GPS) Inform					
Street/Rural Address of Well Location; if unknown, distance and direction from nearest town or intersection. If at owner's address, check here		Latitude: <u>38.0</u>	0230	(in decimal degrees) (in decimal degrees)		
~1 mi. N and 2 mi. W of Holcomb o		WGS84 🗆 NAD8	3 🗌 NAD27			
2 WATER WELL OWNER: Northern	Collection Method		<b>F</b> outh			
RR#, St. Address, Box # 451 S. Country Estates			☐ GPS unit Make/Model: Google Earth ☑ Digital Map/Photo □ Topographic Map □ Land Survey			
City, State ZIP Code Liberal,	KS 67901	Est. Accuracy:		$\Box$ 5-15 m $\Box$ >15 m		
$\begin{array}{c} 3 \\ \text{MARK WELL'S LOCATION} \\ \text{WITH AN ''X'' IN SECTION} \\ \text{BOX:} \\ N \\ W \\ \hline \\ NW \\ \hline \\ NW \\ \hline \\ NW \\ NE \\ \hline \\ SW \\ SE \\ \hline \\ S \\ \end{array} \\ E$	WELL'S STATIC WATER WELL WAS USED AS:	c Water Supply ield Water Supply stic (Lawn/Garden) onditioning	ft. Dewatering Monitoring Injection Well Other ted to Department?	□ Yes 🗹 No		
5 TYPE OF BLANK CASING USED:	· · · · · · · · · · · · · · · · · · ·		/			
□ Steel       □ RMP (SR)       □ Wrought       □ Fiberglass       □ Other:         ☑ PVC       □ ABS       □ Asbestos/Cement       □ Concrete Tile						
Casing height above or below land surface: in.						
6 GROUT PLUG MATERIAL: □ Neat cement □ Cement grout ☑ Bentonite □ Other:						
Grout Plug Intervals: From <u>3</u> ft. To <u>110</u> ft. From <u>ft</u> . To <u>ft</u> . From <u>ft</u> . To <u>ft</u> .						
What is the nearest source of possible contamination:						
Septic tank Seepage pit Fuel storage Other (specify below):						
Sewer lines     Pit privy     Fertilizer storage						
<ul> <li>Watertight sewer lines</li> <li>Sewage lagoon</li> <li>Insecticide storage</li> <li>□ Lateral lines</li> <li>□ Feedyard</li> <li>□ Abandoned water well</li> <li>□ Direction from well:</li> </ul>						
Cess pool						
		ом то	PLUGGING N	ATERIAL		
0 3 Native soil						
3 110 Bentonite (2	.")					
			MW-25			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was						
completed on (mo/day/year)9/21/2017 and this record is true to the best of my knowledge and belief. Kansas Water						
Well Contractor's License No. <u>527</u> . This Water Well Record was completed on (mo/day/year) <u>9/26/2017</u> under the						
business name of <u>GeoCore Inc.</u> by (signature) <u>business name of GeoCore Inc.</u>						
	<b>INSTRUCTIONS:</b> Use typewriter or ballpoint pen. Please press firmly and print clearly. Please fill in blanks, underline or circle the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW					
	Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone 785/296-5524. Send one to Water Well Owner and retain one					
for your records. Visit us at http://www.kdheks.gov/waterwell/index.html.						



Northern Natural Gas Holcomb Plant About 1 mi. North and 2 mi. West of Holcomb, Kansas Sheet 1 of 2

## GPS Coordinates:

EW1:	38.00225, -101.03291	EW7:	38.00192, -101.03235
EW2:	38.00230, -101.03274	EW8:	38.00148, -101.03272
EW3:	38.00234, -101.03257	EW9:	38.00150, -101.03258
EW4:	38.00185, -101.03283	EW10:	38.00153, - 101.03240
EW5:	38.00187, -101.03268	EW11:	38.00154, -101.03222
EW6:	38.00190, -101.03251	EW12:	38.00158, -101.03207

Northern Natural Gas Holcomb Plant About 1 mi. North and 2 mi. West of Holcomb, Kansas Sheet 2 of 2

GPS Coordinates:

MW-1: 38.00136, -101.03219 MW-2: 38.00127, -101.03218 MW-3: 38.00128, -101.03200 MW-4: 38.00136, -101.03201 MW-5: 38.00125, -101.03235 MW-6: 38.00144, -101.03202 MW-7: 38.00148, -101.03229 MW-8: 38.00115, -101.03232 MW-9: 38.00117, -101.03200 MW-10: 38.00147, -101.03171 MW-11: 38.00121, -101.03161 MW-12: 38.00134, -101.03259 MW-13: 38.00163, -101.03237 MW-14: 38.00174, -101.03246 MW-15: 38.00149, -101.03243 MW-16: 38.00162, -101.03214 MW-17: 38.00155, -101.03260 MW-18: 38.00149, -101.03237 MW-19: 38.00216, -101.03249 MW-20: 38.00136, -101.03224 MW-21: 38.00199, -101.03245 MW-22: 38.00248, -101.03307 MW-23: 38.00283, -101.03255 MW-24: 38.00281, -101.03216 MW-25: 38.00230, -101.03306 MW-26: 38.00230, -101.03177 MW-27: 38.00196, -101.03179 MW-28: 38.00199, -101.03331 MW-29: 38.00156, -101.03330 MW-30: 38.00123, -101.03307 MW-31: 38.00078, -101.03233 MW-32: 38.00308, -101.03330 MW-33: 38.00314, -101.03255 MW-34: 38.00277, -101.03163 MW-36: 38.00123, -101.03200 MW-37: 38.00250, -101.03362 MW-38: 38.00163, -101.03037 MW-39: 38.00164, -101.03030 MW-40: 38.00154, -101.03006 MW-41: 38.00139, -101.03029 MW-42: 38.00216, -101.03251 MW-43: 38.00128, -101.03229 MW-44: 38.00156, -101.03233 MW-45: 38.00216, -101.03338 MW-46: 38.00206, -101.03262 MW-47: 38.00224, -101.03183 MW-48: 38.00285, -101.03236

MW-49: 38.00298, -101.03318 AAS-1: