WATER WELL PLUGGING RECORD Form WWC-5P

KSA 82a-1212 ID NO. MW-39

1 LOCATION OF WATER WELL: County: Finney	Fraction NE 1/4 SE 1/4 NE 1/	/4 NE 1/4		ber Township Numl 24 S	ber Range Number 34 □ E ☑ W	
Street/Rural Address of Well Location; if unknown, distance and direction from nearest town or intersection. If at owner's address,			Latitude: <u>38.00164</u> (in decimal degrees)			
check here			titude: $-101$ .		(in decimal degrees)	
			tion:	· · · · ·	(in decimal degrees)	
4 mi N and 2 mi W of Heleomh on Huss 50				WGS84 🗌 NAI	083 🗌 NAD27	
~1 mi. N and 2 mi. W of Holcomb on Hwy 50			ction Method:			
2 WATER WELL OWNER: Northern Natural Gas			GPS unit Make/Model: Google Earth			
RR#, St. Address, Box # 451 S. Country Estates			Digital Map/Photo Topographic Map Land Survey			
City, State ZIP Code Liberal,	KS 67901				$\square$ 5-15 m $\square$ >15 m	
<sup>3</sup> MARK WELL'S LOCATION	4 DEPTH OF WELL:	45	ft.			
WITH AN "X" IN SECTION						
BOX:	WELL'S STATIC WA	ATER LEVE	LEVEL: <u>Dry</u> ft.			
N	WELL WAS USED A	NS:				
	Domestic P	ublic Water	Prometer	Dewatering		
		ld Field Water		✓ Dewatering ✓ Monitoring		
		omestic (Lav		Injection Well		
		ir Condition	,	Other		
SW SE						
	Was a chemical/bacter	riological sa	mple submitt	ed to Department?	🗌 Yes 🗹 No	
S						
5 TYPE OF BLANK CASING USED:		_	_	_		
$\Box \text{ Steel} \qquad \Box \text{ RMP (SR)}$	Wrought			Other:		
PVC 🗌 ABS	Asbestos/Cement		Tile		·	
0	n. Was casing pulled?	✓ Yes	□ No If	Yes, how much 3	)	
Casing height above or below land surface: in.						
6 GROUT PLUG MATERIAL:	□ Neat cement □ C	ement grout	Bentoni	ite 🗌 Other: _		
Grout Plug Intervals: From <u>3</u> ft. To <u>45</u> ft. From <u>ft. To ft. From</u> ft. To <u>ft. From</u> ft. To <u>ft.</u>						
What is the nearest source of possible contamination:						
	page pit 🛛 Fuel :	storage		)ther (specify below):		
Sever lines		izer storage		Julei (specify below).		
		ticide storage	-			
		doned water	n:	ection from well:		
□ Cess pool □ Livestock pens □ Oil well/						
	······		ТО			
	ING MATERIAL	FROM	TO	PLUGGING	MATERIAL	
0 3 Native soil						
3 45 Bentonite (2	(")					
				MW-39		
· · · · · · · · · · · · · · · · · · ·						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was						
completed on (mo/day/year)9/21/2017 and this record is true to the best of my knowledge and belief. Kansas Water						
	This Water Well Reco		pleted on (n	no/day/year) <u>9</u>	0/26/2017 under the	
business name of <u>GeoCore Inc.</u> by (signature) <b>business</b> name of <u>GeoCore Inc.</u> INSTRUCTIONS: Use typewriter or ballpoint pen. Please press firmly and print clearly. Please fill in blanks, underline or circle						
<b>INSTRUCTIONS:</b> Use typewriter or b the correct answers. Send one copy to K						
Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone 785/296-5524. Send one to Water Well Owner and retain one for your records. Visit us at http://www.kdheks.gov/waterwell/index.html.						



Northern Natural Gas Holcomb Plant About 1 mi. North and 2 mi. West of Holcomb, Kansas Sheet 1 of 2

## GPS Coordinates:

EW1:	38.00225, -101.03291	EW7:	38.00192, -101.03235
EW2:	38.00230, -101.03274	EW8:	38.00148, -101.03272
EW3:	38.00234, -101.03257	EW9:	38.00150, -101.03258
EW4:	38.00185, -101.03283	EW10:	38.00153, - 101.03240
EW5:	38.00187, -101.03268	EW11:	38.00154, -101.03222
EW6:	38.00190, -101.03251	EW12:	38.00158, -101.03207

Northern Natural Gas Holcomb Plant About 1 mi. North and 2 mi. West of Holcomb, Kansas Sheet 2 of 2

GPS Coordinates:

MW-1: 38.00136, -101.03219 MW-2: 38.00127, -101.03218 MW-3: 38.00128, -101.03200 MW-4: 38.00136, -101.03201 MW-5: 38.00125, -101.03235 MW-6: 38.00144, -101.03202 MW-7: 38.00148, -101.03229 MW-8: 38.00115, -101.03232 MW-9: 38.00117, -101.03200 MW-10: 38.00147, -101.03171 MW-11: 38.00121, -101.03161 MW-12: 38.00134, -101.03259 MW-13: 38.00163, -101.03237 MW-14: 38.00174, -101.03246 MW-15: 38.00149, -101.03243 MW-16: 38.00162, -101.03214 MW-17: 38.00155, -101.03260 MW-18: 38.00149, -101.03237 MW-19: 38.00216, -101.03249 MW-20: 38.00136, -101.03224 MW-21: 38.00199, -101.03245 MW-22: 38.00248, -101.03307 MW-23: 38.00283, -101.03255 MW-24: 38.00281, -101.03216 MW-25: 38.00230, -101.03306 MW-26: 38.00230, -101.03177 MW-27: 38.00196, -101.03179 MW-28: 38.00199, -101.03331 MW-29: 38.00156, -101.03330 MW-30: 38.00123, -101.03307 MW-31: 38.00078, -101.03233 MW-32: 38.00308, -101.03330 MW-33: 38.00314, -101.03255 MW-34: 38.00277, -101.03163 MW-36: 38.00123, -101.03200 MW-37: 38.00250, -101.03362 MW-38: 38.00163, -101.03037 MW-39: 38.00164, -101.03030 MW-40: 38.00154, -101.03006 MW-41: 38.00139, -101.03029 MW-42: 38.00216, -101.03251 MW-43: 38.00128, -101.03229 MW-44: 38.00156, -101.03233 MW-45: 38.00216, -101.03338 MW-46: 38.00206, -101.03262 MW-47: 38.00224, -101.03183 MW-48: 38.00285, -101.03236

MW-49: 38.00298, -101.03318 AAS-1: