WATER WELL PLUGGING RECORD Form WWC-5P KSA 82a-1212 ID NO. MW-16

1 LOCATION OF WATER WELL: County: Finney	Fraction NW 1/4 SE 1/4 NE 1/4		Section Number 3	Township Number 24 S	Range Number 34 🗌 E 🗹 W	
Street/Rural Address of Well Location; if unknown, distance and direction from nearest town or intersection. If at owner's address, check here			Global Positioning Systems (GPS) Information:         Latitude:       38.00162       (in decimal degrees)         Longtitude:       -101.03214       (in decimal degrees)         Elevation:       2921.19       (in decimal degrees)			
~1 mi. N and 2 mi. W of Holcomb on Hwy 50			Datum: 🗹 WGS84 🗌 NAD83 🗌 NAD27			
2       WATER WELL OWNER: Northern Natural Gas         RR#, St. Address, Box #       451 S. Country Estates         City, State ZIP Code       Liberal, KS 67901			Collection Method:         □ GPS unit       Make/Model:         ☑ Digital Map/Photo       □ Topographic Map         □ Land Survey         Est. Accuracy:       □ <3 m			
<ul> <li><sup>3</sup> MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX:</li> <li>N</li> <li>WELL'S STATIC WATER LEVEL: Dry</li> <li>R.</li> <li>WELL'S STATIC WATER LEVEL: Dry</li> <li>f.</li> <li>WELL WAS USED AS:</li> <li>Domestic</li> <li>Public Water Supply</li> <li>Dewatering</li> <li>Irrigation</li> <li>Old Field Water Supply</li> <li>Monitoring</li> <li>Feedlot</li> <li>Domestic (Lawn/Garden)</li> <li>Injection Well</li> <li>Industrial</li> <li>Air Conditioning</li> <li>Other</li> <li>Was a chemical/bacteriological sample submitted to Department?</li> </ul>						
5       TYPE OF BLANK CASING USED:         □       Steel       RMP (SR)       Wrought       Fiberglass       Other:         ☑       PVC       ABS       Asbestos/Cement       Concrete Tile						
6 GROUT PLUG MATERIAL:	Neat cement Cem	ent grout	Bentonite	Other:		
Grout Plug Intervals: From <u>3</u> ft. To <u>61</u> ft. From <u>ft. To ft. From ft. To <u>ft. To ft. To ft</u></u>						
What is the nearest source of possible contamination:         Septic tank       Seepage pit         Sewer lines       Pit privy         Watertight sewer lines       Sewage lagoon						
Lateral lines Feedyard Abandoned water well Direction from well:						
	Cess pool Livestock pens Oil well/Gas well How many feet:					
	ING MATERIAL F	ROM	то	PLUGGING M	ATERIAL	
0         3         Native soil           3         61         Bentonite (2)	)#\					
	.)			IW-16		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was completed on (mo/day/year)9/21/2017 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527. This Water Well Record was completed on (mo/day/year)9/26/2017 under the business name of GeoCore Inc by (signature) and the place of the						
INSTRUCTIONS: Use typewriter or ballpoint pen. Please press firmly and print clearly. Please fill in blanks, underline or circle						
the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone 785/296-5524. Send one to Water Well Owner and retain one for your records. Visit us at http://www.kdheks.gov/waterwell/index.html.						



Northern Natural Gas Holcomb Plant About 1 mi. North and 2 mi. West of Holcomb, Kansas Sheet 1 of 2

## GPS Coordinates:

EW1:	38.00225, -101.03291	EW7:	38.00192, -101.03235
EW2:	38.00230, -101.03274	EW8:	38.00148, -101.03272
EW3:	38.00234, -101.03257	EW9:	38.00150, -101.03258
EW4:	38.00185, -101.03283	EW10:	38.00153, - 101.03240
EW5:	38.00187, -101.03268	EW11:	38.00154, -101.03222
EW6:	38.00190, -101.03251	EW12:	38.00158, -101.03207

Northern Natural Gas Holcomb Plant About 1 mi. North and 2 mi. West of Holcomb, Kansas Sheet 2 of 2

GPS Coordinates:

MW-1: 38.00136, -101.03219 MW-2: 38.00127, -101.03218 MW-3: 38.00128, -101.03200 MW-4: 38.00136, -101.03201 MW-5: 38.00125, -101.03235 MW-6: 38.00144, -101.03202 MW-7: 38.00148, -101.03229 MW-8: 38.00115, -101.03232 MW-9: 38.00117, -101.03200 MW-10: 38.00147, -101.03171 MW-11: 38.00121, -101.03161 MW-12: 38.00134, -101.03259 MW-13: 38.00163, -101.03237 MW-14: 38.00174, -101.03246 MW-15: 38.00149, -101.03243 MW-16: 38.00162, -101.03214 MW-17: 38.00155, -101.03260 MW-18: 38.00149, -101.03237 MW-19: 38.00216, -101.03249 MW-20: 38.00136, -101.03224 MW-21: 38.00199, -101.03245 MW-22: 38.00248, -101.03307 MW-23: 38.00283, -101.03255 MW-24: 38.00281, -101.03216 MW-25: 38.00230, -101.03306 MW-26: 38.00230, -101.03177 MW-27: 38.00196, -101.03179 MW-28: 38.00199, -101.03331 MW-29: 38.00156, -101.03330 MW-30: 38.00123, -101.03307 MW-31: 38.00078, -101.03233 MW-32: 38.00308, -101.03330 MW-33: 38.00314, -101.03255 MW-34: 38.00277, -101.03163 MW-36: 38.00123, -101.03200 MW-37: 38.00250, -101.03362 MW-38: 38.00163, -101.03037 MW-39: 38.00164, -101.03030 MW-40: 38.00154, -101.03006 MW-41: 38.00139, -101.03029 MW-42: 38.00216, -101.03251 MW-43: 38.00128, -101.03229 MW-44: 38.00156, -101.03233 MW-45: 38.00216, -101.03338 MW-46: 38.00206, -101.03262 MW-47: 38.00224, -101.03183 MW-48: 38.00285, -101.03236

MW-49: 38.00298, -101.03318 AAS-1: