Section Number | Township Number | Range Number 1 LOCATION OF WATER WELL: Fraction **✓** w County: Finney NW 1/4 SE 1/4 NE 1/4 NE 1/4 24 S Street/Rural Address of Well Location; if unknown, distance and Global Positioning Systems (GPS) Information: 38.00158 direction from nearest town or intersection. If at owner's address, Latitude: \_ (in decimal degrees) -101.03207 check here Longtitude: (in decimal degrees) Elevation: Datum: ☐ NAD27 ☐ NAD83 **✓** WGS84 ~1 mi, N and 2 mi, W of Holcomb on Hwy 50 Collection Method: WATER WELL OWNER: Northern Natural Gas ☐ GPS unit Make/Model: Google Earth 451 S. Country Estates RR#, St. Address, Box # ☑ Digital Map/Photo ☐ Topographic Map ☐ Land Survey Liberal, KS 67901 City, State ZIP Code  $\square < 3 \text{ m} \quad \boxed{2} \text{ 3-5 m} \quad \square \text{ 5-15 m} \quad \square > 15 \text{ m}$ DEPTH OF WELL: 92 MARK WELL'S LOCATION WITH AN "X" IN SECTION WELL'S STATIC WATER LEVEL: Dry ft. BOX: N WELL WAS USED AS: ☐ Public Water Supply Dewatering ☐ Domestic NW · NE · Irrigation Old Field Water Supply **✓** Monitoring ☐ Domestic (Lawn/Garden) ☐ Injection Well E Feedlot W ☐ Other ☐ Industrial ☐ Air Conditioning SE -☐ Yes ✓ No Was a chemical/bacteriological sample submitted to Department? S TYPE OF BLANK CASING USED:  $\square$  RMP (SR) ■ Wrought ☐ Fiberglass Other: Steel **✓** PVC ☐ Asbestos/Cement ☐ Concrete Tile  $\square$  ABS Was casing pulled? Yes No If Yes, how much 3' in. Blank casing diameter: Casing height above or below land surface: Neat cement Cement grout **✓** Bentonite Other: **GROUT PLUG MATERIAL:** Grout Plug Intervals: From 3 ft. To 92 ft. From ft. To ft. To ft. From ft. To ft. To ft. What is the nearest source of possible contamination: ☐ Seepage pit ☐ Fuel storage Other (specify below): ☐ Septic tank ☐ Pit privy ☐ Fertilizer storage ☐ Sewer lines ☐ Watertight sewer lines ☐ Sewage lagoon ☐ Insecticide storage Direction from well: ☐ Abandoned water well ☐ Feedyard ☐ Lateral lines How many feet: Cess pool Livestock pens Oil well/Gas well PLUGGING MATERIAL FROM TO PLUGGING MATERIAL **FROM** TO 0 3 Native soil 3 92 Bentonite (2") **EW-12** 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was 9/21/2017 and this record is true to the best of my knowledge and belief. Kansas Water completed on (mo/day/year) 527. This Water Well Record was completed on (mo/day/year) 9/26/2017 Well Contractor's License No. business name of GeoCore Inc. by (signature) INSTRUCTIONS: Use typewriter or ballpoint pen. Please press firmly and print clearly. Please fill in blanks, underline or circle the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone 785/296-5524. Send one to Water Well Owner and retain one for your records. Visit us at http://www.kdheks.gov/waterwell/index.html.

Form WWC-5P

WATER WELL PLUGGING RECORD

KSA 82a-1212 ID NO. EW-12



Northern Natural Gas Holcomb Plant About 1 mi. North and 2 mi. West of Holcomb, Kansas Sheet 1 of 2

## **GPS Coordinates:**

EW1:	38.00225, -101.03291	EW7:	38.00192, -101.03235
EW2:	38.00230, -101.03274	EW8:	38.00148, -101.03272
EW3:	38.00234, -101.03257	EW9:	38.00150, -101.03258
EW4:	38.00185, -101.03283	EW10:	38.00153, - 101.03240
EW5:	38.00187, -101.03268	EW11:	38.00154, -101.03222
EW6:	38.00190, -101.03251	EW12:	38.00158, -101.03207

Northern Natural Gas Holcomb Plant About 1 mi. North and 2 mi. West of Holcomb, Kansas Sheet 2 of 2

## **GPS Coordinates:**

MW-1: 38.00136, -101.03219 MW-2: 38.00127, -101.03218 MW-3: 38.00128, -101.03200 MW-4: 38.00136, -101.03201 MW-5: 38.00125, -101.03235 MW-6: 38.00144, -101.03202 MW-7: 38.00148, -101.03229 MW-8: 38.00115, -101.03232 MW-9: 38.00117, -101.03200 MW-10: 38.00147, -101.03171 MW-11: 38.00121, -101.03161 MW-12: 38.00134, -101.03259 MW-13: 38.00163, -101.03237 MW-14: 38.00174, -101.03246 MW-15: 38.00149, -101.03243 MW-16: 38.00162, -101.03214 MW-17: 38.00155, -101.03260 MW-18: 38.00149, -101.03237 MW-19: 38.00216, -101.03249 MW-20: 38.00136, -101.03224 MW-21: 38.00199, -101.03245 MW-22: 38.00248, -101.03307 MW-23: 38.00283, -101.03255 MW-24: 38.00281, -101.03216 MW-25: 38.00230, -101.03306 MW-26: 38.00230, -101.03177 MW-27: 38.00196, -101.03179 MW-28: 38.00199, -101.03331 MW-29: 38.00156, -101.03330 MW-30: 38.00123, -101.03307 MW-31: 38.00078, -101.03233 MW-32: 38.00308, -101.03330 MW-33: 38.00314, -101.03255 MW-34: 38.00277, -101.03163 MW-36: 38.00123, -101.03200 MW-37: 38.00250, -101.03362 MW-38: 38.00163, -101.03037 MW-39: 38.00164, -101.03030 MW-40: 38.00154, -101.03006 MW-41: 38.00139, -101.03029 MW-42: 38.00216, -101.03251 MW-43: 38.00128, -101.03229 MW-44: 38.00156, -101.03233 MW-45: 38.00216, -101.03338 MW-46: 38.00206, -101.03262 MW-47: 38.00224, -101.03183

MW-48: 38.00285, -101.03236

MW-49: 38.00298, -101.03318 AAS-1: