WATER WELL PLUGGING RECORD Form WWC-5P KSA 82a-1212 ID NO. MW-1

| 1 LOCATION OF WATER WELL: County: Finney | | | Fraction NE 1/4 SW 1/4 | 4 NE 1/4 | 4 NE 1/4 | | n Number 3 | Township Number 24 S | | ar E ⊠ W | | |
|--|---|---|---------------------------|------------------------------|---|---|---|-------------------------|---------------|----------------------|--|--|
| Street/Rural Address of Well Location; direction from nearest town or intersect check here | | | | tion. If at owner's address, | | Latit Long Eleva | Global Positioning Systems (C Latitude: 38.00136 Longtitude: -101.03219 Elevation: | | 3 (i 19 (i | (in decimal degrees) | | |
| | RR#, St. | WATER WELL OWNER:Northern Natural GasRR#, St. Address, Box #451 S. Country EstatesCity, State ZIP CodeLiberal, KS 67901 | | | | | Collection Method: ☐ GPS unit Make/Model: <u>Google Earth</u> ☑ Digital Map/Photo ☐ Topographic Map ☐ Land Survey Est. Accuracy: ☐ <3 m ☑ 3-5 m ☐ 5-15 m ☐ >15 m | | | | | |
| | MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX: 4 DEPTH OF WELL: 60 ft. WELL'S STATIC WATER LEVEL: Dry ft. WELL'S STATIC WATER LEVEL: Dry ft. WELL'S STATIC WATER LEVEL: Dry ft. WELL WAS USED AS: Domestic Domestic Public Water Supply Dewatering Irrigation Old Field Water Supply Monitoring Feedlot Domestic (Lawn/Garden) Injection Well Industrial Air Conditioning Other Was a chemical/bacteriological sample submitted to Department? Yes No | | | | | | | | V No | | | |
| 5 TYPE OF BLANK CASING USED: □ Steel RMP (SR) Wrought Fiberglass Other: ☑ PVC ABS Asbestos/Cement Concrete Tile Blank casing diameter: 2 in. Was casing pulled? Yes No If Yes, how much 3' Casing height above or below land surface: in. in. If Yes, how much 3' | | | | | | | | | | | | |
| 6 GROUT PLUG MATERIAL: □ Neat cement □ Cement grout ✓ Bentonite □ Other: Grout Plug Intervals: From 3 ft. To 60 ft. From ft. To ft. To ft. To What is the nearest source of possible contamination: | | | | | | | | | | | | |
| Lateral lines Feed | | | | | torage zer storage icide storage loned water ill/Gas well | orage storage water well Direction from well: | | | | | | |
| | FROM | ТО | PLUGG | ING MATERIA | L | FROM | ТО | | PLUGGING M | ATERIAL | | |
| | 0 | 3 | Native soil | | | | | | | | | |
| | 3 | 60 | Bentonite (2 | ") | | | | N | 1W-1 | | | |
| | | | | | | | | | | | | |
| + | | | | | | | | | | | | |
| ł | | | | | | | | | | | | |
| 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was completed on (mo/day/year)9/21/2017 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No527. This Water Well Record was completed on (mo/day/year)9/26/2017 under the business name ofGeoCore Incby (signature)a | | | | | | | | | | | | |
| INSTRUCTIONS: Use typewriter or ballpoint pen. Please press firmly and print clearly. Please fill in blanks, underline or circle the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone 785/296-5524. Send one to Water Well Owner and retain one for your records. Visit us at http://www.kdheks.gov/waterwell/index.html. | | | | | | | | | | | | |



Northern Natural Gas Holcomb Plant About 1 mi. North and 2 mi. West of Holcomb, Kansas Sheet 1 of 2

GPS Coordinates:

| EW1: | 38.00225, -101.03291 | EW7: | 38.00192, -101.03235 |
|------|----------------------|-------|-----------------------|
| EW2: | 38.00230, -101.03274 | EW8: | 38.00148, -101.03272 |
| EW3: | 38.00234, -101.03257 | EW9: | 38.00150, -101.03258 |
| EW4: | 38.00185, -101.03283 | EW10: | 38.00153, - 101.03240 |
| EW5: | 38.00187, -101.03268 | EW11: | 38.00154, -101.03222 |
| EW6: | 38.00190, -101.03251 | EW12: | 38.00158, -101.03207 |

Northern Natural Gas Holcomb Plant About 1 mi. North and 2 mi. West of Holcomb, Kansas Sheet 2 of 2

GPS Coordinates:

MW-1: 38.00136, -101.03219 MW-2: 38.00127, -101.03218 MW-3: 38.00128, -101.03200 MW-4: 38.00136, -101.03201 MW-5: 38.00125, -101.03235 MW-6: 38.00144, -101.03202 MW-7: 38.00148, -101.03229 MW-8: 38.00115, -101.03232 MW-9: 38.00117, -101.03200 MW-10: 38.00147, -101.03171 MW-11: 38.00121, -101.03161 MW-12: 38.00134, -101.03259 MW-13: 38.00163, -101.03237 MW-14: 38.00174, -101.03246 MW-15: 38.00149, -101.03243 MW-16: 38.00162, -101.03214 MW-17: 38.00155, -101.03260 MW-18: 38.00149, -101.03237 MW-19: 38.00216, -101.03249 MW-20: 38.00136, -101.03224 MW-21: 38.00199, -101.03245 MW-22: 38.00248, -101.03307 MW-23: 38.00283, -101.03255 MW-24: 38.00281, -101.03216 MW-25: 38.00230, -101.03306 MW-26: 38.00230, -101.03177 MW-27: 38.00196, -101.03179 MW-28: 38.00199, -101.03331 MW-29: 38.00156, -101.03330 MW-30: 38.00123, -101.03307 MW-31: 38.00078, -101.03233 MW-32: 38.00308, -101.03330 MW-33: 38.00314, -101.03255 MW-34: 38.00277, -101.03163 MW-36: 38.00123, -101.03200 MW-37: 38.00250, -101.03362 MW-38: 38.00163, -101.03037 MW-39: 38.00164, -101.03030 MW-40: 38.00154, -101.03006 MW-41: 38.00139, -101.03029 MW-42: 38.00216, -101.03251 MW-43: 38.00128, -101.03229 MW-44: 38.00156, -101.03233 MW-45: 38.00216, -101.03338 MW-46: 38.00206, -101.03262 MW-47: 38.00224, -101.03183 MW-48: 38.00285, -101.03236

MW-49: 38.00298, -101.03318 AAS-1: