WATER WELL PLUGGING RECORD For	rm W	VWC-5	J
--------------------------------	------	-------	---

KSA 82a-1212 ID NO. MW-18

WATER WELL PLUGGING REC	CORD FORM WWC-SP	KSA 828-1212					
1 LOCATION OF WATER WELL: County: Finney	Fraction NE 1/4 SW 1/4 NE 1/4 NE	Section NumberTownship N1/4324					
Street/Rural Address of Well Location;	if unknown, distance and	Global Positioning Systems (GPS)	Information:				
direction from nearest town or intersection. If at owner's address, Latitude: 38.00149 (in decimal degrees)							
check here	,	Longtitude: -101.03237	(in decimal degrees)				
		Elevation:	(in decimal degrees)				
~1 mi. N and 2 mi. W of Holcomb or	n Hwy 50	Datum: 🗹 WGS84 🗌	NAD83 🗌 NAD27				
2 WATER WELL OWNER: Northern	Natural Gas	Collection Method:					
	Country Estates	GPS unit Make/Model: G					
	KS 67901	· ☑ Digital Map/Photo □ Top					
		Est. Accuracy: $\Box <3 \text{ m} \leq 3$	J-5 m ∐ 5-15 m ∐ >15 m				
<sup>3</sup> MARK WELL'S LOCATION	4 DEPTH OF WELL: 80	ft.					
WITH AN "X" IN SECTION							
BOX:	WELL'S STATIC WATER	EVEL: <u>Dry</u> ft.					
N	WELL WAS USED AS:						
	Domestic Dublic V	Vater Supply 🛛 🗌 Dewaterin	Ig				
	Irrigation Old Fie	d Water Supply 🛛 🗹 Monitorin	g				
w   E	🗌 Feedlot 🗌 Domest	c (Lawn/Garden) 🗌 Injection V	Well				
	🗌 Industrial 🛛 Air Con	ditioning 🗌 Other					
		-					
	Was a chemical/bacteriolog	cal sample submitted to Departme	ent? 🗌 Yes 🗹 No				
S	was a chemical bacteriolog	cal sample submitted to Deparate					
5 TYPE OF BLANK CASING USED:							
	🗌 Wrought 🗌 Fi	erglass 🗌 Other:					
<ul> <li>Steel</li> <li>RMP (SR)</li> <li>✓ PVC</li> <li>ABS</li> </ul>		ncrete Tile					
	Aspestos/Cement		<u>`</u>				
		es 🗌 No If Yes, how much	3'				
Casing height above or below land surf	ace: in.						
6 GROUT PLUG MATERIAL:	Neat cement Cement	grout 🗹 Bentonite 🗌 Other					
Grout Plug Intervals: From <u>3</u>	ft. To <u>80</u> ft. From	ft. Toft. From	ft. To ft.				
What is the nearest source of possible co	ntamination:						
Septic tank Seep		Other (specify bel					
			wy.				
	age lagoon 🗌 Insecticide :	Direction from wall					
Lateral lines Feed	•	water well					
Cess pool Live	stock pens 🗌 Oil well/Ga	well How many feet:					
FROM TO PLUGG	ING MATERIAL FRO	M TO PLUGG	ING MATERIAL				
0 3 Native soil							
3 80 Bentonite (2	m)						
	/						
		MW-18					
7 CONTRACTOR'S OR LANDOWNER		water well was plugged under					
completed on (mo/day/year) 9/21/2017 and this record is true to the best of my knowledge and belief. Kansas Water							
		s completed on (mo/day/year) _	9/26/2017 under the				
business name of GeoCore Inc		Vale plate	<u> </u>				
<b>INSTRUCTIONS:</b> Use typewriter or b							
the correct answers. Send one copy to K							
Jackson St., Ste. 420, Topeka, Kansas			Well Owner and retain one				
for your records. Visit us at http://www.kdheks.gov/waterwell/index.html.							



Northern Natural Gas Holcomb Plant About 1 mi. North and 2 mi. West of Holcomb, Kansas Sheet 1 of 2

## GPS Coordinates:

EW1:	38.00225, -101.03291	EW7:	38.00192, -101.03235
EW2:	38.00230, -101.03274	EW8:	38.00148, -101.03272
EW3:	38.00234, -101.03257	EW9:	38.00150, -101.03258
EW4:	38.00185, -101.03283	EW10:	38.00153, - 101.03240
EW5:	38.00187, -101.03268	EW11:	38.00154, -101.03222
EW6:	38.00190, -101.03251	EW12:	38.00158, -101.03207

Northern Natural Gas Holcomb Plant About 1 mi. North and 2 mi. West of Holcomb, Kansas Sheet 2 of 2

GPS Coordinates:

MW-1: 38.00136, -101.03219 MW-2: 38.00127, -101.03218 MW-3: 38.00128, -101.03200 MW-4: 38.00136, -101.03201 MW-5: 38.00125, -101.03235 MW-6: 38.00144, -101.03202 MW-7: 38.00148, -101.03229 MW-8: 38.00115, -101.03232 MW-9: 38.00117, -101.03200 MW-10: 38.00147, -101.03171 MW-11: 38.00121, -101.03161 MW-12: 38.00134, -101.03259 MW-13: 38.00163, -101.03237 MW-14: 38.00174, -101.03246 MW-15: 38.00149, -101.03243 MW-16: 38.00162, -101.03214 MW-17: 38.00155, -101.03260 MW-18: 38.00149, -101.03237 MW-19: 38.00216, -101.03249 MW-20: 38.00136, -101.03224 MW-21: 38.00199, -101.03245 MW-22: 38.00248, -101.03307 MW-23: 38.00283, -101.03255 MW-24: 38.00281, -101.03216 MW-25: 38.00230, -101.03306 MW-26: 38.00230, -101.03177 MW-27: 38.00196, -101.03179 MW-28: 38.00199, -101.03331 MW-29: 38.00156, -101.03330 MW-30: 38.00123, -101.03307 MW-31: 38.00078, -101.03233 MW-32: 38.00308, -101.03330 MW-33: 38.00314, -101.03255 MW-34: 38.00277, -101.03163 MW-36: 38.00123, -101.03200 MW-37: 38.00250, -101.03362 MW-38: 38.00163, -101.03037 MW-39: 38.00164, -101.03030 MW-40: 38.00154, -101.03006 MW-41: 38.00139, -101.03029 MW-42: 38.00216, -101.03251 MW-43: 38.00128, -101.03229 MW-44: 38.00156, -101.03233 MW-45: 38.00216, -101.03338 MW-46: 38.00206, -101.03262 MW-47: 38.00224, -101.03183 MW-48: 38.00285, -101.03236

MW-49: 38.00298, -101.03318 AAS-1: