## NATER WELL RECORD Form WWC-5 KSA 82a-1212

LOCATION OF WATER V COUNTY: 047 KEARNY		ion 1/4 NW 1/4 NW 1/4	Section Num 29		wnship Number 24 S	Range Number R 35 W
Distance and direct FROM DEERFIELD; API		town or city street addres 3 MILES EAST	s of well if loc	ated within	city?	
WATER WELL OWNER: RR#, St. Address, I City, State, ZIP co	PAUL & STA Box # : RR 2 BOX 2 ode : LAKIN, KS		Board of Ag Application		ivision of Water	Resources
LOCATE WELL'S LOCAT AN "X" IN SECTION I		4 DEPTH OF COMPLETED WE Depth(s) Groundwater			t. 2. <b>0</b> f	t. 3. <b>0</b> f
\		WELL'S STATIC WATER LEV Pump testdata	BL <i>6Y</i> ft. bel : Well water wa	ow land surf s 0 ft.	ace measured on mafter 0 hour	o/day/yr <b>os/24/o</b> s pumping 0 g
WM	NÈ	Rstimated Yield 0 g	pm: Well water w	as 0 ft.	after 0 hour	s pumping 0 g
W	-     B	Bore Hole Diameter	10 in. to	272 ft., a	nd in. to	0 ft.
CW	SE	WELL WATER TO BE USED A	S: 01 DOMESTIC			
,	38	Was a chemical/bacterio If yes, mo/day/yr sampl				ll disinfected? N
lank casing diamet asing height above	ter 5 in. e land surface 1	CASING JOINT to 272 ft., Dia 12 in., weight 3	S: OTHER 3 in. to 0 ft. lbs/ft. Wall th	τντ – ce , Dia ickness or g	rti-lok	
Blank casing diamet Casing height above FYPE OF SCREEN OR I SCREEN OR PERFORATI	ter 5 in. e land surface 1 PERFORATION MATERIA ION OPENINGS ARE:INTERVALS:	CASING JOINT to 272 ft., Dia 12 in., weight 3 AL: 07 PVC 03 MILL SLOT  From 232 ft. to 272 From 0 ft. to 0	in. to 0 ft. lbs/ft. Wall th  ft., From 0 ft., From 0	, Dia ickness or g	in. to 0 ft. auge No264	
Blank casing diamet Casing height above	ter 5 in. e land surface 1 PERFORATION MATERIA ION OPENINGS ARE:INTERVALS:	CASING JOINT to 272 ft., Dia 12 in., weight 3 AL: 07 PVC 03 MILL SLOT	in. to 0 ft. lbs/ft. Wall th  ft., From 0 ft., From 0 ft., From 25	, Dia ickness or g  ft. to 0 ft. to 9 ft.	in. to 0 ft. auge No264	
Blank casing diamet Casing height above FYPE OF SCREEN OR F SCREEN OR PERFORATE  GRAVEL PACK 1  GRAVEL PACK 1  GROUT MATERIAL ( Grout Intervals: F	ter 5 in. e land surface 1 PERFORATION MATERIA ION OPENINGS ARE: INTERVALS: INTERVALS: 03 BENTONITE From 5 ft. to	CASING JOINT to 272 ft., Dia 12 in., weight 3 AL: 07 PVC 03 MILL SLOT  From 232 ft. to 272 From 0 ft. to 0 From 0 ft. to 5	in. to 0 ft. lbs/ft. Wall th  ft., From 0 ft., From 25 ft., From 0 ft., From 0	, Dia ickness or g  ft. to 0 ft. to 0 ft. to \$5 ft. to 0	in. to 0 ft. auge No264  ft. ft. ft.	
Blank casing diamet Casing height above FYPE OF SCREEN OR F SCREEN OR PERFORATION GRAVEL PACK T GROUT MATERIAL Grout Intervals:	ter 5 in. e land surface 1 PERFORATION MATERIA ION OPENINGS ARE: INTERVALS: INTERVALS: 03 BENTONITE From 5 ft. to t source of possibl	CASING JOINT to 272 ft., Dia 12 in., weight 3 AL: 07 PVC 03 MILL SLOT  From 232 ft. to 272 From 0 ft. to 0 From 0 ft. to 5 From 95 ft. to 272  25 ft., From 85 ft.	in. to 0 ft. lbs/ft. Wall th  ft., From 0 ft., From 25 ft., From 0 ft., From 0	, Dia ickness or g  ft. to 0 ft. to 0 ft. to \$5 ft. to 0	in. to 0 ft. auge No264  ft. ft. ft. ft. ft. t. to 0 ft.	ow many feet?
Blank casing diamet Casing height above PYPE OF SCREEN OR I SCREEN OR PERFORATE  GRAVEL PACK ROUT MATERIAL Frout Intervals: I Stat is the nearest	ter 5 in. e land surface 1 PERFORATION MATERIA ION OPENINGS ARE: INTERVALS: INTERVALS:  03 BENTONITE From 5 ft. to t source of possibl 1?	CASING JOINT to 272 ft., Dia 12 in., weight 3 AL: 07 PVC 03 MILL SLOT  From 232 ft. to 272 From 0 ft. to 0 From 0 ft. to 5 From 95 ft. to 272  25 ft., From 85 ft. Le contamination: NONE OBS	in. to 0 ft. lbs/ft. Wall th  ft., From 0 ft., From 25 ft., From 0 ft., From 0	, Dia ickness or g  ft. to 0 ft. to 0 ft. to \$5 ft. to 0	in. to 0 ft. auge No264  ft. ft. ft. ft. ft. t. to 0 ft.	ow many feet?
Blank casing diamet Casing height above TYPE OF SCREEN OR I SCREEN OR PERFORATED  GRAVEL PACK FROUT MATERIAL Frout Intervals: I Hat is the nearest Direction from well  FROM  O  2  10  10  80	ter 5 in. e land surface 1 PERFORATION MATERIA ION OPENINGS ARE: INTERVALS: INTERVALS:  O3 BENTONITE From 5 ft. to t source of possibl 1?  O1 CLAY 31 CALICE O4 SANDY CLAY O5 SAND O1 CLAY O7 FINE SAND O4 S O5 SAND O7 FINE SAND O8 M	CASING JOINT to 272 ft., Dia 12 in., weight 3 AL: 07 PVC 03 MILL SLOT  From 232 ft. to 272 From 0 ft. to 0 From 0 ft. to 5 From 95 ft. to 272  25 ft., From 85 ft. Le contamination: NONE OBS  ITHOLOGIC LOG	in. to 0 ft. lbs/ft. Wall th  ft., From 0 ft., From 25 ft., From 0  to 95 ft., BRVED	, Dia ickness or g  ft. to 0 ft. to 0 ft. to 55 ft. to 0	in. to 0 ft. auge No264  ft. ft. ft. ft. ft.	ow many feet?

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 08/27/04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 145

This Water Well Record was completed on (mo/day/yr) 11/05/04 under the business name of HENKLE DRILLING & SUPPLY

by (signature)

	OF WATER 047 KEARN		Fraction	4 NW 1/	4 NW 1	/4	Section Number 29	Township Numl	er S	Range Number R 35 W
RR#. St.	LL OWNER: Address, ate, ZIP o	Box # : R	AUL & STACY R 2 BOX 26A AKIN, KS		00		Board of Agricultur Application Number:	e, Division of	Water Re	sources
FROM 240 272	T0 272 280	07 FINE 04 SANDY	SAND 08 MED	OLOGIC LOG DIUM SAND 2						
		,								
•										

<sup>7</sup> CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 08/27/04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 145

This Water Well Record was completed on (mo/day/yr) 11/05/04 under the business name of HENKLE DRILLING & SUPPLY

by (signature)