

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

KE32

1 LOCATION OF WATER WELL: County: Kearny Fraction NW 1/4 SW 1/4 NW 1/4 Section Number 27 Township Number T 24 S Range Number R 35 E/W

Distance and direction from nearest town or city street address of well if located within city? From Southeast corner of Lakin 6 miles east, 3,416 ft. north & 5,165 ft. west Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: Longitude: Elevation: Datum: Data Collection Method:

2 WATER WELL OWNER: Suntera Farms RR#, St. Address, Box #: 2443 Road 160 City, State, ZIP Code: Holcomb, KS 67851

3 LOCATE WELL'S LOCATION WITH AN 'X' IN SECTION BOX: N W X NE E SW SE S

4 DEPTH OF COMPLETED WELL: 310 ft. Depth(s) Groundwater Encountered (1) 44 ft. (2) 2-15-08 ft. (3) 2-15-08 ft. WELL'S STATIC WATER LEVEL... 44 ft. below land surface measured on mo/day/yr... 2-15-08 Pump test data: Well water was... ft. after... hours pumping... gpm Est. Yield... gpm: Well water was... ft. after... hours pumping... gpm

5 TYPE OF CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) CASING JOINTS: Glued... Clamped... Welded... XX Threaded...

Blank casing diameter ... 16 in. to ... 180 ft., Diameter ... in. to ... ft., Diameter ... in. to ... ft. Casing height above land surface ... 12 in., Weight ... 42.05 lbs./ft. Wall thickness or gauge No. ... 250

TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify) 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From ... 180 ft. to ... 310 ft., From ... ft. to ... ft. GRAVEL PACK INTERVALS: From ... 80 ft. to ... 310 ft., From ... ft. to ... ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From ... 0 ft. to ... 80 ft., From ... ft. to ... ft., From ... ft. to ... ft.

What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well Direction from well? Northeast How many feet? 135 ft. north & 5 ft. east

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Content: See attached log

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) ... 2-27-08 ... and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. ... 208 ... This Water Well Record was completed on (mo/day/year) ... 2-28-08 ... under the business name of Minter-Wilson Drilling Co., Inc. by (signature) Nora Kellen

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.

*The
Professionals*

MINTER-WILSON DRILLING CO.

**Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing**

INCORPORATED

Phone 276-8269 • P.O. Box A • GARDEN CITY, KANSAS 67846

NAME BOB GLUNT
COUNTY KEARNY COUNTY
DATE 12-21-07

LOCATION: NW 1/4 27-24-35 - 135 FT. SOUTH OF EXISTING WELL

STATIC WATER LEVEL - 40 FT.

0' TO 1' - TOP SOIL
1' TO 4' - BROWN CLAY
4' TO 57' - FINE TO MEDIUM SAND & GRAVEL - SOME COARSE
57' TO 68' - BROWN CLAY - SMALL GRAVEL STREAKS
68' TO 143' - BROWN CLAY
143' TO 165' - BROWN CLAY WITH SMALL GRAVEL STREAK
165' TO 182' - BROWN CLAY
182' TO 191' - FINE TO MEDIUM SAND & GRAVEL
191' TO 206' - BROWN CLAY
206' TO 214' - FINE TO MEDIUM SAND & GRAVEL
214' TO 219' - BROWN CLAY
219' TO 268' - FINE TO MEDIUM SAND & GRAVEL - 10% CLAY
268' TO 281' - BROWN CLAY
281' TO 290' - FINE TO MEDIUM SAND & GRAVEL - 10% CLAY
290' TO 328' - BROWN CLAY
328' TO 333' - YELLOW CLAY
333' TO 340' - SHALE