USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

#### WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

Location of well:	Caunty	raction	)	Section numb			Range nu		-
		ty SwiMuli				24	S R	35	E/W
	hiway 50 make	yDeerfield \ W a right turn ( n the road	<b>80</b> R.R	Owner of well: . or street: ., state, zip code:					
Locate with "X" ir N	section below:	Sketch map:			6. Bore hole dia. Well depth			on date <b>9</b>	<u>-30-</u> 7
NW	 				7 Cable too Hollow ro				
v	E E	•				ation	Public supply Air condition Oil field wat	ing St	ock
SW  ·	SE   				9. Casing: Mater Threaded W RMP F	elded 🎩	iSurface	1 ft	in.
ı <b>⊸</b> 1 Mi	le				Dia <b>16</b> in. to 3	92ft.	depth Wall Thi	ckness: in	ches or
Type and color of r	material	·		From T	Diain. to _ 10. Screen: Man				<del></del>
	Casin	Schedule			TypeJohnson	Ga1	<u>v. 100-</u>	16"	
	Δ.	- 140 Plain			Slot/gauze				
		- 180 Perf.			Set between				ft. ft.
		- 210 Plain			Gravel pack?				o 5/8
		- 220 Perf.			Static water				./day/yr.
		- 260 Plain					surface Date	<u> 7-13-</u>	/0
		- 305 Perf.			12. Pumping leve			. 1100	a.n.m.
	<b>305</b> -	- 315 Screen			182 ft. after				
	315	- 360 Plain			Estimated maximu				
		- 390 Screen			13. Water sample	submitte	d:	mo	./day/yr.
	390	- 392 Perf.			Yes	_ No	Date		
			<del> </del>		14. Well head co	•			
					Pitless adap		1 ft dnc	hes above	grade
					15. Well grouted With:Neat				Concrete
					Depth: From	-			Concrete
		•			Nearest source				
					ft Di			ype Yes _	X <sub>No</sub>
					17. Pump:			installed	
	·				Manufacturer's no Model number			etg. Ovol	
				ļ.	Length of drop pig			city 100	
		***			Туре:				<b>3</b> -1
					Submersib	e	_	X Turbine	
	(Use a s	econd sheet if needed)		.	Jet Centrifuga	ı	<del>-</del>	Recipro	cating
Elevation:	19. Remarks:				20. Water well c	ontractor		ı:	renort
					is true to the best		• •		, opor ,
ography:					Minter-Wi	1son	Brilli-	ng Co	208
_ Hill					Business name	. Ge	rden Ci	ty. K	5 8 No 7
Slope Upland					Address Address			6,	1-1
_ Sp					Signed	-e	representative	- COLOR	الخصي

## irrigation and Domestic MINTER-WILSON DRILLING CO. Complete installation and Repairing

DICORPORATED 

P.O. Box A . GARDEN CITY, KANSAS 67846 Phone 276-8269 September 6, 1978

#### Job Katz Kenrny County

S. W. & 10-24-35 Deerfield & mile west on black top hiway 50 make a right hand turn and go 's mile down the reed

### Static Water Level-100

STAFF		
	t vivil article	
0	1	Top Soil
1	19	Fine sand brown clay
19	47	Brown Sandy Clay
47	54 71	Fine to med. sand and gravel (loose)
54		Dray Clay
71	7	Fine to med. sand and gravel Loose
79 8)	89	Brown Sandy Clay Fine to med. sand and gravel (loose)
	107 112	용 기계(전) 전계(명) (대한 기계(대한
107	138	Blue Clay small streak fine to med. sand
112	1.30	(loco)
138	157	Fine to med. sand and gravel 10% Clay
130		(1000)
157	172	Fine to med. send and fine gravel
42/		20% Clay (leose)
1	189	Blue Clay
189	200	Blue Clay small streak of sand (loose)
200	216	Blue Clay
216	220	Fine to med. sand and gravel (loose)
220	242	Brown Sendy Clay
242	261	Blue Clay
261	278	Fine to med. send fine gravel (loose)
278	301	Brown Sandy Clay
301	316	Fine to med. sand and gravel mixed yellow
<b>74</b> *	324	Rock (loose)
316	359	Brown Sandy Clay
359	370	Fine to med. sand and gravel (loose)
337	3/4	true of man and Braser (roose)
		(cont.)

# WILSON DRILLING CO.

176 8 64 . F.O. Box A . GARGEN OFF. KANSAS 8 841

Bob Katz

Pg. 2

Location: S. W. 1 10-24-35 Deerfield 1 mile west on black top hiway 50 make a right hand turn and so 1 mile down

the road

		Brown Sandy Clay
		Fine to med. sand and gravel (loose)
80	389	Fine to med. sand and gravel mixed white yellow rock (loose)
389	394	Yellow Clay
394		Shale

T. D. 392