

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD  
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment  
(Water well Contractors)  
Topeka, Kansas 66620

1. Location of well:	County <b>Kearny County</b>	Fraction <b>SE 1/4 SW 1/4</b>	Section number <b>13</b>	Township number <b>24</b>	Range number <b>35</b>	<input checked="" type="checkbox"/> (W)																				
X Distance and direction from nearest town or city: <b>6 West from Holcomb</b> <b>Bridge, 1 South on Kearny-Finney Co. Line,</b> Street address of well location if in city: <b>3/4 West, 10' North</b>			Owner of well: <b>Bob Glunt</b> R.R. or street: <b>RFD 1</b> City, state, zip code: <b>Holcomb, KS 67851</b>																							
4. Locate with "X" in section below: <div style="text-align: center;"> </div>			Sketch map: 6. Bore hole dia. <b>26</b> in. Completion date <b>6-30-79</b> Well depth <b>360</b> ft.																							
5. Type and color of material			7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary																							
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:80%;">Casing Schedule</th> <th style="width:10%;">From</th> <th style="width:10%;">To</th> </tr> </thead> <tbody> <tr> <td><b>0 - 100 Plain</b></td> <td></td> <td></td> </tr> <tr> <td><b>100 - 200 Perf.</b></td> <td></td> <td></td> </tr> <tr> <td><b>200 - 215 Plain</b></td> <td></td> <td></td> </tr> <tr> <td><b>215 - 230 Perf.</b></td> <td></td> <td></td> </tr> <tr> <td><b>230 - 270 Screen</b></td> <td></td> <td></td> </tr> <tr> <td><b>270 - 360 Perf.</b></td> <td></td> <td></td> </tr> </tbody> </table>			Casing Schedule	From	To	<b>0 - 100 Plain</b>			<b>100 - 200 Perf.</b>			<b>200 - 215 Plain</b>			<b>215 - 230 Perf.</b>			<b>230 - 270 Screen</b>			<b>270 - 360 Perf.</b>			8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Casing Schedule	From	To																								
<b>0 - 100 Plain</b>																										
<b>100 - 200 Perf.</b>																										
<b>200 - 215 Plain</b>																										
<b>215 - 230 Perf.</b>																										
<b>230 - 270 Screen</b>																										
<b>270 - 360 Perf.</b>																										
9. Casing: Material <b>Steel</b> Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <b>1 ft.</b> RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <b>36.87</b> lbs./ft. Dia. <b>16</b> in. to <b>360</b> ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. <b>.219</b>			10. Screen: Manufacturer's name <b>Johnson</b> Type <b>Johnson Galv</b> Dia. <b>100-16"</b> Slot/gauze _____ Length _____ Set between _____ ft. and _____ ft. _____ ft. and _____ ft. Gravel pack? <input checked="" type="checkbox"/> <b>yes</b> Size range of material <b>1/2 to 5/8</b>																							
11. Static water level: _____ mo./day/yr. <b>32</b> ft. below land surface Date <b>5-14-79</b>			12. Pumping level below land surfaces: <b>62</b> ft. after <b>2</b> hrs. pumping <b>750</b> g.p.m. <b>74</b> ft. after <b>4</b> hrs. pumping <b>1100</b> g.p.m. Estimated maximum yield <b>1100</b> g.p.m.																							
13. Water sample submitted: _____ mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date _____			14. Well head completion: <input type="checkbox"/> Pitless adapter <b>1 ft.</b> Inches above grade																							
15. Well grouted? <input checked="" type="checkbox"/> <b>yes</b> With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From <b>0</b> ft. to <b>10</b> ft.			16. Nearest source of possible contamination: ft. _____ Direction <b>N/A</b> Type _____ Well disinfected upon completion? <input type="checkbox"/> Yes <input type="checkbox"/> No																							
17. Pump: _____ Not installed Manufacturer's name <b>Peerless 4 stg. 12"</b> Model number _____ HP <b>125</b> Volts _____ Length of drop pipe <b>160</b> ft. capacity <b>1000</b> g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other			20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <b>Minter Wilson Drilling Co. 208</b> Business name License No. _____ Address <b>Box 4, Garden City, KS 67846</b> Signed _____ Date <b>8-17-79</b> Authorized representative																							
18. Elevation:  Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input checked="" type="checkbox"/> Valley		19. Remarks:		(Use a second sheet if needed)																						

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

24  
 35  
 W  
 13  
 SE  
 SW  
 1/4

**MINTER-WILSON DRILLING CO.**  
INCORPORATED

Irrigation  
and Domestic  
Water Systems  
Complete Installation  
and Repairing

Phone 276-8268 • P.O. Box A • GARDEN CITY, KANSAS 67846

March 1, 1979

Bob Glunt  
Kearny County

Location: S. W.  $\frac{1}{4}$  13-24-35 from Minter-Wilson Shop 6 mile West,  
1 mile South,  $\frac{3}{10}$  of a mile East, 10' North in field

Static Water Level - 26

Test #2

0	4	Top Soil
4	12	Fine Sand (loose)
12	25	Med. coarse gravel
25	45	Coarse gravel
45	63	Brown Clay
63	78	Brown Clay Small gravel streak
78	97	Brown Clay
97	109	Fine to med. sand and gravel (loose)
109	124	Fine to med. sand and fine gravel 10% Clay (loose)
124	140	Brown Sandy Clay
140	154	Fine to med. sand and fine gravel 20% Clay (tight)
154	165	Brown Sandy Clay
165	196	Fine to med. sand and gravel (loose)
196	210	Brown Sandy Clay
210	215	Fine Sand
215	233	Fine to med. sand & fine gravel (loose)
233	246	Fine to med. sand and gravel 10% Clay
246	268	Fine to med. sand and gravel (good loose)
268	291	Brown Sandy Clay
291	304	Fine to med. sand and gravel (loose)
304	317	Brown Sandy Clay
317	325	Fine to med. sand and gravel
325	336	Fine to med. sand & gravel 10% Clay (loose)
336	343	Brown Sandy Clay
343	349	Fine to med. sand & gravel mixed with small yellow rock
349	356	Fine to med. sand & gravel mixed with small yellow rock (tight) (cont.)

Phone 276-8259 • P.O. Box A • GARDEN CITY, KANSAS 67846

March 1, 1979

Bob Glunt  
Kearny County

Location: S. W.  $\frac{1}{4}$  13-24-35  
Test #2

356	377	Yellow Clay Gray Clay
377	380	Shale

T. D. 360'