USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction			Section	number	Township number	Range number	
1. Location of well:	Kearny	SW 1/4	NE 1/4	SW _{1/4}	29	•	, 24 s	R 35 €€	
2. Distance and direction from nearest town or city: W. of Deerfield, 3. Owner of well: j						Fritz Schreibvogel			
Ks. on river road to the KsNeb. Station R.R. or street: Street abdress of well location if in city: east rd. 1 mile morth. 1/4 west. City, state, zip code:						Iakin, Ks. 67860			
4. Locate with "X" in section below: Sketch map:						6. Bore hole dia. 26 in. Completion date 3-20-75		5	
N						•	Well depth 332 ft.		
			•				7 Cable tool Rotary		
							Bored X Reverse rotary		
₹ w F						8. Use: Domestic Public supply Industry X_ Irrigation Air conditioning Stock			
f						Lawn Oil field water Other			
S\$ SE						9. Casing: Materia Stee]	_ Height: Above		
<u> </u>						Threaded WeldedX			
S 1 Mile						RMP PVC Dia.16 in. to 333ft. dep			
5. Type and color of					From	То	Dia in. to ft. dept		
3. Type that colds of	molecular						10. Screen: Manufacturer's n		
	,						Johnson Di	Dig. 16"	
							Slot/sauze	Length 201	
					-		- · · · · · · · · · · · · · · · · · · ·	ft. and 320 ft.	
							Gravel pack? Yes Size ra	nge of material 2" down.	
							11. Static water level:	mo./day/yr.	
							ft. below land sur	race Date	
						12, Pumping level below land 196 ft. after 2 1	surfaces: hrs. pumping 533 g.p.m.		
							204 ft, after hrs. pumping 578 g.p.m.		
				·			Estimated maximum yield	550 g.p.m.	
	·				-		13. Water sample submitted:YesNo	mo./day/yr.	
<u> </u>			······································		-		14. Well head completion: Pitless adapter	12Inches above grade	
				•		<u> </u>	15. Well grouted? Yes		h s
							With: Neat cement	Bentonite Concrete	_
						 	Depth: From ft - to .	10 ft.	1
	·	•			ļ	 	16. Nearest source of possible		•
	· · · · · · · · · · · · · · · · · · ·	·					Wall disinfected upon comple	Y 1	4.4
		-					17. Pump:	Not installed	, W
<u> </u>					+	 	Model number K-2114	HP 40 Volts	S
							Length of drop pipe 160	ft. capacity <u>550</u> g.p.m.	⊚ ™
							Type: Submersible	X Turbine	
	•				1	 	Jet	Reciprocating	N
	(Use a second s	heet if needed	I)				Centrifugal	Other	6
18. Elevation: 19. Remarks:						20. Water well contractor's of		17	
							This well was drilled under m is true to the best of my know		rv.
Тородгорну:							Minter-Wilson D	rilling Co. 208	≥β
Hill	· ·	•					Business pame 493 Gay	rden City, Ks.	<u>⊒</u> 3 ₹
Slope Upland			-				Address Lane	X 10 10-12	21
Valley							Authorized rep	resentative Date	3 2

were the special section is

P. O. Box 493 . GARDEN CITY, KANNEAS ET 1846

Seerey County Prits Schreibveral

5Mc Sod 29 22k R 35 Took # 1

Location: V. of Deerfield on River Road by the House t Mobreska Station, East Road going I mile Month 's West on North side of Hoad

- 0 5 Tep Sell
- 5 ht Medium Coarse Gravel (Loose)
- h8 58 Brown Sandy Clay
- 58 67 Pine to Medium Sand & Gravel, Stauck of Class 50% (Leose)
- 67 122 Fine to Medium Sand & Gravel (Lanua).
- 122 116 Blue Clay
- 118 186 Fine to Medium Sand & Gravel, Clay 20% (Manus)
- 186 197 Brown Clay (Gravel Streek)
- 197 200 Fine to Medium sand @Grevel (Loose)
- 240 253 Medium Sand Gravel . (Locoo)
- 253 332 Fine to Hedium to Sand & Gravel (Limene)
- 332 3h0 Teller eleg
- 3k0 360 Shale