

W	_		RECORD	-	····C-3	3414		ion of Wate			Well ID	
1	Original Record       Correction       Change in Well Use         LOCATION OF WATER WELL:       Fraction					11			ge Number			
-	County					4 <sup>1</sup> ⁄4				T S	R	$\Box E \Box W$
2	2 WELL OWNER: Last Name: First: Business: Address: Address:			First: ZIP:	Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:							
3	LOCAT	E WELL					6		_			
-	WITH "	X" IN			<b>IPLETED WELL:</b>							
w	N NW X	SECTION BOX:       Depth(s) Groundwater Encountered: 1)         N       2)			Dry We ft. -yr) -yr) ft. gpm ft.	ell	Longitude:(decimal degrees) Datum: WGS 84 NAD 83 NAD 27 <u>Source for Latitude/Longitude</u> : GPS (unit make/model:) (WAAS enabled? Yes No) Land Survey Topographic Map Online Mapper:					
			Estimated Y			<b>C</b> 1	6 Elevation:      ft. □ Ground Level         and       Source:       □ Land Survey       □ GPS       □ Topograp					
	؟ 1 n1 n	S nilel	Bore Hole D		in. to in. to			<u>50010</u>		Other		
		1	O BE LISED A			11.		1				
1. 2. 3.	Domestic: Housel Lawn & Livesto	Household       6. Dewatering: how many wells?         Lawn & Garden       7. Aquifer Recharge: well ID         Livestock       8. Monitoring: well ID         Irrigation       9. Environmental Remediation: well ID .         Feedlot       Air Sparge       Soil Vapor Ex			D	·····	<ul> <li>10. Oil Field Water Supply: lease</li> <li>11. Test Hole: well ID</li> <li>Cased Ducased Geotechnical</li> <li>12. Geothermal: how many bores?</li> <li>a) Closed Loop Horizontal Vertical</li> <li>b) Open Loop Surface Discharge Inj. of Water</li> <li>13. Other (specify):</li> </ul>					
w	as a chei	nical/hacte			itted to KDHE?	Yes 🗖	No					
			?  Yes				110	11 yes, aux	e sun	ipie was submittee		
					C 🗌 Other	C.	ASIN	G JOINTS	5: П	Glued  Clamped	□ Welded	1 🗌 Threaded
8 TYPE OF CASING USED:       Steel       PVC       Other       CASING JOINTS:       Glued       Clamped       Welded       Threaded         Casing diameter       in. to       ft., Diameter       in. to       ft., Diameter       in. to       ft.         Casing height above land surface       in. to       in. Weight       lbs./ft.       Wall thickness or gauge No.       ft.         TYPE OF SCREEN OR PERFORATION MATERIAL:												
					Cement grout 🛛 Be							
					ft., From	ft. to		ft., From		ft. to	ft.	
	Nearest source of possible contamination:         Septic Tank       Lateral Lines       Pit Privy       Livestock Pens       Insecticide Storage         Sewer Lines       Cess Pool       Sewage Lagoon       Fuel Storage       Abandoned Water Well         Watertight Sewer Lines       Seepage Pit       Feedyard       Fertilizer Storage       Oil Well/Gas Well         Other (Specify)       Other (Specify)       Severage       Severage       Severage       Severage											
	FROM	m well? TO		ITHOLOG	Distance from w	FRO				HO. LOG (cont.) or	DUCCIN	CINTEDVALS
10	FROM	10	L	THOLU	51C LUG	FKU.	IVI	10		110. LOG (COIII.) OF	LUGGIN	JINIERVALS
	Notes:											
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)												
I	KS Departn	nent of Health			Vater, Geology Section, 10							785-296-3565.
	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											

Form	WWC5				
Contractor	Hydro Resources Mid Continent, Inc.				
Well Owner	KERRY TACKETT				
Doc ID	1093414				

## Litholgy

From	То	LithologicLog
0	2	TOP SOIL
2	5	BROWN SANDY CLAY
5	50	SAND FIINE TO MED COARSE SMALL MED LEDGES GRAVEL
50	73	BROWN SANDY CLAY
73	89	LIGHT BLUE CLAY
89	106	BROWN CLAY
106	112	SAND FINE TO MED COARSE- BLUE IN COLOR W/ COUPLE BLUE CLAY STRINGERS
112	185	BLUE CLAY
185	225	BLUE CLAY W/ COUPLE SAND BEDS
225	240	BROWN SANDY CLAY W/ FEW SAN STRIPS
240	250	SAND FINE TO MED COARSE W/ COUPLE CLAY STRINGERS
250	256	BROWN SANDY CLAY W/ MANY SAND STRIPS
256	269	SAND FINE TO MED COARSE
269	296	SAND FINE TO MED COARSE W/ BROWN & TAN ROCK W/ COUPLE SMALL CLAY LEDGES

Form	WWC5				
Contractor	Hydro Resources Mid Continent, Inc.				
Well Owner	KERRY TACKETT				
Doc ID	1093414				

## Litholgy

From	То	LithologicLog
296	308	BROWN SANDY CLAY W/ COUPLE SAND STRIPS
308	340	SAND FINE TO MED COARSE W/ BROWN & TAN ROCK
340	364	SAND FINE TO MED COARSE W/ SOME CLAY STRINGERS
364	371	SANDSTONE & SOAPSTONE
371	380	SHALE
1		
1		
1		
1		