KOLAR Document ID: 1568518

	WELL R	ECORD Correction		WWC-5				ion of Wate] Well	ш [
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction					Resources App. No. Section Number Township Numbe					ge Number			
County: 14 14 14					30011	T S R DE DW							
						Rural Address where well is located (if unknown, distance and							
Business:						direction fro	irection from nearest town or intersection): If at owner's address, check here:						
Address: Address:													
City:			State:	ZIP:									
3 LOCAT	E WELL				L								
WITH "				IPLETED W			. ft.						
SECTIO	N BOX:			Encountered:						e:			
N	1			8) ft., TER LEVEL: .			l			WGS 84 □ NAI		_] N.	AD 27
				measured on (Latitude/Longitude			,
NW	NF			measured on (
	i l	Pump test d	ata: Well w	ater was	ft.	-			Survey Topogr			-/	
w	E	after		s pumpinggpm				Online Mapper:					
SW	s X	-6		ater was									
	ī	Estimated Y		pumping gpm				6 Eleva	tion	n:ft. Ground Level TOC			
	S			gpm in. to	ft. and		Source: Land Survey GPS Topographic Map						
1 n				in. to .						Other			
7 WELL V	WATER TO	BE USED A	AS:										
1. Domestic:				ter Supply: we						eld Water Supply: 16			
Housel				g: how many									
☐ Lawn &				echarge: well									
☐ Livesto 2. ☐ Irrigati				g: well ID									
3. ☐ Feedlo] Air Sparge		Remediation: well ID			a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Wate					
4. ☐ Industr			Recovery	☐ Inje	_					(specify):			
Was a chei	nical/bacter	iological san	nple subm	itted to KDF	HE? □	Yes □ N	lo I			nple was submitte			
	disinfected?				Ш	140 🗀 1		11 y 00, auc.		inpre was securious			
				C 🗌 Other		CA	SINC	G JOINTS	S: 🗆	Glued Clamped	d □ We	lded	☐ Threaded
										in. to			
	t above land s					lbs./	ft.	Wall thick	kness	s or gauge No			
	SCREEN OR		ΓΙΟΝ MA										
Steel	_	less Steel		_	PVC	17 1	1.	∐ Oth	ner (S	Specify)	• • • • • • • • • • • • • • • • • • • •	• • • • • •	
☐ Brass	Gaiva NR PERFOR∆	anized Steel	NINGS AI] None t	ised (open l	101e)						
		☐ Mill Slot		auze Wrapped	□т	orch Cut	7 Dri	lled Holes	П	Other (Specify)			
_		☐ Key Puncl						ne (Open H					
SCREEN-P					o						fr	t. to .	ft.
Gl	SCREEN-PERFORATED INTERVALS: From												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
Grout Intervals: From													
Nearest sour			on: No Lateral Line		ce of cor t Privy			in 200 ft. ivestock Pe		☐ Insection	aida Star	rogo	
☐ Septic			Cess Pool					uel Storage		☐ Abande			Vell
	ght Sewer Lin			☐ Fe				ertilizer Sto					, 611
Other (Specify)												
Direction from well? Distance from well? ft.													
10 FROM	TO	I	LITHOLO(GIC LOG		FROM	[TO	LIT	HO. LOG (cont.) or	r PLUGO	<u> </u>	INTERVALS
							+						
											-		
						Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Wa	ter Well Con	tractor's Lice	ense No		This W	ater Well I	Reco	rd was con	nole	eted on (mo-day-y	ear)	g	
under the b	under the business name of												
No.D	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
_	nent of Health ar ttp://www.kdhek			vater, Geology S	ection, 10	JUU SW JACK	son St	., Suite 420,	rope	eka, Kansas 00012-130	ii. Telep		/85-296-3565. A 82a-1212
												_~~	

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1568518

Lithology

From	То	LithologicLog
0	2	TOPSOIL
2	10	FINE SAND
10	36	MED/C SAND W/ FINE GRAVEL
36	51	WHITE & TAN CLAY
51	70	FINE/M/C SAND
70	116	SANDY CLAY W/ F/M/C SAND
116	136	BL CLAY
136	147	F/M SAND
147	167	SANDY CLAY
167	213	F/M SAND
213	224	SANDY CLAY
224	233	F/M SAND
233	240	SANDY CLAY
240	265	F/M SAND
265	281	LIMEROCK WITH F/M SAND
281	318	M/C SAND WITH F. GRAVEL
318	319	SANDSTONE
319	325	YELLOW CLAY
325	326	SANDSTONE
326	329	F/M SAND W/ SS
329	337	BLUE SHALE
337	338	SANDSTONE

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1568518

Lithology

From	То	LithologicLog
338	347	SANDSTONE W/ F/M/C SAND
347	374	LIGHT GRAY CLAY
374	391	LIGHT GRAY CLAY W/ FINE SAND
391	430	SANDSTONE W/ F. SAND & GRAY CLAY
430	433	SANDSTONE
433	445	SANDSTONE W/ FINE SAND
445	505	LIGHT GRAY SHALE
505	516	FINE SAND W/ SS
516	525	LIGHT GRAY SHALE W/ RED CLAY
525	530	SANDSTONE W/ FINE SAND
530	535	GRAY SHALE W/ RED CLAY