KOLAR Document ID: 1607174

	WELL R	ECORD Correction		WWC-5			ivision of Wat sources App. 1			] Well ID	
Original Record Correction Change in Well Use  1 LOCATION OF WATER WELL: Fraction				Tr.			ange Number				
County: 14 14 14						T S R DE W					
						Street or R	ural Address	whe	ere well is located		
Business:						direction from	n nearest town o	r inte	rsection): If at owner	r's address	s, check here:
Address: Address:											
City:			State:	ZIP:							
3 LOCAT	E WELL										
WITH "				IPLETED WE					:		
SECTIO	N BOX:			Encountered: 1)					le:		
N	2) ft. 3) ft., or 4) \[ \begin{align*} \] WELL'S STATIC WATER LEVEL:							WGS 84 □ NAI	_	NAD 27	
				measured on (m					Latitude/Longitude		,
NW	- NF				on (mo-day-yr)			☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No)			
	ı	Pump test d	ata: Well w	ater was	f	t.		☐ Land Survey ☐ Topographic Map			
w	E	after		pumping			☐ Online Mapper:				
X	SE	-6		ater was							
	ī	Estimated Y		pumping		gpm	6 Eleva	<b>6 Elevation</b> :ft. ☐ Ground Level ☐ T			nd Level ☐ TOC
	S			gpm in. to		ft. and			Land Survey 🔲		
1 r	~	2010 11010 1		in. to					Other		
7 WELL	WATER TO	BE USED A	AS:								
1. Domestic:				ter Supply: well					eld Water Supply: 16		
Housel				g: how many we							
Lawn				echarge: well ID							
☐ Livesto  2. ☐ Irrigati				g: well ID al Remediation:							
3. ☐ Feedlo			] Air Sparge			Extraction					
4. ☐ Industr			Recovery	☐ Inject	_				(specify):		
Was a cher	mical/bacter	iological sar	nple subm	itted to KDHI	E? 🗆	Yes □ No			mple was submitte		
	disinfected?				Ш	100	11 <i>y</i> 02, au		mpro was sasimos		
				C  Other		CAS	ING JOINTS	S: [	Glued Clamped	d ☐ Weld	led  Threaded
									in. to		
	nt above land s					lbs./ft	Wall thic	knes	s or gauge No		
	SCREEN OR		ΓΙΟΝ MA								
Steel	_	less Steel			PVC	17 1		her (	Specify)	• • • • • • • • • • • • • • • • • • • •	
☐ Brass	OR PERFOR	anized Steel	NINGS AI		none u	sed (open ho	ne)				
	nuous Slot	☐ Mill Slot		auze Wrapped	Пта	rch Cut	Drilled Holes	П	Other (Specify)		
_		☐ Key Puncl					None (Open I				
SCREEN-F	PERFORATE	D INTERV	ALS: From	1 ft. to		ft., From	ft. t	o	ft., From	ft.	to ft.
SCREEN-PERFORATED INTERVALS: From									to ft.		
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other											
Grout Intervals: From											
				potential source				200	□ Insocti	aida Stora	70
□ Septic Tank       □ Lateral Lines       □ Pit Privy       □ Livestock Pens       □ Insecticide Storage         □ Sewer Lines       □ Cess Pool       □ Sewage Lagoon       □ Fuel Storage       □ Abandoned Water Well											
	ight Sewer Lin			☐ Feed			Fertilizer St				
Other (	Specify)										
Direction from well? ft.											
10 FROM	TO	I	ITHOLOG	GIC LOG		FROM	TO	LIT	THO. LOG (cont.) or	· PLUGGI	NG INTERVALS
						Notes:					
11. CONTRACTOR OF A AND ON THE CONTRACTOR OF THE											
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged under my jurisdiction and was completed on (mo-day-year)											
Kansas Wa	arisuicuon an ter Well Con	u was compl tractor's Lie	icicu on (m ense No	(10-uay-year 11-	nis W	an	a uns record	18 III mnl4	ue to tne best of m eted on (mo-day-y	y Kilowie ear)	uge and bellet.
under the b	usiness name	of				** C11 K					
under the business name of  Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.  KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
-				vater, Geology Sec	tion, 10	000 SW Jackso	n St., Suite 420	, Тор	eka, Kansas 66612-136		
v isit us at h	<u>ιτρ://www.Kanel</u>	Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> <a href="http://www.kdheks.gov/waterwell/index.html">KSA 82a-1212</a>								r	NA 028-1212

Form	WWC5
Contractor Hydro Resources Mid Continent, Inc. #145	
Well Owner	
Doc ID	1607174

## Lithology

From	То	LithologicLog
0	2	top soil
2	6	brown sandy clay
6	17	fine sand
17	29	brown sandy clay & fine some med sand mixed
29	50	brown sandy clay w/ some fine sand layers
50	61	brown sandy clay
61	64	fine sand
64	76	brown sandy clay w/ some caliche mixed
76	89	fine med coarse sand
89	100	brown sandy clay
100	162	brown sandy clay w/ some fine sand layers
162	186	fine med sand w/ some clay mixed
186	220	fine med coarse sand w/ couple clay layers
220	234	fine med sand w/ some clay layers
234	242	fine med sand
242	252	fine med sand w/ some clay layers
252	269	fine med coarse sand
269	281	brown sandy clay w/ couple sand layers

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc. #145
Well Owner	
Doc ID	1607174

## Lithology

From	То	LithologicLog
281	291	fine med coarse sand
291	303	brown sandy clay
303	325	fine med coarse sand w/ brown & tan rock
325	353	fine med sand
353	382	fine med coarse sand w/ brown & tan rock
382	400	black shale