


1 LOCATION OF WATER WELL: Fraction NW 1/4 SW 1/4 SE 1/4 Section Number 18 Township Number T 24 S Range Number R 36 EAW
 County: Kearny Distance and direction from nearest town or city street address of well if located within city? From Lakin go 2 mi West i mi North

2 WATER WELL OWNER: Don & Cleone Neff Beredco Drilling
 RR#, St. Address, Box # : Board of Agriculture, Division of Water Resources
 City, State, ZIP Code : Lakin, Kansas Application Number: T 85-1115

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL... 260 ft. ELEVATION: ...
 Depth(s) Groundwater Encountered 1... 70 ft. 2... ft. 3... ft.
 WELL'S STATIC WATER LEVEL 190 ft. below land surface measured on mo/day/yr 1/13/86
 Pump test data: Well water was ... ft. after ... hours pumping ... gpm
 Est. Yield ... 75 gpm: Well water was ... ft. after ... hours pumping ... gpm
 Bore Hole Diameter... 9 in. to ... 260 ft., and ... in. to ... ft.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well
 Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
 2 PVC 4 ABS 7 Fiberglass Threaded
 Blank casing diameter ... 5 1/2 in. to ... 140 ft., Dia ... in. to ... ft., Dia ... in. to ... ft.
 Casing height above land surface ... 28 in., weight ... 2.85 lbs./ft. Wall thickness or gauge No. ... 265
 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From ... 120 ft. to ... 240 ft., From ... ft. to ... ft.
 From ... ft. to ... ft., From ... ft. to ... ft.
 GRAVEL PACK INTERVALS: From ... 80 ft. to ... 260 ft., From ... ft. to ... ft.
 From ... ft. to ... ft., From ... ft. to ... ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From ... ft. to ... ft., From ... ft. to ... ft., From ... ft. to ... ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? Southeast of water well How many feet? 240'

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	surface			
2	36	clay & caliche			
36	68	med. to large sand			
68	123	clay mixed with med. to large sand			
123	148	med. to large sand			
148	166	45% clay & 55% fine sand			
166	173	blue clay			
173	238	40% clay & 60% fine sand			
238	255	clay with streaks of black shale			
255	260	blue clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) January 13, 1986 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 118 This Water Well Record was completed on (mo/day/yr) January 17, 1986 under the business name of Carlile Water Well Service, Inc. by (signature)

OFFICE USE ONLY T R EAW SEC. 1/4 1/4 1/4