

1	LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County:	Kearny	1/4 1/4 1/4	22	T 24 S	R 36 EW

Distance and direction from nearest town or city street address of well if located within city?
 516 N. Main, Lakin, KS

2 WATER WELL OWNER: Presta Oil Inc.
 RR#, St. Address, Box # : 1108 Hattie
 City, State, ZIP Code : Garden City, KS 67846
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N			
- NW -		- NE -	
W			E
- SW -		- SE -	
			S

4 DEPTH OF COMPLETED WELL 24.70 ft. ELEVATION:
 Depth(s) Groundwater Encountered 1 19.00' ft. 2 ft. 3 ft.
 WELL'S STATIC WATER LEVEL 20.14 ft. below land surface measured on mo/day/yr 3-5-03
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) **10** Monitoring well MW-3

Was a chemical/bacteriological sample submitted to Department? Yes **No**; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
2 PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded
		7 Fiberglass		Threaded

Blank casing diameter 2 in. to 14 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface 0 in., weight lbs./ft. Wall thickness or guage No. Sch 40
 TYPE OF SCREEN OR PERFORATION MATERIAL: **7** PVC 10 Asbestos-Cement
 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 Other (Specify)
 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot **3** Mill slot 5 Guazed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify) ft.
 SCREEN-PERFORATED INTERVALS: From 14.24 ft. to 24.24 ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.
 From 12 ft. to 24.24 ft., From ft. to ft.

6 GROUT MATERIAL: **1** Neat cement 2 Cement grout **3** Bentonite 4 Other
 Grout Intervals: From 1 ft. to 12 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy **11** Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below)
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3"	Asphalt	8'	16'	Sandy clay, grayish brown, stiff, moist
3"	4'	Silty clay, brown, firm, slightly moist, some very fine sand, slight plasticity, small veins of caliche	16'	25'	med to very coarse, med to high plasticity, no odor
4'	6'	Clayey silt, brown, some fine to med sand, slightly moist, no plasticity, no odor			Sand, med to very coarse, gray to black staining, poorly sorted, some clay, subrounded to angular, moderate odor
6'	8'	Stiff clay, lt brown, soft, slightly moist, very fine to fine sand, very small multidirectional burrows, slight plasticity, no odor			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was **1** constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-5-03 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 540 This Water Well Record was completed on (mo/day/yr) 4-11-03 under the business name of Prairie Land Environmental Remediation, Inc. by (signature) *Leo J. Mc...*