WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| | County | Fraction | Section | number | Township number Range number | | | |
|---|--|-----------------------------------|-----------------|--|---|---|---------------------|--|
| 1. Location of well: | Kearny | NE 1/4 NE 1/4 NE 1/ | ^{/4} 3 | 3 | T 2), S | r 36 | ₽ | |
| 2. Distance and direction from nearest town or city: 3/4 mi. SW of | | | | Ī: | Elmer Bronine | | | |
| Street address of well | | .R. or street: ity, state, zip | code. | 606 Tampa St. | (70/0 | | | |
| 4. Locate with "X" | in section below: | .,, sidie, zip | code. | Lakin, Kansas 6. Bore hole dia. 10 in | 67860 . Completion date | | | |
| _ N N | | | | | 6. Bore hole dia. 10 in. Completion date | | | |
| Well X 50' machi | | | | | 7Cable tool X RotaryDrivenDugHollow rodJettedBoredReverse rotary 8. Use:Domestic Public supply Industry Irrigation Air conditioningX Stock | | | |
| | | | | | | | | |
| | | | | | | | | |
| shed | | | | | Lawn Oil field water Other 9. Casing: Material PVC Height: Above or below Threaded Welded Surface T8 in. | | | |
| | | | | | | | | |
| 1 Mile — → 1 5. Type and color of material | | | | То | Diain. toft. depth gage No Sch 10 | | | |
| | | | | | 10. Screen: Manufacturer's a Jesse-Lowell | name | | |
| clay | | | | 20 | Type Dia5# | | | |
| sand. gravel | | | | ЪО | Set between190ft. | | | |
| Saut, Stayer | | | | | ### 220 ft. andft. | | | |
| fine sand | | | | 60 | Gravel pack 7 3 8 Size range of material 3/16. 11. Static water level: mo./day/yr. | | | |
| sand, clay | | | | 80 | 80 ft. below land surface Date 9/2/76 | | | |
| sand. gravel. clay streaks | | | | 160 | 12. Pumping level below land surfaces: | | | |
| | | | | 180 | 95 ft. after 1 hrs. pumping 100 g.p.m. | | | |
| sand, gravel | | | | | Estimated maximum yield 100 g.p.m. | | | |
| sand, gravel, fine sand | | | | 220 | 13. Water sample submitted: mo./day/yr. YesNo | | | |
| sandy clay | | | | 3 30 | 14. Well head completion: | | | |
| sand, gravel(little fine) gray clay | | | | 340 | X Pitless adapter 15. Well grouted? Yes | 8 Inches above gr | ade | |
| | | | | | With: Neat cement | | oncrete | |
| | | | | | Depth: From23 ft. to | | 15 | |
| | | | | | 16. Nearest source of possible ft. 50_ft. Direction | | | |
| | | | | | Well disinfected upon comple | | <u>-</u> № ω | |
| | | | | | | Not installed | 230 0 | |
| | | | | | Model number 102558 Length of drop pipe 168 | HP 1_2 Volts ft. capacity 17 g | <u> </u> | |
| | | | | | Type: | 17. capacityg | ,.p.m. 3 ™ | |
| | | | | | Submersible Jet | Turbine | ating W | |
| (Use a second sheet if needed) | | | | | Centrifugal | Other | 8, " | |
| 18. Elevation: 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report | | | | | | | enort W | |
| Slopes away from well. This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. | | | | | | | - 15 | |
| Topography:X_Hill | High Plains Drilling & Supply, Inc. 136B | | | | | | 1 11 | |
| Slope | 402 Ttb. 3rd Garden City. Ks. 67846 5 | | | | | | | |
| Upland Valley | | | | | Signed Art Aktor I de Date 1-15-77 | | | |
| | | | | | | | | |