

WATER WELL RECORD

Form WWC-5

1091914

Division of Water Resources App. No.

[]

[]

Original Record Correction Change in Well Use

Well ID

1 LOCATION OF WATER WELL:

Fraction 1/4 1/4 1/4 1/4

Section Number

Township Number T S

Range Number R E W

County:

2 WELL OWNER: Last Name:

First:

Street or Rural Address where well is located

Business:

Address:

Address:


City:

State:

ZIP:

3 LOCATE WELL WITH 'X' IN SECTION BOX:

N



S

1 mile

4 DEPTH OF COMPLETED WELL:

Depth(s) Groundwater Encountered: 1) ... ft. 2) ... ft. 3) ... ft., or 4) Dry Well ...

5 Latitude: ... (decimal degrees)

Longitude: ... (decimal degrees)

Datum: WGS 84 NAD 83 NAD 27

Source for Latitude/Longitude: GPS (unit make/model): ...

(WAAS enabled? Yes No)

Land Survey Topographic Map

Online Mapper: ...

6 Elevation: ... ft. Ground Level TOC

Source: Land Survey GPS Topographic Map

Other ...

7 WELL WATER TO BE USED AS:

- 1. Domestic: Household Lawn & Garden Livestock
2. Irrigation
3. Feedlot
4. Industrial
5. Public Water Supply: well ID
6. Dewatering: how many wells?
7. Aquifer Recharge: well ID
8. Monitoring: well ID
9. Environmental Remediation: well ID
10. Oil Field Water Supply: lease
11. Test Hole: well ID
12. Geothermal: how many bores?
13. Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:

Water well disinfected? Yes No

8 TYPE OF CASING USED:

Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded

Casing diameter in. to ... ft., Diameter in. to ... ft., Diameter in. to ... ft.

Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:

- Steel Stainless Steel Fiberglass PVC Other (Specify)
Brass Galvanized Steel Concrete tile None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

- Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)

SCREEN-PERFORATED INTERVALS: From ... ft. to ... ft., From ... ft. to ... ft., From ... ft. to ... ft.

GRAVEL PACK INTERVALS: From ... ft. to ... ft., From ... ft. to ... ft., From ... ft. to ... ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other

Grout Intervals: From ... ft. to ... ft., From ... ft. to ... ft., From ... ft. to ... ft.

Nearest source of possible contamination:

- Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well
Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well
Other (Specify)

Direction from well? Distance from well? ft.

10 FROM TO

LITHOLOGIC LOG

FROM TO

LITHO. LOG (cont.) or PLUGGING INTERVALS

Table with columns for FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS

Notes:

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo-day-year) under the business name of

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

| | |
|------------|-------------------------------------|
| Form | WWC5 |
| Contractor | Hydro Resources Mid Continent, Inc. |
| Well Owner | David Neighbor |
| Doc ID | 1091914 |

Litholgy

| From | To | LithologicLog |
|------|-----|--|
| 0 | 2 | top soil |
| 2 | 6 | brown clay |
| 6 | 19 | Coarse Sand, Sm gravel |
| 19 | 22 | Lt Brown Clay |
| 22 | 28 | Cparse Sand. S, Gravel |
| 28 | 47 | Brown Sandy Clay |
| 47 | 48 | Cemented Sand |
| 48 | 50 | Brown Clay |
| 50 | 60 | Coarse Sand, Sm Fravel, cemented Sand Streaks |
| 60 | 82 | Brown Clay , Gypsum Streaks |
| 82 | 122 | frine to Medium Sand, bown clay Streaks |
| 122 | 136 | fine to Medium Sand Loose Few Brown Clay Streaks |
| 136 | 164 | Coarse To very Coarse Sand, Small gravel, white rock |
| 164 | 180 | brown clay |
| 180 | 194 | Meduim to Coarse Sand, sm gravel, few small brown clay streaks |
| 194 | 214 | Medium to Coarse Sand, sm gravel, brown clay streaks |
| 214 | 222 | Coarse Sand, sm gravel, white broken Rock chips |

| | |
|------------|-------------------------------------|
| Form | WWC5 |
| Contractor | Hydro Resources Mid Continent, Inc. |
| Well Owner | David Neighbor |
| Doc ID | 1091914 |

Litholgy

| From | To | LithologicLog |
|------|-----|--|
| 222 | 242 | Fine Coarse Sand, Sm Gravel, white broken rock chips, brown clay streaks |
| 242 | 256 | Coarse to very coarse sand, sm gravel white broken rock |
| 256 | 262 | Yellow , gray and red shale |