WATER WELL RECORD		Form WWC-5		Divi	Division of Water Resources App. No.				
1 LOCATION OF WATER WELL:		Fraction 1/4 WW 1/4 VE 1/4		Section Number Township No.			Range Number R		
County: Kearny		1/4 NW 1/4 NW 1/4 NE 1/4			26 T 24 S R 36 □E &			□E X W	
Street/Rural Address of W				System (GPS) in					
from nearest town or intersection: If at owner's address, check here .				Latitude: (in decimal degrees) Longitude: (in decimal degrees)					
1 Mile East of Lakin				Elevation: (in decimal degrees)					
C MILL TO LOUR TO THE MILL WAS A STATE OF THE MILL WAS				<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27					
2 WATER WELL OWNER: Gerhard Loewen RR#, Street Address, Box #: 1812 RdU				Collection Method:					
City, State, ZIP Code	Raid	☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey							
City, State, ZIP Code : La kin, KS				Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m					
3 LOCATE WELL			2						
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 253 ft.								Δ.	
SECTION BOX: Depth(s) Groundwater Encountered (1)									
Pump test data: Well water wasft. after hours pumping gpm									
EST. YIELD. 5.0 gpm. Well water was ft. after hours pumping.									
W Bore Hole Diameter							O1		
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted									
Water well disinfected? Yes No									
5 TYPE OF CASING USED: Steel Novel PVC Other									
Casing diameter 5. 22 in. to ft. Diameter in. to ft.									
Casing diameter 5. 297 in. to									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainles	s Steel	P VC		Other (Sp	ecify)				
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From 2.5. It. to 1.2. It., From It. to It. From 14.9. It to 2.5.3. It., From It. to It.									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From	5 ft. to	2 ft., Fro	m/35	ft. to	144. ft.,	From	ft. to	ft.	
What is the nearest source of	possible contai	mination:	_		•				
Septic tank		es Pit privy	Livestock p		Insecticide		er (specify b	pelow)	
Sewer lines Watertight sewer lines	☐ Cesspool	Sewage lagoon	☐ Fertilizer st	orage [Abandoned Oil well/gas	well /	,		
Direction from well			Distance	from well		one obser	erel -	new sik	
FROM TO	LITHOLOGI		FROM			OG (cont.) or PLU			
	Toil		178	253	med	Sand			
2 22 Brown	Clay,		,			, ,			
22 28 Med	Sand								
28 40 mod 5 40 90 Clay		Clay Layers							
	& Fine's	and							
10 135 Coarse	Sand								
110 135 Cogrs	· >and								
135 150 clay	to Course	Cont							
165 178 Clay	TO LEGIST	عربه و							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, \Box reconstructed, or \Box plugged									
under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and helief.									
Kansas Water Well Contractor's License No									
under the business name of									
INSTRUCTIONS: Use typewriter (white, blue, pink) to Kansas Depar	or ball point pen.	PLEASE PRESS FIRM	<u>LY</u> and <u>PRINT</u> cle	arly. Please	e fill in blanks	and check the correct	answers. Se	and three copies	
Telephone 785-296-5524. Send on	e copy to WATE								
http://www.kdheks.gov/waterwell/inc	lex.html.								
KSA 82a-1212									