

WATER WELL RECORD

Form WWC-5

Division of Water Resources App. No.

1 LOCATION OF WATER WELL: County: Kearny	Fraction ¼ SE ¼ SW ¼ SE ¼	Section Number 8	Township No. T 24 S	Range Number R 36 <input type="checkbox"/> E <input checked="" type="checkbox"/> W
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here <input type="checkbox"/> Rd 160 & Rd. R 5280' West on Rd. 160, 5930' North, 1388' West To Well		Global Positioning System (GPS) information: Latitude: (in decimal degrees) Longitude: (in decimal degrees) Elevation: Datum: <input type="checkbox"/> WGS 84, <input type="checkbox"/> NAD 83, <input type="checkbox"/> NAD 27 Collection Method: <input type="checkbox"/> GPS unit (Make/Model:) <input type="checkbox"/> Digital Map/Photo, <input type="checkbox"/> Topographic Map, <input type="checkbox"/> Land Survey Est. Accuracy: <input type="checkbox"/> <3 m, <input type="checkbox"/> 3-5 m, <input type="checkbox"/> 5-15 m, <input type="checkbox"/> >15 m		
2 WATER WELL OWNER: Fred Armstrong RR#, Street Address, Box #: 1591 Rd. 160 City, State, ZIP Code : Lakin, KS 67860				

<p>3 LOCATE WELL WITH AN "X" IN SECTION BOX: N</p> <table style="width: 100%; text-align: center; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; padding: 5px;">NW</td> <td style="border: 1px solid black; padding: 5px;">NE</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px;">SW</td> <td style="border: 1px solid black; padding: 5px;">SE</td> </tr> </table> <p style="text-align: center;">S -----1 mile-----</p>	NW	NE	SW	SE	<p>4 DEPTH OF COMPLETED WELL 400 ft.</p> <p>Depth(s) Groundwater Encountered (1)..... ft. (2)..... ft. (3)..... ft. WELL'S STATIC WATER LEVEL 205 ft. below land surface measured on mo/day/yr.....</p> <p>Pump test data: Well water was 254 ft. after 8 hours pumping 25 gpm EST. YIELD 35 gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter 10 in. to 400 ft., and in. to ft.</p> <p>WELL WATER TO BE USED AS: <input type="checkbox"/> Public water supply <input type="checkbox"/> Geothermal <input type="checkbox"/> Injection well <input type="checkbox"/> Domestic <input type="checkbox"/> Feedlot <input type="checkbox"/> Oil field water supply <input type="checkbox"/> Dewatering <input checked="" type="checkbox"/> Other (Specify below) <input type="checkbox"/> Irrigation <input type="checkbox"/> Industrial <input type="checkbox"/> Domestic-lawn & garden <input type="checkbox"/> Monitoring well <input type="checkbox"/> Stock Well</p> <p>Was a chemical/bacteriological sample submitted to Department? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, mo/day/yr sample was submitted.....</p> <p>Water well disinfected? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p>
NW	NE				
SW	SE				

5 TYPE OF CASING USED: Steel PVC Other

CASING JOINTS: Glued Clamped Welded Threaded
Casing diameter 5 in. to 212 ft., Diameter in. to ft., Diameter in. to ft.
Casing height above land surface 18 in., Weight 200 lbs./ft., Wall thickness or gauge No. SDR21

TYPE OF SCREEN OR PERFORATION MATERIAL:
 Steel Stainless Steel PVC Other (Specify)
 Brass Galvanized Steel None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:
 Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)
 Louvered shutter Key punched Wire wrapped Saw cut Other (specify)

SCREEN-PERFORATED INTERVALS: From 212 ft. to 232 ft., From ft. to ft.
From 252 ft. to 400 ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 25 ft. to 240 ft., From 250 ft. to 400 ft.
From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other

Grout Intervals: From 5 ft. to 25 ft., From 240 ft. to 250 ft., From ft. to ft.

What is the nearest source of possible contamination:
 Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)
 Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well
 Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Landfill

Direction from well South West Distance from well 4800'

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS
0	2	Top Soil	232	252	Yellow Soap Stone
2	30	Brown Clay With Gypsum	252	276	Gray Shale With Tan Sandstone Str.
30	62	Brown Clay With Cemented Sand Str.	276	308	Tan SandStone With Gray Shale Str.
62	74	Medium To Coarse Sand Small Gravel	308	322	Tan Sand Stone With Loose Streaks
74	104	Brown Clay With Fine Sand Streaks	322	342	Light Gray Shale
104	110	Fine Sand	342	400	Tan Sand Stone With Loose Streaks
110	123	Brown Clay			And Gray Shale Streaks
123	178	Medium To Coarse Sand Small Gravel			
178	182	Brown Clay			
182	232	Medium To Coarse Sand Small Gravel			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 10-7-20 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 532 This Water Well Record was completed on (mo/day/year) 10-23-20 under the business name of Midwest Well & Pump Inc. by (signature) *[Signature]*

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at <http://www.kdheks.gov/waterwell/index.html>.