	WATER	WELL RECORD	Form WWC-	5 KSA 8	2a-1212		
LOCATION OF WATER WELL:	Fraction		Se	ction Number		er Range Number	
ounty: KEARNY	SW 1/4			27	T 24	S R 36 E/W	
istance and direction from nearest town	or city street add	lress of well if locate	ed within city?				
503 S. BUFFALO							
WATER WELL OWNER: ASSEMBLY		URCH					
RR#, St. Address, Box # : P.O. BOX 964					Board of Agriculture, Division of Water Resources		
ity, State, ZIP Code : LAKIN, I					Application Nur		
LOCATE WELL'S LOCATION WITH 4 AN "X" IN SECTION BOX:							
All A IN SECTION BOX.	epth(s) Groundwa	ater Encountered 1	l	ft	. 2	ft. 3	
						day/yr .9-19-94	
NW NE						urs pumping gpr	
	st. Yield	gpm: Well water	erwas	ft.	after ho	urs pumping gpr	
W I I E W	ore Hole Diamete	erin. to			, and	in. to	
" i i i ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	VELL WATER TO	BE USED AS: 1	5 Public wat	er supply	8 Air conditioning	11 Injection well	
SW SE	Domestic	3 Feedlot	6 Oil field wa	ater supply	9 Dewatering	12 Other (Specify below)	
X ^{SW} SE	2 Irrigation	4 Industrial	7 Lawn and	garden only	10 Monitoring well	.,	
	Vas a chemical/ba	cteriological sample	submitted to D	Department?	Yes;	If yes, mo/day/yr sample was su	
S m	nitted			V	/ater Well Disinfected? Y	res X No	
TYPE OF BLANK CASING USED:	1 5	Wrought iron	8 Conc	rete tile	CASING JOINTS	: Glued Clamped	
1 Steel 3 RMP (SR)	6	Asbestos-Cement	9 Other	(specify bel	ow)	Welded	
2 PVC 4 ABS	7	7 Fiberglass				Threaded	
ank casing diameter 6 in	1. to	ft., Dia	in. to		ft., Dia	in. to f	
asing height above land surface36.	in	n., weight		Ibs	s./ft. Wall thickness or ga	uge No	
PE OF SCREEN OR PERFORATION	MATERIAL:	_	7 P\	/C	10 Asbestos	s-cement	
1 Steel 3 Stainless s	steel 5	Fiberglass	8 Ri	MP (SR)	11 Other (s	pecify) <i>VI</i> F	
2 Brass 4 Galvanized	d steel 6	6 Concrete tile	9 AE	BS .		ed (open hole)	
CREEN OR PERFORATION OPENINGS	S ARE:	5 Gauz	ed wrapped		8 Saw cut	11 None (open hole)	
1 Continuous slot 3 Mill	slot	6 Wire	wrapped		9 Drilled holes	-11	
2 Louvered shutter 4 Key	punched	7 Torch			10 Other (specify)	NA	
CREEN-PERFORATED INTERVALS:	From	A ft. to .		ft., Fr	om	. ft. tof	
						. , ft. to	
GRAVEL PACK INTERVALS:						- ft. tof	
	From	ft. to		ft., Fr		ft. to	
GROUT MATERIAL: 2 1 Neat cer	ment2	Cement grout	3 Bent	onite	4 Other		
rout Intervals: From ft.	. to	ft., From	ft.	to	ft., From	ft. to	
hat is the nearest source of possible co	ontamination: 3			10 Live	estock pens	14 Abandoned water well	
		7 Pit privy		11 Fuel storage		15 Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)	
Watertight sewer lines 6 Seepag	je pit	9 Feedyard		13 Inse	ecticide storage		
irection from well? WEST		•		How m	any feet? 50		
ROM TO	LITHOLOGIC LO)G	FROM	ТО	PLUGG	SING INTERVALS	
			20	19	SAND		
			19	6	CLAY/SUBSOIL		
,			_6	3	CEMENT		
			3	0	TOPSOIL		
						AAAAAA AAAAAA AAAAAAAAAAAAAAAAAAAAAAAA	
				1			
						- 41	
				1			
				1			
				. L	L		
CONTRACTOR'S OR LANDOWNER'S							
mpleted on (mo/day/year) $\dots 11 - 18 -$							
ter Well Contractor's License No	111111111111111	This Water W	/ell Record wa		on (mo/day/\r) . (11-	29-94	
der the business name of assem	why of God	Church		by (sign	lature) (but)	V) assery - Elde	
er the business name of ASSEVIVI INSTRUCTIONS: Use typewriter or ball point pen of Health and Environment, Bureau of Water, To	n. PLEASE PRESS FIRM	Llwrth MLY and <u>PRINT</u> clearly. Ple	ease fill in blanks,	by (sign	cle the correct answers. Send to	p three copies to Kansas Department	