			NDONED W	ATER WE	LL RECOP	<u>RD</u>	Form W	WC-5	KSA 82a-							
LOCATION OF WATER WELL:			Fraction	_	-			Section Number		Townshi			Range Numb			
County: KI			SW			SE	1/4	12.0	5	<u> </u>	_24	S	<u> </u> R	3/	E/W	
		from nearest tov	-			locate	ed within (city?								
T		NORTHWEST														
_	WELL OW		ON & MART	HA BAH	KNHAKDT					_		£ A	Division .	-6 14/-4	Danaumand	
RR#, St. Ad		2011		'AC 6	5702/							f Agriculture,	DIVISION	or water	nesources	
City, State, 2		: BUCKI OCATION WITH	LIN, KANS		57834		280	-				ion Number:				
AN "X" IN	SECTION	N BOX:	Denth(s) Gro	undwater	Encounter	ed 1	1	DRY	ft 2			ft. 3	3		ft.	
7	- !	!	WELL'S STA	TIC WAT	ER LEVEL		7.7.9.	ft. belo	w land surf	face mea	asured	on mo/day/yr				
	NW	NE										hours pu				
	1				•							hours pu			1	
₩ ₩		E							<i></i> .ft., a	and		in			ft.	
-	-¦		WELL WATE							8 Air co			Injection			
	- sw 	SE	1 Dome:	_	3 Feedlot4 Industri					9 Dewat	•	ء , eil	Other (S		, I	
	!	x	2 Irrigati					_	-			X; If yes				
ł L			mitted	cai bacter	lological sc	inpie	Submittee	to Dep				cted? Yes	_	No No	e was sub	
5 TYPE OF	BLANK C	ASING USED:	I miles	5 W	/rought iron		8 0	oncrete				JOINTS: Glue			d X	
Stee		3 RMP (S	R)		sbestos-Ce				pecify below							
2 PVC		4 ABS	,	7 Fi	iberglass			٠.	<i></i>	•		Thre	aded			
Blank casing	diameter	16	.in. to		. ft., Dia			in. to		ft., D)ia		in. to		ft.	
Casing heigh	ht above la	and surface	6	in., v	weight				Ibs./f	ft. Wall th	hicknes	s or gauge N	lo			
TYPE OF S	CREEN O	R PERFORATIO	N MATERIAL	:				7 PVC				Asbestos-cem		2		
1 Steel 3 Stainless steel					iberglass			8 RMP (SR)			11 Other (specify)					
2 Brass 4 Galvanized steel					oncrete tile	•		9 ABS			12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					5 Gauzed wrap					8 Saw	Saw cut 11 None (open hole)					
1 Continuous slot 3 Mill slot					6 Wire wrapped				9 Drilled holes 10 Other (specify)							
	ered shutt		ey punched	11	A 7	Torc	h cut	11	1	10 Othe	er (spe	cify)				
SCREEN-PE	ERFORATE	ED INTERVALS:										ft.				
0.5		OK INTERVALO	From									ft. :				
GF	RAVEL PA	CK INTERVALS:	From			t. to . t. to		· · · · · ·	ft., Fron			ft.			ft.	
6 GROUT	MATERIAL	.: 1 Neat		2 Co	ment grout		13	Bentonit								
Grout Interva			.ft. to		•											
					11.,				10 Livest				bandone			
What is the nearest source of possible contamina 1 Septic tank 4 Lateral lines				7 Pit privy				11 Fuel								
2 Sewer lines 5 Cess poo				8 Sewage lago			goon				lizer storage 16 Other (ow)	
3 Watertight sewer lines 6 Seepage p											ticide storage					
Direction fro	m well?	MILE NO	ORTH OF W	VELL					How mar	ny feet?						
FROM	TO		LITHOLOG	GIC LOG			FRO	DM	то			PLUGGING	INTERVA	LS		
280'	270 '	SAND														
270'	6'	DIRT/CLA														
6 '	3'	BENTONI														
31	0'	FILL DIE	RT				_									
												,				
												-				
7 CONTRA	ACTOR'S	OR LANDOWNE	R'S CERTIFIC	CATION:	This water	well v	was (1) co	onstructe	ed. (2) reco	nstructed	d. or 6 3	plugged un	der mv i	urisdictio	n and was	
completed o			9-1993									best of my kr				
•		's License No							completed (on (mo/d	lay/yr)	8-2 ₇₋ 1	1993		,	
under the bu									by (signat	ture) ×	Man	the Bo	unho	ends		
INSTRUCT	TIONS: Use ty	pewriter or ball point nent, Bureau of Water	pen. PLEASE PRI	ESS FIRMLY 66620-0001	and <u>PRINT</u> cl	early. P	lease fill in b	olanks, und	derline or circle	the correct	t answer	s. Send top three	copies to	Kansas De	partment	