		WATE		Form WWC-5	KSA 82a		
LOCATION OF WA	TER WELL:	Fraction		Sec	tion Number	Township Number	Range Number
County: Reno		SW 1/4	NE 1/4	SE 1/4	30	T 24 S	R 4 <b>(</b> W
			ddress of well if locate	ed within city?			
2 miles North			Haven, KS				
WATER WELL OV		Baumman					
RR#, St. Address, Bo	0511	E. Greenfi				•	e, Division of Water Resource
City, State, ZIP Code		n, KS 6754				Application Numbe	
LOCATE WELL'S L AN "X" IN SECTION	OCATION WITH						
	N BOX.	Depth(s) Ground	water Encountered	1	ft. 2		t. 3
ī [ !	1 ! ] ]	WELL'S STATIC	WATER LEVEL	ft. b	elow land sur	ace measured on mo/day	/yr
NW	NF						pumping gpm
1   ' ' '							pumping gpm
<u>•</u> w		Bore Hole Diame	eter $30$ in. to	)	ft., ε	and	.in. to
Σ " !		WELL WATER 1	O BE USED AS:	5 Public water			11 Injection well
sw	SE	1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12 Other (Specify below)
	;	X Irrigation					
		Was a chemical/l	bacteriological sample	submitted to De	epartment? Ye	s; If y	res, mo/day/yr sample was sub
•	S	mitted	du international		Wat	er Well Disinfected? Yes	X No
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JOINTS: GI	ued . X Clamped
1 Steel	3 RMP (S	R)	6 Asbestos-Cement		(specify below		elded
<b>X</b> PVC	4 ABS		7 Fiberglass				nreaded
Blank casing diameter	· 1.6	.in. to75	ft., Dia	in. to		ft., Dia	in. to ft.
Casing height above	and surface	. 1.2	.in., weight	6.15	lbs./f	t. Wall thickness or gauge	No
TYPE OF SCREEN C	R PERFORATIO	N MATERIAL:		X PV		10 Asbestos-ce	ement
1 Steel	3 Stainless	s steel	5 Fiberglass	8 RM	IP (SR)	11 Other (spec	ify)
2 Brass	4 Galvaniz	ed steel	6 Concrete tile	9 AB	S	12 None used	(open hole)
SCREEN OR PERFO	RATION OPENIN	IGS ARE:	5 Gauz	zed wrapped		8 Saw cut	11 None (open hole)
1 Continuous sle	ot X3 M	lill slot	6 Wire	wrapped		9 Drilled holes	
2 Louvered shut	ter 4 K	, ,	7 Torch	h cut		10 Other (specify)	
SCREEN-PERFORAT	ED INTERVALS:	From	.75 ft. to .				t. toft
SCREEN-PERFORAT	ED INTERVALS:			115	ft., Fron	n f	
	ED INTERVALS:	From	ft. to .	115	ft., Fron	n	t. toft
		From	ft. to .	115	ft., Fron ft., Fron ft., Fron	n	t. toft.
GRAVEL PA	ACK INTERVALS:	From From From	ft. to .	115	ft., Fron ft., Fron ft., Fron ft., Fron	n	t. to
GRAVEL PA	CK INTERVALS:	From From cement ft. to20		3 Bento	ft., Fronft., Fronft., Fron ft., Fron nite 4	n	t. to
GRAVEL PA	CK INTERVALS:	From From cement ft. to20		3 Bento	ft., Fronft., Fronft., Fron ft., Fron nite 4	n	t. to
GRAVEL PA  GROUT MATERIAL  Grout Intervals: Fro	CK INTERVALS:	From		3 Bento ft. '4 mile	ft., Fronft., Fronft., Fron ft., Fron nite 4 6	n	t. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest s	L: 1 Neat of the course of possible	From	ft. to  20 ft. to  **Cement grout  ft., From  None within 1/	3 Bento	ft., Fronft., Fron ft., Fron nite 4 to 10 Livest	n	t. to
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines	L: 1 Neat of m 0	From	## Accement grout  ## Accement g	3 Bento	ft., Fronft., Fron ft., Fron nite 4 to 10 Livest 11 Fuel s	n	t. to
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest so a Septic tank 2 Sewer lines 3 Watertight several grant several grant gra	L: 1 Neat of m 0 ource of possible 4 Later 5 Cess	From	## Accepted to the control of the co	3 Bento	ft., Fronft., Fron ft., Fron nite 4 to 10 Livest 11 Fuel s	n	t. to
GRAVEL PAGE GROUT MATERIAL Grout Intervals: From What is the nearest such that is the nearest su	L: 1 Neat of m 0 ource of possible 4 Later 5 Cess	From	## Accepted Services of the content	3 Bento		n	t. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well?	L: 1 Neat of m 0 ource of possible 4 Later 5 Cess	From	## Accepted Service of the content o	3 Bento tt.  '4 mile	ft., Fronft., Fron ft., Fron nite 4 6 to	n	t. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO	CK INTERVALS:  1 Neat of m ()  Durce of possible 4 Later 5 Cess over lines 6 Seep	From From From  From  From  From	## Accepted Service of the content o	3 Bento tt.  '4 mile	ft., Fronft., Fron ft., Fron nite 4 6 to	n	t. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 2	CK INTERVALS:  1 Neat of m 0	From From From From  cement	## Accepted to the control of the co	3 Bento tt.  '4 mile	ft., Fronft., Fron ft., Fron nite 4 6 to	n	t. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 2 2 10	CK INTERVALS:  1 Neat of m 0	From	## Accepted to the second of t	3 Bento tt.  '4 mile	ft., Fronft., Fron ft., Fron nite 4 6 to	n	t. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 2 1 10 10 45	CK INTERVALS:  1 Neat of m 0	From From From From From From	## Accepted to the second of t	3 Bento tt.  '4 mile	ft., Fronft., Fron ft., Fron nite 4 6 to	n	t. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 2 1 10 10 45	CK INTERVALS:  1 Neat of m 0  Durce of possible 4 Later 5 Cess over lines 6 Seep  Top Soi Gray Cla Medium Tan Cla Little	From	## Action of the content of the cont	3 Bento tt.  '4 mile	ft., Fronft., Fron ft., Fron nite 4 6 to	n	t. to
GRAVEL PA GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 2 10 10 45 45 75	Top Soi Gray Cl Medium Tan Cla Little Medium	From	## Accepted with the control of the	3 Bento tt.  '4 mile	ft., Fronft., Fron ft., Fron nite 4 6 to	n	t. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 2 10 10 45 45 75 105	Top Soi Gray Cl Medium Tan Cla Little Medium	From	## Action of the content of the cont	3 Bento tt.  '4 mile	ft., Fronft., Fron ft., Fron nite 4 6 to	n	t. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 2 2 10 10 45 45 75 75 105 105 110	Top Soi Gray Cl Medium Tan Clay Little Medium Clay SCK INTERVALS:  1 Neat of Medium Tan Clay Little Medium Clay Sand	From From From Cement It to 20 Contamination: Mal lines In pool Contamination: Mal lines It THOLOGIC In ay The Fine Sarry Mixed with Sand Ito Coarse Stan mixed with Ito Coarse Stan With Ito Coarse S	XCement grout  It to  XCement grout  It, From  Ione within 1/ 7 Pit privy 8 Sewage lag 9 Feedyard  LOG  Add  Ch a  Sand  with a little	3 Bento tt.  '4 mile	ft., Fronft., Fron ft., Fron nite 4 6 to	n	t. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 2 2 10 10 45 45 75 75 105 105 110	Top Soi Gray Cl Medium Tan Clay Little Medium Clay SCK INTERVALS:  1 Neat of Medium Tan Clay Little Medium Clay Sand	From	XCement grout  It to  XCement grout  It, From  Ione within 1/ 7 Pit privy 8 Sewage lag 9 Feedyard  LOG  Add  Ch a  Sand  with a little	3 Bento tt.  '4 mile	ft., Fronft., Fron ft., Fron nite 4 6 to	n	t. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 2 2 10 10 45 45 75 75 105 105 110	Top Soi Gray Cl Medium Tan Clay Little Medium Clay SCK INTERVALS:  1 Neat of Medium Tan Clay Little Medium Clay Sand	From From From Cement It to 20 Contamination: Mal lines In pool Contamination: Mal lines It THOLOGIC In ay The Fine Sarry Mixed with Sand Ito Coarse Stan mixed with Ito Coarse Stan With Ito Coarse S	XCement grout  It to  XCement grout  It, From  Ione within 1/ 7 Pit privy 8 Sewage lag 9 Feedyard  LOG  Add  Ch a  Sand  with a little	3 Bento tt.  '4 mile	ft., Fronft., Fron ft., Fron nite 4 6 to	n	t. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 2 2 10 10 45 45 75 75 105 105 110	Top Soi Gray Cl Medium Tan Clay Little Medium Clay SCK INTERVALS:  1 Neat of Medium Tan Clay Little Medium Clay Sand	From From From Cement It to 20 Contamination: Mal lines In pool Contamination: Mal lines It THOLOGIC In ay The Fine Sarry Mixed with Sand Ito Coarse Stan mixed with Ito Coarse Stan With Ito Coarse S	XCement grout  It to  XCement grout  It, From  Ione within 1/ 7 Pit privy 8 Sewage lag 9 Feedyard  LOG  Add  Ch a  Sand  with a little	3 Bento tt.  '4 mile	ft., Fronft., Fron ft., Fron nite 4 6 to	n	t. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 2 2 10 10 45 45 75 75 105 105 110	Top Soi Gray Cl Medium Tan Clay Little Medium Clay SCK INTERVALS:  1 Neat of Medium Tan Clay Little Medium Clay Sand	From From From Cement It to 20 Contamination: Mal lines In pool Contamination: Mal lines It THOLOGIC In ay The Fine Sarry Mixed with Sand Ito Coarse Stan mixed with Ito Coarse Stan With Ito Coarse S	XCement grout  It to  XCement grout  It, From  Ione within 1/ 7 Pit privy 8 Sewage lag 9 Feedyard  LOG  Add  Ch a  Sand  with a little	3 Bento tt.  '4 mile	ft., Fronft., Fron ft., Fron nite 4 6 to	n	t. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 2 2 10 10 45 45 75 75 105 105 110	Top Soi Gray Cl Medium Tan Clay Little Medium Clay SCK INTERVALS:  1 Neat of Medium Tan Clay Little Medium Clay Sand	From From From Cement It to 20 Contamination: Mal lines In pool Contamination: Mal lines It THOLOGIC In ay The Fine Sarry Mixed with Sand Ito Coarse Stan mixed with Ito Coarse Stan With Ito Coarse S	XCement grout  It to  XCement grout  It, From  Ione within 1/ 7 Pit privy 8 Sewage lag 9 Feedyard  LOG  Add  Ch a  Sand  with a little	3 Bento tt.  '4 mile	ft., Fronft., Fron ft., Fron nite 4 6 to	n	t. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 2 2 10 10 45 45 75 75 105 105 110	Top Soi Gray Cl Medium Tan Clay Little Medium Clay SCK INTERVALS:  1 Neat of Medium Tan Clay Little Medium Clay Sand	From From From Cement It to 20 Contamination: Mal lines In pool Contamination: Mal lines It THOLOGIC In ay The Fine Sarry Mixed with Sand Ito Coarse Stan mixed with Ito Coarse Stan With Ito Coarse S	XCement grout  It to  XCement grout  It, From  Ione within 1/ 7 Pit privy 8 Sewage lag 9 Feedyard  LOG  Add  Ch a  Sand  with a little	3 Bento tt.  '4 mile	ft., Fronft., Fron ft., Fron nite 4 6 to	n	t. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 2 10 10 45 45 75 75 105 105 110 110 115	Top Soi Gray Cla Medium Tan Cla: Little Medium Clay Sand Gray Cla Gray Clay Clay Clay Clay Clay Clay Clay Clay	From	ACCEMENT GROWN  ACCEMENT GROWN	3 Bento tt. 4 mile goon	ft., Fronft., Fron ft., Fron nite 4 fto	n fin fin fin fin fin fin fin fin fin fi	t. to
GRAVEL PA GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 2 2 10 10 45 45 75 75 105 105 110 110 115	Top Soi Gray Cla Medium Tan Cla; Little Medium Clay Sand Gray Cla Meren Clay Clay Clay Clay Clay Clay Clay Clay	From From From Cement It to 20 contamination: Note that I lines I pool lage pit I LITHOLOGIC I ay to Fine Sarry Mixed with Sand to Coarse Stan mixed way then Green I way the Green I way t	ACCEMENT GROWN  ACCEMENT GROWN	3 Bento tt.  4 mile	ft., Fronft., Fron ft., Fron ft., Fron nite 4 ( to	n	t. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 2 2 10 10 45 45 75 75 105 105 110 110 115 CONTRACTOR'S completed on (mo/day)	Top Soi Gray Cl Medium Tan Clay Little Medium Clay Sand Gray Cl Meren Medium Clay Clay Clay Clay Clay Clay Clay Clay	From From From Cement It to 20 contamination: Note that I lines I pool lage pit I LITHOLOGIC I ay to Fine Sarry Mixed with Sand to Coarse Stan mixed way then Green I way the Green I way t	ACCEMENT GROWN  ACCEMENT GROWN	3 Bento 3 Bento 4 mile  FROM  FROM  Vas (1 <u>X constructions</u>	tt., Fron tt., Fron ft., Fron ft., Fron nite to 10 Livest 11 Fuel s 12 Fertiliz 13 Insect How man TO	n fin fin fin fin fin fin fin fin fin fi	t. to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 2 2 10 10 45 45 75 75 105 105 110 110 115  CONTRACTOR'S completed on (mo/day)	Top Soi Gray Cl Medium Tan Cla: Little Medium Clay - sand Gray Cl Medium Clay - Sand Gray Cl St S	From	## Company of the content of the con	3 Bento 3 Bento 4 mile  FROM  FROM  Vas (1 <u>X constructions</u>	tt., Fron tt., Fron ft., Fron ft., Fron nite to 10 Livest 11 Fuel s 12 Fertiliz 13 Insect How man TO	n fin fin fin fin fin fin fin fin fin fi	t. to