				ER WELL RECORD	Form VV		SA 82a					
$\Box$		TER WELL:	Fraction		· rn	Section I			Number	- 1	ange Nu	
County:			SW ½		NE 1/4	16	)	T 24	<u> </u>	R	4	_ <b>E</b> (V)_
		n from nearest to Red Rock Rd		t address of well if loc	ated within	city?						
	R WELL OV		on S. Touer	Ru, Touci								
		KDITE										
l '	ddress, Bo	10000	W Jackson St., S	Suite 410				Board of Ag		vision of \	Nater R	esources
City, State			, KS 66612					Application				
WITH A	E WELL'S I	LOCATION ECTION BOX:		COMPLETED WELL.								
_		N I I		ndwater Encountered								
<b> </b>	1		WELL'S STATI	C WATER LEVEL	43.5	. ft. below	v land su	urface measure	ed on mo/day	y/yr	10/2/2	004
	, i	NEX	Pun	np test data: Well wa	ter was	NA	ft. af	ter	hours p	umping.		gpm
	- NVV	NE'	Est. Yield N	🗚 gpm: Well wa	ter was .		ft. at	fter	hours p	oumping.		gpm
W ie	1	! [_]	Bore Hole Diar	meter 9 in.	to	120.5	ft.,	and		in. to		ft.
_ N F		E	WELL WATER	R TO BE USED AS:	5 Public v	vater supp	ly	8 Air condition	ning 1	1 Injection	n well	
1	ì		1 Domesti	c 3 Feedlot	6 Oil field	water sup	ply	9 Dewatering	12	2 Other (	Specify	below)
	- SW	SE	2 Irrigation	n 4 Industrial	7 Lawn a	nd garden	only (	10 Monitoring	الصم			
	i	i	Was a chemic	:al/bacteriological sam	ple submit	ed to Dep	artment	YesNo	o. <b>√</b> ; If ye	es, mo/da	y/yr san	nple was
Y L			submitted					ter Well Disinfe			No 1	
5 TYPE C	OF BLANK	CASING USED:		5 Wrought iron	8 C	oncrete ti	le	CASING	JOINTS: Glu		. Clamp	ped
1 St		3 RMP (SF	₹)	6 Asbestos-Cemer		ther (spec						
(2)P\		4 ABS	,	7 Fiberglass			-	··· <i>)</i>			,	
			in. to	.5.5 ft., Dia								
				. in., weight								
		R PERFORATION		, noight		PVC	155.7		Asbestos-ce			
1 St		3 Stainless		5 Fiberglass		RMP (SI	<b>D</b> /		Other (speci			
				•		ABS	~)			-		
2 Br		4 Galvaniz RATION OPENIN		6 Concrete tile					None used (		-	an hala\
	ontinuous s		fill slot		zed wrapp			8 Saw cut 9 Drilled hole		11 140	one (ope	en hole)
I		•			e wrapped							
I	ouvered shu		ey punched	7 Tord				10 Other (spe				
SCREEN	PERFORAT	ED INTERVALS:										
	מסאירו מא	CIC INITEEDS (ALC.		ft. to								
•	PRAVEL PA	CK INTERVALS:		ft. to								
							_					
6 GROUT				2 Cement grout		Bentonite	•	Other .Concr				
l				5 ft., From	0.5							
i .		ource of possible						stock pens		Abandor		
1 Sept	tic tank	4 Later		7 Pit privy		•	11 Fuel	storage	$\sim$	Oil well/0		
1	er lines	5 Cess		8 Sewage la	-			lizer storage		Other (s)		elow)
L.	ertight sewe	er lines 6 Seep	page pit	9 Feedyard				cticide storage		former	AFB .	
Direction f								ny feet? 0				
FROM	TO		LITHOLOGIC		FRO	M T	0		PLUGGING	SINTERV	ALS	
0	3			l, some organics, I								
3	20			e caliche, Light B	0							
20	30	Silt with little										
30	35			se, Pale Brown								
35	37	Sand (f-c), su	brounded, D	ark Yellowish Bro	ow							
37	45	Sand (f-c) wit	th silt, suban	gular, Yellowish F	Bro					-11-4		
45	55	Sand (f-c) wit	th little silt, F	Reddish Yellow					1/10	EIVE	-U	
55	80			orly graded, Brow	vn				007			
80	87.5			orly graded, Brow					UCT	1 8 20	U4	
87.5	91			ubrounded, Brow								
91	110	•		Yellowish Brown				E	UREAU	OF W	ATER	(
110				ed, Light Gray								
115.5	120.5		•	clay, Reddish Bro	W/			TW-01, Flush				
113.5	120.5	one, sandy (1-	-c) with fittle	ciay, reduisii Bro	YY			Project Name:	Golder - Voc	der (Habit	')	
										aci (IIADII	·/	
7								GeoCore # 1183				
				TION: This water well	was(1))c							
				9/29/2004				ecord is true to				
1			nse No	527	This Water				(mo/day/yr)	á · · · · · ·	10/7/20	JU4
Lundor tha	huginaga n	of										
under the	business na	ame or	G	GeoCore, Inc.		b	y (signa	ature) 🕖	le Krock	<u>/</u>		
INSTRI	UCTIONS: Us	e typewriter or ball po	oint pen. PLEASE	GeoCore, Inc.  PRESS FIRMLY and PRIN  eka, Kansas 66620-0001.	clearly. Ple	ase fill in bla	anks, unde	erline or circle the o	correct answers	s. Send top	three copi	ies to Kansas