		WATER	WELL RECORD	Form WWC-5	KSA 82a			
LOCATION OF WA		Fraction	.10		tion Number	Township Nur	1	Range Number
ounty: Kend)	15W 1/4	NE 14 SE		24	T 34	s	R 7 €€€
<i>I</i>	i /1	٠,	lress of well if located	•				
	25t Bur		o South	west	Side	7		
WATER WELL OV	VNER: MARY	Francis 1	Hoskinson					
		EAST 24				Board of Ag	riculture, Di	ivision of Water Resource
, State, ZIP Code	: Hut	chinson k	3 67502			Application I	Number:	
OCATE WELL'S L				38	ft. ELEVA	TION:		
N "X" IN SECTIO			ater Encountered 1					
		WELL'S STATIC V	VATER LEVEL	# ft bi	elow land sur	face measured on r	no/day/yr	10-25-93
i	1 1							ping gp
NW	NE	•					•	nping gp
1 !			••					to
w 	├	WELL WATER TO		5 Public wate		8 Air conditioning		njection well
i		1 Domestic		6 Oil field wat		9 Dewatering		Other (Specify below)
SW	SE^					•		
1 !		2 Irrigation		_	-	\ /		
			icteriological sample s	submitted to De	•			mo/day/yr sample was si
7/DE OF DI ANII/		mitted	5 334			ter Well Disinfected		No Clamped
TYPE OF BLANK			5 Wrought iron	8 Concre				
1 Steel	3 RMP (SF	-	6 Asbestos-Cement		(specify below	•		d
2 PVC	4 ABS		7 Fiberglass					ded
								n. to
			n., weight					
PE OF SCREEN C				7 PV			stos-cemen	
1 Steel	3 Stainless		5 Fiberglass		P (SR)			NA
2 Brass	4 Galvaniz		6 Concrete tile	9 AB	S		used (ope	•
	RATION OPENING			ed wrapped		8 Saw cut		11 None (open hole)
1 Continuous slo	ot 3 Mi	ill slot	6 Wire	wrapped		9 Drilled holes	11/	•
2 Louvered shut	tter 4 Ke	ey punched	7 Torch	cut		10 Other (specify)		· · · · · · · · · · · · · · · · · · ·
DEEL	TO MITTOMALO.			2/14				
REEN-PERFORAT	ED INTERVALS:	From	ft. to			m	ft. to	
HEEN-PERFORAT	ED INTERVALS:	From		· · · · · · · · · · · · · · · ·	ft., Fro	m	ft. to ft. to	
	ACK INTERVALS:	From		· · · · · · · · · · · · · · · ·	ft., Fro	m	ft. to ft. to	
	ACK INTERVALS:	From From		· · · · · · · · · · · · · · · ·	ft., Fro	m	ft. to ft. to	
GRAVEL PA	ACK INTERVALS:	FromFrom	ft. to ft. to Cement grout	3 Bento	ft., Froft., Fro ft., Fro	mm mm mm Other	ft. to ft. to ft. to ft. to	
GRAVEL PA	ACK INTERVALS:	FromFrom	ft. to ft. to Cement grout	3 Bento	ft., Froft., Fro ft., Fro	mm mm mm Other	ft. to ft. to ft. to ft. to	
GRAVEL PA	L: 1 Neat c	From. From From Perment 3 2	ft. to ft. to Cement grout	3 Bento	ft., Froft., Fro ft., Fro nite 4	m m Other ft., From	ft. to ft. to ft. to ft. to	
GROUT MATERIA out Intervals: Fro at is the nearest s	L: 1 Neat c	From	ft. to ft. to Cement grout	3 Bento	ft., Froft., Fro ft., Fro nite 4 to	m	ft. to ft. to ft. to ft. to ft. to	ft. toandoned water well
GRAVEL PAGROUT MATERIAL out Intervals: From at is the nearest s	ACK INTERVALS: 1 Neat com/0 ource of possible	From	ft. to ft. to Cement grout ft., From	3 Bento	ft., Froft., Fro ft., Fro nite 4 to	m	ft. to ft. to ft. to ft. to ft. to ft. to	ft. toandoned water well
GRAVEL PAGEOUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines	L: 1 Neat of possible 4 Latera	From	Cement grout ft. to 7 Pit privy	3 Bento	ft., Froft., Fro ft., Fro nite 4 to	other ft., From tock pens	ft. to ft. to ft. to ft. to ft. to ft. to	ft. to
GRAVEL PAGE GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev	L: 1 Neat com/O ource of possible 4 Latera 5 Cess	From. From From coment 3 2 ft. to 3 contamination: al lines pool age pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard	3 Bento	ft., Froft., Fro ft., Fro nite 4 to	m	ft. to	ft. to andoned water well well/Gas well her (specify below)
GRAVEL PAGE GROUT MATERIAL out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well?	L: 1 Neat com/O ource of possible 4 Latera 5 Cess	From	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard	3 Bento	tt., Fro ft., Fro ft., Fro nite 4 to	m Other	ft. to	ft. to andoned water well well/Gas well ner (specify below)
GRAVEL PAGE GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well?	L: 1 Neat com/O ource of possible 4 Latera 5 Cess	From. From From coment 3 2 ft. to 3 contamination: al lines pool age pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard	3 Bento ft.	ft., Fro ft., Fro ft., Fro nite 4 to	Other	14 Ab 15 Oil 16 Oth	ft. to andoned water well well/Gas well ner (specify below) TERVALS
GRAVEL PAGE GROUT MATERIAL at Intervals: From the is the nearest so at is the nearest so at Septic tank 2 Sewer lines 3 Watertight severtion from well?	L: 1 Neat com/O ource of possible 4 Latera 5 Cess	From. From From coment 3 2 ft. to 3 contamination: al lines pool age pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard	3 Bento ft.	tt., Fro ft., Fro ft., Fro nite 4 to	Other	14 Ab 15 Oil 16 Oth	ft. to andoned water well well/Gas well ner (specify below)
GRAVEL PAGE GROUT MATERIAL at Intervals: From it is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well?	L: 1 Neat com/O ource of possible 4 Latera 5 Cess	From. From From coment 3 2 ft. to 3 contamination: al lines pool age pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard	3 Bento ft.	tt., Fro ft., Fro ft., Fro nite 4 to	Other	14 Ab 15 Oil 16 Oth	ft. to andoned water well well/Gas well ner (specify below) TERVALS
GRAVEL PA GROUT MATERIAL Intervals: Fro It is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevention from well?	L: 1 Neat com/O ource of possible 4 Latera 5 Cess	From. From From coment 3 2 ft. to 3 contamination: al lines pool age pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard	3 Bento ft.	tt., Fro ft., Fro ft., Fro nite 4 to	other	14 Ab 15 Oil 16 Oth	ft. to andoned water well well/Gas well ner (specify below) TERVALS
GRAVEL PA GROUT MATERIAL Intervals: Fro It is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevention from well?	L: 1 Neat com/O ource of possible 4 Latera 5 Cess	From. From From coment 3 2 ft. to 3 contamination: al lines pool age pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard	3 Bento ft.	tt., Fro ft., Fro ft., Fro nite 4 to	other	14 Ab 15 Oil 16 Oth	ft. to andoned water well well/Gas well ner (specify below) TERVALS
GRAVEL PA GROUT MATERIAL Intervals: Fro It is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevention from well?	L: 1 Neat com/O ource of possible 4 Latera 5 Cess	From. From From coment 3 2 ft. to 3 contamination: al lines pool age pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard	3 Bento ft.	tt., Fro ft., Fro ft., Fro nite 4 to	other	14 Ab 15 Oil 16 Oth	ft. to andoned water well well/Gas well ner (specify below) TERVALS
GRAVEL PARAMETERIAL Intervals: Front is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight severtion from well?	L: 1 Neat com/O ource of possible 4 Latera 5 Cess	From. From From coment 3 2 ft. to 3 contamination: al lines pool age pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard	3 Bento ft.	tt., Fro ft., Fro ft., Fro nite 4 to	other	14 Ab 15 Oil 16 Oth	ft. to andoned water well well/Gas well ner (specify below) TERVALS
GRAVEL PAGE GROUT MATERIAL at Intervals: From it is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well?	L: 1 Neat com/O ource of possible 4 Latera 5 Cess	From. From From coment 3 2 ft. to 3 contamination: al lines pool age pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard	3 Bento ft.	tt., Fro ft., Fro ft., Fro nite 4 to	other	14 Ab 15 Oil 16 Oth	ft. to andoned water well well/Gas well ner (specify below) TERVALS
GRAVEL PAGE GROUT MATERIAL at Intervals: From it is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well?	L: 1 Neat com/O ource of possible 4 Latera 5 Cess	From. From From coment 3 2 ft. to 3 contamination: al lines pool age pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard	3 Bento ft.	tt., Fro ft., Fro ft., Fro nite 4 to	other	14 Ab 15 Oil 16 Oth	ft. to andoned water well well/Gas well ner (specify below) TERVALS
GRAVEL PAGE GROUT MATERIAL at Intervals: From it is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well?	L: 1 Neat com/O ource of possible 4 Latera 5 Cess	From. From From coment 3 2 ft. to 3 contamination: al lines pool age pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard	3 Bento ft.	tt., Fro ft., Fro ft., Fro nite 4 to	other	14 Ab 15 Oil 16 Oth	ft. to andoned water well well/Gas well ner (specify below) TERVALS
GRAVEL PARAMETERIAL Intervals: Frot is the nearest some separation of the separation	L: 1 Neat com/O ource of possible 4 Latera 5 Cess	From. From From coment 3 2 ft. to 3 contamination: al lines pool age pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard	3 Bento ft.	tt., Fro ft., Fro ft., Fro nite 4 to	other	14 Ab 15 Oil 16 Oth	ft. to andoned water well well/Gas well ner (specify below) TERVALS
GRAVEL PA GROUT MATERIA at Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severtion from well?	L: 1 Neat com/O ource of possible 4 Latera 5 Cess	From. From From coment 3 2 ft. to 3 contamination: al lines pool age pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard	3 Bento ft.	tt., Fro ft., Fro ft., Fro nite 4 to	other	14 Ab 15 Oil 16 Oth	ft. to andoned water well well/Gas well ner (specify below) TERVALS
GRAVEL PAGE GROUT MATERIAL ut Intervals: Froat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevection from well?	L: 1 Neat com/O ource of possible 4 Latera 5 Cess	From. From From coment 3 2 ft. to 3 contamination: al lines pool age pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard	3 Bento ft.	tt., Fro ft., Fro ft., Fro nite 4 to	other	14 Ab 15 Oil 16 Oth	ft. to andoned water well well/Gas well ner (specify below) TERVALS
GRAVEL PAGE GROUT MATERIAL out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well?	L: 1 Neat com/O ource of possible 4 Latera 5 Cess	From. From From coment 3 2 ft. to 3 contamination: al lines pool age pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard	3 Bento ft.	tt., Fro ft., Fro ft., Fro nite 4 to	other	14 Ab 15 Oil 16 Oth	ft. to andoned water well well/Gas well ner (specify below) TERVALS
GRAVEL PAGE GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well?	L: 1 Neat com/O ource of possible 4 Latera 5 Cess	From. From From coment 3 2 ft. to 3 contamination: al lines pool age pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard	3 Bento ft.	tt., Fro ft., Fro ft., Fro nite 4 to	other	14 Ab 15 Oil 16 Oth	ft. to andoned water well well/Gas well ner (specify below) TERVALS
GRAVEL PA GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO	Ource of possible 4 Latera 5 Cess wer lines 6 Seepa	From. From From Sement 3 ft. to 3 contamination: al lines pool age pit LITHOLOGIC LO	Cement grout ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard OG	3 Bento ft.	ft., Froft., Fro ft., Fro ft., Fro nite 4 to 10 Lives 11 Fuel 12 Fertil 13 Insec How ma TO	m Other	14 Ab 15 Oil 16 Oth	ft. to andoned water well well/Gas well ner (specify below) TERVALS RAUS BENJONIKE
GRAVEL PA GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO CONTRACTOR'S	OR LANDOWNEF	From. From From Sement 3 ft. to 3 contamination: al lines pool age pit LITHOLOGIC LO	Cement grout ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard OG	3 Bento ft.	ft., Froft., Fro ft., Fro ft., Fro nite 4 to	onstructed, or (3) plu	If. to ft. to	ft. to andoned water well well/Gas well ner (specify below) TERVALS RAUS BENDONIK er my jurisdiction and water
GRAVEL PA GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO CONTRACTOR'S apleted on (mo/day)	OR LANDOWNEF	From From 2 ft. to 3 contamination: al lines pool age pit LITHOLOGIC LO	Cement grout ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard OG N: This water well w	3 Bento ft. FROM 30 //0 as (1) construction	tt., Fro ft., Fro ft., Fro ft., Fro ft., Fro nite 4 to	onstructed, or (3) plur of is true to the bes	IGGING IN	ft. to andoned water well well/Gas well ner (specify below) TERVALS RAUS BENJONIKE or my jurisdiction and water well
GRAVEL PA GROUT MATERIA tut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severtion from well? ROM TO	OR LANDOWNEF	From From 2 ft. to 3 contamination: al lines pool age pit LITHOLOGIC LO	Cement grout ft. to Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard OG N: This water well w	3 Bento ft. poon FROM 30 // // as (1) construction //ell Record wa	tt., Fro ft., Fro ft., Fro ft., Fro ft., Fro nite 4 to	onstructed, or (3) plur or (mo/day/yr)	If. to ft. to	ft. to andoned water well well/Gas well ner (specify below) TERVALS RAUS BENJONIKE or my jurisdiction and water well