				ER WELL RECORD F	orm WWC-5					
-		ER WELL:	Fraction NE 1	SE NE	Sec	tion Numbe 10	r Townshi	p Number	Range Number	
	<u>lamilto</u>	)11		address of well if located	1/4		T 24	S	R 40 (40)	
		st of Sy	-		within City?					
		NER: Syracı (# : E Higl		rard			Board	of Agricultura	Division of Water Becours	
				67070		Board of Agriculture, Division of Water Resource Application Number:				
		Syraci								
AN "X"	IN SECTION		_							
	<u> </u>	<del>'                                    </del>	Deptn(s) Groun	OWATER LEVEL 231	95 4 5	. II	2		3	
1	i	- 11	WELL S SIAIN	on test date: Mell water	π. D	elow land S	unace measured	on mo/day/yr	·	
-	- NW	NE							umping gpr umping gpr	
	!								umping	
· w					Public wate		8 Air condition		Injection well	
-	i	i	1 Domestic					•	Other (Specify below)	
-	- SW	SE	2 Irrigation				-		·····	
i	-		_		-	•			s, mo/day/yr sample was su	
į L	<del></del>		mitted				ater Well Disinf	_	No X	
TYPE C	F BLANK C	ASING USED:		5 Wrought iron	8 Concre				ed Clamped	
1 Ste	el	3 RMP (SR	3)	6 Asbestos-Cement		(specify belo			ded	
2 PV		4 ABS	,	7 Fiberglass		• •	<b>,</b> 		aded	
Blank casi	ng diameter	<b>4</b> i	in. to 3.0	0 ft., Dia					 . in. to f	
									No 23.7	
		R PERFORATION		•	7 PV			Asbestos-cem		
1 Ste	el	3 Stainless	steel	5 Fiberglass				Other (specify	·)	
2 Brass 4 Galvanized steel				6 Concrete tile	9 ABS 1			None used (or	pen hole)	
SCREEN (	OR PERFOR	RATION OPENING	3S ARE:	5 Gauzed	d wrapped 8 Saw_cut		8 Saw cut		11 None (open hole)	
1 Co	ntinuous slo	t 3 Mil	il slot	6 Wire wi	apped		9 Drilled ho	es		
2 Lo	uvered shutt	er 4 Ke		7 Torch o						
SCREEN-F	PERFORATE	ED INTERVALS:							to	
									to	
G	RAVEL PA	CK INTERVALS:							to	
T				145 ft. to			rom		to 1	
GROUT				2 Cement grout						
Grout Inter				ft., From2	0 Τ π.Τ΄	to	.0 ft., Fror		ft. to	
		urce of possible of			10 Livestock pens				Abandoned water well	
	ptic tank	4 Latera			7 Pit privy 11 Fuel store				Oil well/Gas well	
2 Sewer lines 5 Cess pool				8 Sewage lagoo	_			16 0	Other (specify below)	
	_	er lines 6 Seepa		9 Feedyard	13 Insecticide storag					
Direction f	rom well?	Sul	rounding		FROM	How m	any feet?	PLUGGING	INTERVALS	
0	ĪĪ	Surface	LITHOLOGIC	LOG	320	335	Dakota		INTERVALO	
1	12	Sand			335	340	Shale	Buria		
12	13	Clay				340	Dilate			
13	15	Sand							· · · · · · · · · · · · · · · · · · ·	
15	20	Ochre								
20	36	Shale (ha	ard)							
36	37	Limeston	•						Margard Margard - 1994 - 1994 - 1994 - 1994 - 1994 - 1994 - 1994 - 1994 - 1994 - 1994 - 1994 - 1994 - 1994 - 1	
37	120		•	streaks (hard	<b>,</b>					
120	145	Soft blace			Ĭ			<u> </u>		
145	151			e & shale						
151	184	Shale, 1	tr.							
184	186	Pyrite								
186	207		ale lim	estone & pyri	Le_					
207	320	Shale st	•							
	320	Diale Bt.	LCUND OI	DI OWII						
CONTE	RACTOR'S	OR LANDOWNER	R'S CERTIFICA	TION: This water well was	(1) constru	cted. (2) re	constructed. or	(3) plugged un	nder my jurisdiction and wa	
			8-21-91.			and this red	cord is true to th	e best of my kr	nowledge and belief. Kansa	
	-	s License No		9.4 This Water We	I Record wa	s completed	d on (mo/day/vr)		8-27-91	
under the	business na	me of WOOFT				by (sign	nature) UJG	ete	Worlle	