WATER WELL RECORD	Form WWC-5	Division of Water	Resources App. N	0
1 LOCATION OF WATER WELL: County: Hamilton	Fraction NW1/4 SE 1/4 NW 1/4		T 24 S	R 40 □E 🗗 W
Street/Rural Address of Well Location	Global Positioning	System (GPS) in	nformation:	
from nearest town or intersection: If a	Latitude:37, .98, 995			
Ark Valley Oil Company		Longitude: .[Ql15.4.Q.5		
240 Avenue A, Syracuse, KS 67878		Elevation: 3231.e. 6.4		
2 WATER WELL OWNER: Ark Valley Oil Company		Collection Method:		
RR#, Street Address, Box #: PO Box 1027		GPS unit (Make/Model:)		
City, State, ZIP Code : Syracuse, KS		☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey		
Est. Accuracy: $\square < 3$ m, $\square 3-3$ m, $\square 3-13$ m, $\square > 13$ m				
3 LOCATE WELL	F COMPLETED WELL	A		
WITH AN "X" IN 4 DEPTH OF SECTION BOX: Depth(s) Grou	induster Encountered (1) /8	ft. (2).N/A	ft.	(3). N/A ft.
WITH AN "X" IN SECTION BOX: N 4 DEPTH OF COMPLETED WELL				
Dymp test data: Well water was N/A ft after N/A hours numping N/A gpm				
' ' EST VIELD N/A gram Well water was N/A ft. after, N/A hours pumping, N/A gram gram				
w T F Bore Hole Diameter 8.25 in. toft., and .N/A				
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well				
Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well MW- →				
Was a chemical/bacteriological sample submitted to Department? Yes V No				
s If yes, mo/day/yr sample was submitted N/A				
water well disinfected? Yes No				
CASTAG VOTATE COLUMN CO				
Casing diameter 2 in to 11 ft. Diameter NA in to NA in the Diameter NA				
Casing height above land surface	in., Weight N/A	lbs./ft., Wall thick	mess or gauge N	Io. Schedule 40
TYPE OF SCREEN OR PERFORATION MATERIAL:				
☐ Steel ☐ Stainless Steel				
Brass Galvanized Steel None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)				
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From				
SCREEN-PERFORATED INTERVALS: From				
From N/A ft to N/A ft. From N/A ft. to N/A ft.				
GRAVEL PACK INTERVALS: From				
CONCUENTATIONAL Direct computer of Deptember 200 Other Concrete 0-2-feet				
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete 0-2-feet Grout Intervals: From				
What is the nearest source of possible contamination:				
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)				
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well				
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well ○ OCC ☐ → P. ST				
FROM TO LITHOLO	OGIC LOG FROM			UGGING INTERVALS
FROM TO LITHOLO		51 . 7 - 1		race peobles
	brown to tan	and sme	11 1	Sativated
Slightly mo		2 19.0	111 12 mm	
Trace dostici		3		
	h brown med stiff			
plastic moist				
10,0 12,5 5: try clay yes	moist Saft			
stained War	K			
	med stained			
black moist trace conservations. This water well was I constructed or I plugged				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\bigz \) constructed, \(\bigc \) reconstructed, or \(\bigc \) plugged				
under my jurisdiction and was completed on (mo/day/year)				
under the business name of RAZEK Environmantal, LLC by (signature) by (signature) by (signature)				
INSTRICTIONS: Use typewriter or hall point pen PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to				
Veneral Department of Health and Environment Rureau of Water Geology Section, 1000 SW, Jackson St., Suite 420, 1 opeka, Kansas 00012-1307.				
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at				
http://www.kdheks.gov/waterwell/index.html				