

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <i>Hamilton</i>	<i>NW 1/4 SE 1/4 NW 1/4</i>	<i>7</i>	T <i>24</i> S	R <i>40</i> <i>BW</i>

Distance and direction from nearest town or city street address of well if located within city?
Highway 50 & Durfee, Syracuse, KS MW-3

2 WATER WELL OWNER: Gary Rash, Rash Oil #4

RR#, St. Address, Box # : Highway 50 & Durfee

City, State, ZIP Code : Syracuse, KS 67878

1. LOCATE WELL & LOCATION WITHIN WELL FIELD

Board of Agriculture, Division of Water Resources
 Application Number:

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

1 Mile

W E

N S

Section Box: A 2x2 grid with quadrants labeled NW, NE, SW, and SE. An 'X' is marked in the NW quadrant.

4 DEPTH OF COMPLETED WELL. 25.0 . . . ft. ELEVATION:

Depth(s) Groundwater Encountered 1. 19 . . . ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL 18.66 . . . ft. below land surface measured on mo/day/yr 3/27/95 . . .

Pump test data: Well water was . . . ft. after . . . hours pumping . . . gpm

Est. Yield . . . gpm: Well water was . . . ft. after . . . hours pumping . . . gpm

Bore Hole Diameter . . . 8 . . . in. to . . . 25.0 . . . ft., and . . . in. to . . . ft.

WELL WATER TO BE USED AS:

1 Domestic	3 Feedlot	6 Oil field water supply	8 Air conditioning	11 Injection well
2 Irrigation	4 Industrial	7 Lawn and garden only	9 Dewatering	12 Other (Specify below)
			10 Monitoring well	

Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

5] TYPE OF BLANK CASING USED:		3 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped		
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded		
2 PVC	4 ABS	7 Fiberglass		Threaded		
Blank casing diameter 2 in. to 15.0 ft., Dia in. to ft., Dia in. to ft., Dia						
Casing height above land surface 0 in., weight lbs./ft. Wall thickness or gauge No.						
TYPE OF SCREEN OR PERFORATION MATERIAL:		2 PVC		10 Asbestos-cement		
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)		
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped	8 Saw cut	11 None (open hole)		
1 Continuous slot	2 Mill slot	6 Wire wrapped	9 Drilled holes			
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)			
SCREEN-PERFORATED INTERVALS:		From 15.0 ft. to 25.0 ft., From ft. to ft., From ft. to ft., From ft. to ft., From ft. to ft.				
GRAVEL PACK INTERVALS:		From 14.0 ft. to 25.0 ft., From ft. to ft., From ft. to ft., From ft. to ft., From ft. to ft.				

6] GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
Grout intervals: From 0 ft. to 12.0 ft., From 12.0 ft. to 14.0 ft., From ft. to ft.
What is the nearest source of possible contamination:
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
13 Insecticide storage
Direction from well? Northwest How many feet? 40

[illegible]

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3/23/95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 438 This Water Well Record was completed on (mo/day/yr) 3/26/99 under the business name of Kansas City Testing Lab by (signature) [Signature]