			rm WWC-5	KSA 82a-1212		
LOCATION OF W	ATER WELL: Fraction		Section		Township Number	Range Number
County: Hami	LTUN NI	E 14 NW 14 NA	51/4		r <b>24</b> s	R 4/ / #W
	A	treet address of well if located v				•
1/2 m	, west	of Syracu	se Ke	UNS,		
WATER WELL O	WNER: Letha	Herndon				
R#, St. Address, B		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			Board of Agriculture.	Division of Water Resource
ity, State, ZIP Code	Syracus.	e Ka, 678	78		Application Number:	
LOCATE WELL'S	LOCATION WITH A DEPTH	OF COMPLETED WELL	-5 "	ELEVATION:	- approacion remoon.	
AN "X" IN SECTION	ON BOX: Depth(s)	Groundwater Encountered 1	. ~	ELEVATION:		
[· ]	N Deptn(s) C	STATIC MATERIAL AND		it. 2	π.	3
	WELLS S	STATIC WATER LEVEL	π. below	land surface r	neasured on mo/day/y	(
NW	NE	Pump test data: Well water v	vas	tt. after	hours p	umping gpn
!	Est. Yield	gpm: Well water v	vas	ft. after	hours p	umping gpr
w <del>  '</del>		Diameterin. to				n. to
1 :	WELL WA		Public water sup		conditioning 11	Injection well
sw	SE 1 Dor	mestic 3 Feedlot 6	Oil field water su	apply 9 De	watering 12	Other (Specify below)
l î	1 2 Irrig					
L	l Was a che	emical/bacteriological sample sub	mitted to Departi	ment? Yes	No <b>X</b> ; If_yes	s, mo/day/yr sample was su
	\$ mitted				ell Disinfected? (es)	
TYPE OF BLANK	CASING USED:	5 Wrought iron	8 Concrete til			ed .XClamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (spec			ded
2 PVC	4 ABS	7 Fiberglass	• •	• ,		aded
	er in to	ft., Dia	in to		Die	in to
ising height above	land surface / \$	in., weight			, Ula	
PE OF SCREEN	OR PERFORATION MATERIA	Al-	7 PVC	105./11. vva		•
1 Steel	3 Stainless steel			_,	10 Asbestos-cem	
		5 Fiberglass	8 RMP (S	H)		)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS		12 None used (o	pen hole)
	DRATION OPENINGS ARE:	5 Gauzed	* *		aw cut	11 None (open hole)
1 Continuous si			pped	9 0	rilled holes	
2 Louvered shu	• · · · · · · · · · · · · · · · · · · ·			10 O	ther (specify)	
CREEN-PERFORAT	TED INTERVALS: From	<b>3.5</b> ft. to	.5.3	ft From	ft	to #
			·	,		
	From	<u>.</u> <b>ft. to</b>		.ft., From	ft.	to
GRAVEL PA	From ACK INTERVALS: From	<u>.</u> <b>ft. to</b>		.ft., From	ft.	to
GRAVEL PA	From ACK INTERVALS: From From			.ft., From	ft.	toft toft
GROUT MATERIA	ACK INTERVALS: From	ft. to  ft. to  ft. to  2 Cement grout	3 Bentonite	.ft., From ft., From ft., From 4 Other	ft. ft. ft.	tofi tofi to fi
GROUT MATERIA	ACK INTERVALS: From	ft. to  ft. to  ft. to  2 Cement grout	3 Bentonite	.ft., From ft., From ft., From 4 Other	ft. ft. ft.	tof tof
GROUT MATERIA	ACK INTERVALS: From From  AL: 1 Neat cement  om. 10	ft. to ft. to ft. to ft. to ft. to	3 Bentonite	.ft., From ft., From ft., From 4 Other	ft. ft. ft. ft.	to
GROUT MATERIA	ACK INTERVALS: From	ft. to  ft. to  ft. to  ft. to  Cement grout  ft., From  ion:	3 Bentonite	.ft., From	ft.	to
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank	ACK INTERVALS: From  From  AL: 1 Neat cement  Dom. J.Oft. to7  Bource of possible contamination  4 Lateral lines	ft. to  ft. to  ft. to  ft. to  Coment grout  ft., From  7 Pit privy	3 Bentonite ft. to	.ft., From	ft.	to
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines	ACK INTERVALS: From  From  AL: 1 Neat cement  From  It. to  Source of possible contaminati  4 Lateral lines  5 Cess pool	ft. to  ft. sewage lagoon	3 Bentonite ft. to	.ft., Fromft., From 4 Other	ft.	to
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser	ACK INTERVALS: From  From  AL: 1 Neat cement  Dom. J.Oft. to7  Bource of possible contamination  4 Lateral lines	ft. to  ft. to  ft. to  ft. to  Coment grout  ft., From  7 Pit privy	3 Bentonite ft. to	ft., From ft., From 4 Other 10 Livestock p 1 Fuel storage 2 Fertilizer sto 3 Insecticide	ft.	to ft to ff to ff  ft to ff Abandoned water well Dil well/Gas well
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser ection from well?	ACK INTERVALS: From From  AL: 1 Neat cement om. f. 0	ft. to	3 Bentonite ft. to	ft., From ft., From 4 Other Control of the storage 1 Fuel storage 2 Fertilizer sto 3 Insecticide How many feel	ft.	to
GROUT MATERIA  out Intervals: Fro  at is the nearest s  1 Septic tank  2 Sewer lines  3 Watertight serection from well?  ROM TO	ACK INTERVALS: From From  AL: 1 Neat cement om. 1.0	ft. to  ft. sewage lagoon	3 Bentonite ft. to	ft., From ft., From 4 Other 10 Livestock p 1 Fuel storage 2 Fertilizer sto 3 Insecticide	ft.	to
GROUT MATERIA but Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser ection from well? ROM TO	ACK INTERVALS: From From  AL: 1 Neat cement om. f. 0	ft. to	3 Bentonite ft. to	ft., From ft., From 4 Other Control of the storage 1 Fuel storage 2 Fertilizer sto 3 Insecticide How many feel	ft.	to
GROUT MATERIA but Intervals: Fro that is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 9 1 555	ACK INTERVALS: From From  AL: 1 Neat cement om. 1.0	ft. to	3 Bentonite ft. to	ft., From ft., From 4 Other Control of the storage 1 Fuel storage 2 Fertilizer sto 3 Insecticide How many feel	ft.	to
GROUT MATERIA but Intervals: Fro at is the nearest s  1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO	ACK INTERVALS: From From  AL: 1 Neat cement om. 1.0	ft. to	3 Bentonite ft. to	ft., From ft., From 4 Other Control of the storage 1 Fuel storage 2 Fertilizer sto 3 Insecticide How many feel	ft.	to
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser ection from well? ROM TO 9 9	ACK INTERVALS: From From  AL: 1 Neat cement om. 1.0	ft. to	3 Bentonite ft. to	ft., From ft., From 4 Other Control of the storage 1 Fuel storage 2 Fertilizer sto 3 Insecticide How many feel	ft.	to
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser ection from well? ROM TO 9 9	ACK INTERVALS: From From  AL: 1 Neat cement om. 1.0	ft. to	3 Bentonite ft. to	ft., From ft., From 4 Other Control of the storage 1 Fuel storage 2 Fertilizer sto 3 Insecticide How many feel	ft.	to
GROUT MATERIA but Intervals: Fro that is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 9 1 555	ACK INTERVALS: From From  AL: 1 Neat cement om. 1.0	ft. to	3 Bentonite ft. to	ft., From ft., From 4 Other Control of the storage 1 Fuel storage 2 Fertilizer sto 3 Insecticide How many feel	ft.	to
GROUT MATERIA but Intervals: Fro that is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser ection from well? ROM TO 9	ACK INTERVALS: From From  AL: 1 Neat cement om. 1.0	ft. to	3 Bentonite ft. to	ft., From ft., From 4 Other Control of the storage 1 Fuel storage 2 Fertilizer sto 3 Insecticide How many feel	ft.	to
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser ection from well? ROM TO 9	ACK INTERVALS: From From  AL: 1 Neat cement om. 1.0	ft. to	3 Bentonite ft. to	ft., From ft., From 4 Other Control of the storage 1 Fuel storage 2 Fertilizer sto 3 Insecticide How many feel	ft.	toto
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser ection from well? ROM TO 9 9	ACK INTERVALS: From From  AL: 1 Neat cement om. 1.0	ft. to	3 Bentonite ft. to	ft., From ft., From 4 Other Control of the storage 1 Fuel storage 2 Fertilizer sto 3 Insecticide How many feel	ft.	to
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser ection from well? ROM TO 9 9	ACK INTERVALS: From From  AL: 1 Neat cement om. 1.0	ft. to	3 Bentonite ft. to	ft., From ft., From 4 Other Control of the storage 1 Fuel storage 2 Fertilizer sto 3 Insecticide How many feel	ft.	toto
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser ection from well? ROM TO 9 9	ACK INTERVALS: From From  AL: 1 Neat cement om. 1.0	ft. to	3 Bentonite ft. to	ft., From ft., From 4 Other Control of the storage 1 Fuel storage 2 Fertilizer sto 3 Insecticide How many feel	ft.	to
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser ection from well? ROM TO 9	ACK INTERVALS: From From  AL: 1 Neat cement om. 1.0	ft. to	3 Bentonite ft. to	ft., From ft., From 4 Other Control of the storage 1 Fuel storage 2 Fertilizer sto 3 Insecticide How many feel	ft.	to
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser ection from well? ROM TO 9	ACK INTERVALS: From From  AL: 1 Neat cement om. 1.0	ft. to	3 Bentonite ft. to	ft., From ft., From 4 Other Control of the storage 1 Fuel storage 2 Fertilizer sto 3 Insecticide How many feel	ft.	to
GROUT MATERIA but Intervals: Fro that is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 9 1 555	ACK INTERVALS: From From  AL: 1 Neat cement om. 1.0	ft. to	3 Bentonite ft. to	ft., From ft., From 4 Other Control of the storage 1 Fuel storage 2 Fertilizer sto 3 Insecticide How many feel	ft.	to
GROUT MATERIA  out Intervals: Fro nat is the nearest s  1 Septic tank 2 Sewer lines 3 Watertight ser  ection from well?  ROM TO  9  1 5 5	ACK INTERVALS: From From  AL: 1 Neat cement om. 1.0	ft. to	3 Bentonite ft. to	ft., From ft., From 4 Other Control of the storage 1 Fuel storage 2 Fertilizer sto 3 Insecticide How many feel	ft.	to
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser rection from well? ROM TO 9 9 555	ACK INTERVALS: From From Interval I Neat cement form I O To I	ft. to  ft. to  ft. to  ft. to  Coment grout  ft., From  ion:  7 Pit privy  8 Sewage lagoon  9 Feedyard  OGIC LOG	3 Bentonite ft. to	.ft., Fromft., From 4 Other 10 Livestock p 11 Fuel storag 12 Fertilizer sto 13 Insecticide : 14 How many feel 15 How many feel 16 How many feel	ft.	to
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser- rection from well? ROM TO 9 9 555	ACK INTERVALS: From From Interval I Neat cement from Interval I Neat cement from Interval I Neat Containing from I I I I I I I I I I I I I I I I I I I	ft. to	3 Bentonite ft. to	.ft., Fromft., From 4 Other 10 Livestock p 11 Fuel storag 12 Fertilizer sto 13 Insecticide : 14 How many feel 15 How many feel 16 How many feel	ft.	to
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser- rection from well? FROM TO 9 9 555	ACK INTERVALS: From From Interval I Neat cement form I O To I	ft. to	3 Bentonite ft. to  FROM T	.ft., Fromft., Fromft., From 4 Other	ted or (3) plugged un	to
GROUT MATERIA  Dut Intervals: Fro tat is the nearest s  1 Septic tank 2 Sewer lines 3 Watertight serection from well?  ROM TO 9 7 555  CONTRACTOR'S  Expleted on (mo/day)	ACK INTERVALS: From From Int. 1 Neat cement from Int.	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft. from ft., From f	3 Bentonite ft. to  FROM T	.ft., From	ted or (3) plugged unue to the best of my kr	to
GROUT MATERIA  Dut Intervals: Fro tat is the nearest s  1 Septic tank 2 Sewer lines 3 Watertight serection from well?  ROM TO 9 7 555  CONTRACTOR'S  Expleted on (mo/day)	ACK INTERVALS: From From Intervals: 1 Neat cement form Intervals:	ft. to	3 Bentonite ft. to  FROM T  (1) constructed, and the Record was Son	.ft., From	ted or (3) plugged unue to the best of my kr	to