CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	County: Hamilton Location changed to:
Section-Township-Range: 36-245-41W	36-245-41 W
Fraction (1/4 1/4 1/4): SE NE SE	SE NE SW
Other changes: Initial statements:	
Changed to:	
Comments:	
	·
verification method: Written & legal descr map, position on plat map, and photos on KGS website.	iptions, county owner ship
map, position on plat map, and	mapping tool & acrial
photos on KGS website.	initials: DR date: 10/16/2008

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD Form WWC-5 KSA 82a-1212

		TON SE	tion 1/4 NB 1/4 SE 1/4	Section Number	Township Number	Range Number
		tion from nearest	town or city street addres	s of well if located	within city?	
WATER WEL		TERRYL S				
City, Sta		Box # : PO BOX 2 code : SYRACUSE		Board of Agricul Application Numb	ture, Division of Wate er:	r Resources
	ELL'S LOCA SECTION	TION WITH BOX:	4 DEPTH OF COMPLETED WE Depth(s) Groundwater		0 0 ft. 2. 0	ft. 3. 0 ft
\ 			WELL'S STATIC WATER LEV	/EL 135 ft. below la		mo/day/yr 06/21/0° urs pumping 0 g
	NW	- NE	 Estimated Yield 0 g	gpm: Well water was	0 ft. after 0 ho	urs pumping 0 g
₩	 	-	E Bore Hole Diameter	12.25 in. to 370	ft., and in. to	0 ft.
į	sw	,	WELL WATER TO BE USED A	as: 01 Domestic		1
/ / -			Was a chemical/bacterio		-	; well disinfected? Y
SCREEN OF		PERFORATION MATER				
SCREEN PE	ERFORATED	TION OPENINGS ARE: INTERVALS:		ft., From 0 ft. t	o 0 ft.	
SCREEN PE	ERFORATED	TION OPENINGS ARE:	03 MILL SLOT From 170 ft. to 250 From 290 ft. to 370 From 20 ft. to 370	ft., From 0 ft. t	0 ft.	
SCREEN PE GRA GROUT MAT Grout Int	ERFORATED AVEL PACK FERIAL cervals:	INTERVALS: INTERVALS: O3 BENTONITE From 0 ft. to	03 MILL SLOT From 170 ft. to 250 From 290 ft. to 370 From 20 ft. to 370 From 0 ft. to 0	ft., From 0 ft. t ft., From 0 ft. t ft., From 0 ft. t . to 0 ft., From	0 0 ft. 0 0 ft. 0 0 ft.	
GRAGOUT MAT Grout Int What is t	ERFORATED AVEL PACK FERIAL cervals:	INTERVALS: INTERVALS: 03 BENTONITE From 0 ft. to	03 MILL SLOT From 170 ft. to 250 From 290 ft. to 370 From 20 ft. to 370 From 0 ft. to 0	ft., From 0 ft. t ft., From 0 ft. t ft., From 0 ft. t . to 0 ft., From	0 0 ft. 0 0 ft. 0 0 ft.	How many feet?
GRAGE GROUT MATE	ERFORATED AVEL PACK FERIAL cervals: the neares	INTERVALS: INTERVALS: 03 BENTONITE From 0 ft. to	03 MILL SLOT From 170 ft. to 250 From 290 ft. to 370 From 20 ft. to 370 From 0 ft. to 0 20 ft., From 0 ft. ble contamination: NONE OBS	ft., From 0 ft. t ft., From 0 ft. t ft., From 0 ft. t . to 0 ft., From	0 ft. 0 ft. 0 ft. 0 ft.	
GRAGEOUT MATERIOUS INSTITUTE	ERFORATED AVEL PACK FERIAL cervals:	INTERVALS: INTERVALS: 03 BENTONITE From 0 ft. to	03 MILL SLOT From 170 ft. to 250 From 290 ft. to 370 From 20 ft. to 370 From 0 ft. to 0	ft., From 0 ft. tft., From 0 ft. tft., From 0 ft. tft., From 0 ft. tft., From 0 ft., From SERVED	0 ft. 0 ft. 0 ft. 0 ft.	How many feet?
GRACEOUT MATERIAL IS to irrection	ERFORATED AVEL PACK FERIAL tervals: the neares n from wel	INTERVALS: INTERVALS: O3 BENTONITE From 0 ft. to st source of possi	03 MILL SLOT From 170 ft. to 250 From 290 ft. to 370 From 20 ft. to 370 From 0 ft. to 0 20 ft., From 0 ft. ble contamination: NONE OBS	ft., From 0 ft. tft., From 0 ft. tft., From 0 ft. tft., From 0 ft. tft., From 0 ft., From SERVED	0 ft. 0 ft. 0 ft. 0 ft.	How many feet?
CREEN PE	ERFORATED AVEL PACK FERIAL tervals: the neares n from well	INTERVALS: INTERVALS: O3 BENTONITE From 0 ft. to st source of possi 11? O2 SILT O4 SANDY CLAY	03 MILL SLOT From 170 ft. to 250 From 290 ft. to 370 From 20 ft. to 370 From 0 ft. to 0 20 ft., From 0 ft. ble contamination: NONE OBS	ft., From 0 ft. tft., From 0 ft. tft., From 0 ft. tft., From 0 ft. tft., From 0 ft., From SERVED	0 ft. 0 ft. 0 ft. 0 ft.	How many feet?
GRAROUT MATTOUL Inthat is tirection FROM 0 2 9	AVEL PACK FERIAL tervals: the neares from wel TO 2 9 45 48	INTERVALS: INTERVALS: O3 BENTONITE From 0 ft. to st source of possi 11? O2 SILT O4 SANDY CLAY O5 SAND 13 FINE 31 CALICHE	Prom 170 ft. to 250 From 290 ft. to 370 From 20 ft. to 370 From 0 ft. to 0 20 ft., From 0 ft. ble contamination: NONE OBS	ft., From 0 ft. tft., From 0 ft. tft., From 0 ft. tft., From 0 ft. tft., From 0 ft., From SERVED	0 ft. 0 ft. 0 ft. 0 ft.	How many feet?
CREEN PE	AVEL PACK FERIAL tervals: the neares from wel TO 2 9 45 48 149	INTERVALS: INTERVALS: O3 BENTONITE From 0 ft. to st source of possi 11? O2 SILT O4 SANDY CLAY O5 SAND 13 FINE 31 CALICHE 19 SHALE	From 170 ft. to 250 From 290 ft. to 370 From 20 ft. to 370 From 0 ft. to 0 20 ft., From 0 ft. ble contamination: NONE OBS	ft., From 0 ft. tft., From 0 ft. tft., From 0 ft. tft., From 0 ft. tft., From 0 ft., From SERVED	0 ft. 0 ft. 0 ft. 0 ft.	How many feet?
GRACOUT MATERIAL INTERPOLATION INTERPO	AVEL PACK FERIAL tervals: the neares from well TO 2 9 45 48 149 187	INTERVALS: INTERVALS: O3 BENTONITE From 0 ft. to st source of possi 11? O2 SILT O4 SANDY CLAY O5 SAND 13 FINE 31 CALICHE 19 SHALE 31 CALICHE 23 S	From 170 ft. to 250 From 290 ft. to 370 From 20 ft. to 370 From 0 ft. to 0 20 ft., From 0 ft. ble contamination: NONE OBS	ft., From 0 ft. tft., From 0 ft. tft., From 0 ft. tft., From 0 ft. tft., From 0 ft., From SERVED	0 ft. 0 ft. 0 ft. 0 ft.	How many feet?
GRAGROUT MATERIAL INTERPOLATION INTERPO	TERIAL tervals: the neares of from well to the neares of t	INTERVALS: INTERVALS: O3 BENTONITE From 0 ft. to st source of possi 11? O2 SILT O4 SANDY CLAY O5 SAND 13 FINE 31 CALICHE 19 SHALE 31 CALICHE 23 S	From 170 ft. to 250 From 290 ft. to 370 From 20 ft. to 370 From 0 ft. to 0 20 ft., From 0 ft. ble contamination: NONE OBS	ft., From 0 ft. tft., From 0 ft. tft., From 0 ft. tft., From 0 ft. tft., From 0 ft., From SERVED	0 ft. 0 ft. 0 ft. 0 ft.	How many feet?
GRAGEOUT MATERIOR INTO THE PROPERTY OF THE PRO	TERIAL tervals: the neares of from well to the neares of t	INTERVALS: INTERVALS: O3 BENTONITE From 0 ft. to st source of possi 11? O2 SILT O4 SANDY CLAY O5 SAND 13 FINE 31 CALICHE 19 SHALE 31 CALICHE 23 S	From 170 ft. to 250 From 290 ft. to 370 From 20 ft. to 370 From 0 ft. to 0 20 ft., From 0 ft. ble contamination: NONE OBS LITHOLOGIC LOG GRAVEL 14 MED GRAVEL CANDSTONE CALICHE CANDSTONE	ft., From 0 ft. tft., From 0 ft. tft., From 0 ft. tft., From 0 ft. tft., From 0 ft., From SERVED	0 ft. 0 ft. 0 ft. 0 ft.	How many feet?
GRAGOUT MATERIOR INTO INTO INTO INTO INTO INTO INTO INTO	TO 2 9 45 48 149 187 203 224	INTERVALS: INTERVALS: O3 BENTONITE From 0 ft. to st source of possi 11? O2 SILT O4 SANDY CLAY O5 SAND 13 FINE 31 CALICHE 19 SHALE 31 CALICHE 23 S 23 SANDSTONE 31 31 CALICHE 23 S	From 170 ft. to 250 From 290 ft. to 370 From 20 ft. to 370 From 0 ft. to 0 20 ft., From 0 ft. ble contamination: NONE OBS LITHOLOGIC LOG GRAVEL 14 MED GRAVEL CALICHE CALICHE CALICHE CALICHE	ft., From 0 ft. tft., From 0 ft. tft., From 0 ft. tft., From 0 ft. tft., From 0 ft., From SERVED	0 ft. 0 ft. 0 ft. 0 ft.	How many feet?
GRAGEOUT MATERIOR INTO THE PROPERTY OF THE PRO	TO 2 9 45 48 149 187 203 224 252 293	INTERVALS: INTERVALS: O3 BENTONITE From 0 ft. to 3t source of possi 11? O4 SANDY CLAY O5 SAND 13 FINE 31 CALICHE 19 SHALE 31 CALICHE 23 S 23 SANDSTONE 31 31 CALICHE 23 S	From 170 ft. to 250 From 290 ft. to 370 From 20 ft. to 370 From 0 ft. to 0 20 ft., From 0 ft. ble contamination: NONE OBS LITHOLOGIC LOG GRAVEL 14 MED GRAVEL CALICHE CALICHE CALICHE CALICHE	ft., From 0 ft. t ft., From 0 ft. t ft., From 0 ft. t to 0 ft., From FROM	O O ft. O O ft. O O ft. TO PLUGGIN	How many feet?

				Section Number	Township		Range			
UNTY:	038 HAMI	LTON	SE 1/4 NE	1/4 SE	1/4	36	T 24	S	R 41	W
ATER WE	LL OWNER:	TER	RYL SPIKER							
		Box # : PO				Board of Agricult	ure, Division	of Water	Resources	3
			ACUSE, KS	67878-			Application Number:			
FROM	TO	I	LITHOLOG	FIC LOG						
293	307	23 SANDSTO	NE			1				
307	316	31 CALICHE	1							
316			NE 31 CALICHE	:						
367	400	19 SHALE								
ł		l								
I		1 .								
		l								
1										
		1								
1		1								
.		1								
1		1								
		1								
ľ		i								
		i								
i		1				İ				
ĺ		ĺ				1				
[I								
-	Ì	1								
- 1		ļ.								
		!				!				
		1								
	}	1				l .				
) I					ŀ				
	l 	1								
	i									
		i								
		İ								
	İ					İ				
	ļ	1								
	1	!								
						1				
						1				
	l									
	 	1								
	1	1								

| 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was | completed on (mo/day/year) 06/26/07 and this record is true to the best of my knowledge and belief. Kansas | Water Well Contractor's License No. 145 This Water Well Record was completed on (mo/day/yr) 09/28/97

under the business name of HENELE DRILLING & SUPPLY

by (signature

Bun J Reichen H