


USE TYPEWRITER OR BALL POINT PEN—PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD  
KSA 82a-1201-1215

Kansas Department of Health and Environment—Division of Environment  
(Water well Contractors)  
Topeka, Kansas 66620

1. Location of well:	County <b>Hamilton</b>	Fraction <b>SW 1/4 SW 1/4 SW 1/4</b>	Section number <b>8</b>	Township number <b>T 24 S R</b>	Range number <b>42 EW</b>
2. Distance and direction from nearest town or city: <b>100 yrd. south of bridge, 3 8/10 east, 2 8/10 south, 3 7/8 northeast of Coolidge</b>			3. Owner of well: <b>Keith Scott</b> R.R. or street: <b>Syracuse, KS 67878</b> City, state, zip code:		
4. Locate with "X" in section below: N W E S 1 Mile 			Sketch map:		
5. Type and color of material			From	To	
			6. Bore hole dia. <u>26</u> in. Completion date <u>10-15-76</u> Well depth <u>130</u> ft.		
			7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
			8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
			9. Casing: Material <u>steel</u> Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <u>12</u> in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <u>36.78</u> lbs./ft. Dia. <u>16</u> in. to <u>131</u> ft. depth; Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth; gage No. <input type="checkbox"/>		
			10. Screen: Manufacturer's name <u>Johnson</u> Type <u>Galv.</u> Dia. <u>16"</u> Slot/gauze <u>95</u> Length <u>30"</u> Set between <u>95</u> ft. and <u>125</u> ft. Perf: <u>60-95</u> ft. and <u>125-130</u> ft. Gravel pack? <u>yes</u> Size range of material <u>1/2" Down</u>		
			11. Static water level: <input type="checkbox"/> mo./day/yr. <u>46</u> ft. below land surface Date <u>10-5-76</u>		
			12. Pumping level below land surfaces: <u>58</u> ft. after <u>3</u> hrs. pumping <u>1350</u> g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield <u>1350</u> g.p.m.		
			13. Water sample submitted: <input type="checkbox"/> mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date <input type="checkbox"/>		
			14. Well head completion: <input type="checkbox"/> Pitless adapter <u>12</u> Inches above grade		
15. Well grouted? <u>yes</u> With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From <u>0</u> ft. to <u>10</u> ft.					
16. Nearest source of possible contamination: <u>N/A</u> ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type <u>Field</u> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No					
17. Pump: <input type="checkbox"/> Not installed Manufacturer's name <u>Goulds U.S Pumps</u> Model number <u>12 JLO</u> HP <u>60</u> Volts <input type="checkbox"/> Length of drop pipe <u>100</u> ft. capacity <u>1000</u> g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other					
(Use a second sheet if needed)					
18. Elevation:	19. Remarks: <u>3750 (top)</u> <b>60 HP electric motor and panel - partwind</b>		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <b>Minter Wilson Drilling 208</b> Business name License No. <input type="checkbox"/> Address <u>Box A Garden City, KS 67845</u> Signed <u>[Signature]</u> Date <u>2-3-77</u> Authorized representative		

2474  
 T  
 R  
 420  
 Sec  
 8  
 1/4  
 SW  
 1/4  
 SW  
 1/4  
 SW

*The Professionals*

SYRACUSE WEST NW

**MINTER-WILSON DRILLING CO.** Complete Installation and Repairing  
INCORPORATED

Phone 276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

KEITH SCOTT  
HAMILTON COUNTY

Location: SW $\frac{1}{4}$  8-24-42 on pivot  
Static Water Level- 39'

Test #

0	3	Top soil
3	12	Brown clay
12	31	Fine to med. sand and gravel
31	60	Coarse gravel
60	74	Yellow clay
74	80	Med. coarse gravel
80	127	Coarse gravel
127	140	Shale

T.D. 130'

BROCK 127'

CCB