| COOLIDGE - 5 SOUTH ON BLACKTOP RD | town or city street address of 3/4 MILES EAST | of well if located wi | thin city? | |
|---|--|--|---|--|
| WATER WELL OWNER: LOW LOW FARMS RR#, St. Address, Box #: 1751 SW C City, State, ZIP code : COOLIDGE, | | Board of Agr Application | | of Water Resources |
| LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: | 4 DEPTH OF COMPLETED WELL | . 165 ELEYATION | : 3405 | Oft. 3. Of |
| NN NE | WELL'S STATIC WATER LEVEL Pump testdata: | 52 ft. below land Well water was | | |
| | Estimated Yield 30 gpm | : Well water was | Oft. after Oho | ours pumping 0 g |
| | Bore Hole Diameter | | t., and in. to | o 0 ft. |
| SN | WELL WATER TO BE USED AS: | | | 1 |
| | Was a chemical/bacteriolo If yes, mo/day/yr sample | | | |
| lank casing diameter 5 in. asing height above land surface YPE OF SCREEM OR PERFORATION MATERI | to 165 ft., Dia in 12 in., weight 200 lb AL: PYC | . to 0 ft., Dia | | ft. |
| YPE OF BLANK CASING USED: CERTA LOC lank casing diameter 5 in. asing height above land surface YPE OF SCREEN OR PERFORATION HATERI CREEN OR PERFORATION OPENINGS ARE: CREEN PERFORATEO INTERVALS: GRAYEL PACK INTERVALS: | to 165 ft., Dia in 12 in., weight 200 lb AL: PYC SAW CUT From 60 ft. to 80 ft From 120 ft. to 160 ft From 25 ft. to 165 ft | to Oft., Dia s/ft. Wall thickness, From Oft. to, From Oft. to, From Oft. to | O ft. 0 ft. 0 ft. 0 ft. | ft. |
| lank casing diameter 5 in. asing height above land surface YPE OF SCREEN OR PERFORATION MATERI CREEN OR PERFORATION OPENINGS ARE: | to 165 ft., Dia in 12 in., weight 200 lb AL: PVC SAW CUT From 60 ft. to 80 ft From 120 ft. to 160 ft From 25 ft. to 165 ft From 0 ft. to 0 ft 25 ft., From 0 ft. t | to Oft., Dia s/ft. Wall thickness , From Oft. to, From Oft. to, From Oft. to, From Oft. to | O ft. O ft. O ft. O ft. | ······································ |
| lank casing diameter 5 in. asing height above land surface PYPE OF SCREEN OR PERFORATION HATERI CREEN OR PERFORATION OPENINGS ARE: CREEN PERFORATEO INTERVALS: GRAYEL PACK INTERVALS: ROUT MATERIAL BENTONITE rout Intervals: From 0 ft. to hat is the nearest source of possit irection from well? | to 165 ft., Dia in 12 in., weight 200 lb AL: PVC SAW CUT From 60 ft. to 80 ft From 120 ft. to 160 ft From 25 ft. to 165 ft From 0 ft. to 0 ft 25 ft., From 0 ft. to Dle contamination: HONE | to Oft., Dia s/ft. Wall thickness , From Oft. to, From Oft. to, From Oft. to, From Oft. to | O ft. O ft. O ft. O ft. O ft. | |
| lank casing diameter 5 in. asing height above land surface PYPE OF SCREEN OR PERFORATION HATERI CREEN OR PERFORATION OPENINGS ARE: CREEN PERFORATEO INTERVALS: GRAYEL PACK INTERVALS: ROUT HATERIAL BENTONITE rout Intervals: From 0 ft. to hat is the nearest source of possib irection from well? FROM TO 0 TOPSOIL 02 FT 20 40 37 FIN-COAR SAN 40 75 37 FIN-COAR SAN | to 165 ft., Dia in 12 in., weight 200 lb AL: PVC SAW CUT From 60 ft. to 80 ft From 120 ft. to 160 ft From 25 ft. to 165 ft From 0 ft. to 0 ft 25 ft., From 0 ft. t Dle contamination: HOME | to Oft., Dia s/ft. Wall thickness , From Oft. to, From Oft. to, From Oft. to, From Oft. to | O ft. O ft. O ft. O ft. O ft. | How many feet? |
| lank casing diameter 5 in. asing height above land surface YPE OF SCREEN OR PERFORATION HATERI CREEN OR PERFORATION OPENINGS ARE: CREEN PERFORATEO INTERVALS: GRAYEL PACK INTERVALS: ROUT MATERIAL BENTONITE Frout Intervals: From 0 ft. to hat is the nearest source of possib irection from well? FROM TO 0 | to 165 ft., Dia in 12 in., weight 200 lb AL: PVC SAW CUT From 60 ft. to 80 ft From 120 ft. to 160 ft From 25 ft. to 165 ft From 0 ft. to 0 ft 25 ft., From 0 ft. t Dle contamination: NOME LITHOLOGIC LOG (NE SAND 10 FINE-MEDSAND 38 SHAL-HED GRA SHALE 29 SANDSTONE | to Oft., Dia s/ft. Wall thickness , From Oft. to, From Oft. to, From Oft. to, From Oft. to | O ft. O ft. O ft. O ft. O ft. | How many feet? |
| lank casing diameter 5 in. asing height above land surface YPE OF SCREEN OR PERFORATION HATERI CREEN OR PERFORATION OPENINGS ARE: CREEN PERFORATEO INTERVALS: GRAYEL PACK INTERVALS: ROUT MATERIAL BENTONITE Frout Intervals: From 0 ft. to hat is the nearest source of possib irection from well? FROM TO 0 | to 165 ft., Dia in 12 in., weight 200 lb AL: PVC SAW CUT From 60 ft. to 80 ft From 120 ft. to 160 ft From 25 ft. to 165 ft From 0 ft. to 0 ft 25 ft., From 0 ft. t 21 induction in the second in th | to Oft., Dia s/ft. Wall thickness , From Oft. to, From Oft. to, From Oft. to, From Oft. to | O ft. O ft. O ft. O ft. O ft. | How many feet? |