				Water Well Record	Form WWC-5	KSA 82a-1212			
1 LOCATION OF WATER WELL:			FRACTION			Section Number	Township Number	Range Number	
Reno NW 1/4			SE 1/4 S	E 1/4	27	T 24 s	R 5W E/W		
Distanc	and direction	frem nearest town or city	street address of well if loca	ited within city?					
	R1 mi1	le South &	. 81 East	of Yoder,	Kanca	c			
	ATER WELL				Nansa	3			
	ST. ADRESS		W. May	G			Roard of Agriculture.	Divivsion of Water Resource	
	Y, STATE, ZII								
			ita, Kansa		50		Application Numi	ber: 979047	
	TE WELL'S I			IPLETED WELL	70		VATION:		
A		N	Depth(s) groundw		1	ft.	2 ft.	3 ft.	
			WELL'S STATIC W		5 FT.	BELOW LAND SUR	FACE MEASURED ON mo/day/yr	08/15/1997	
1	NW	NE	Pump test	data: Well v	vater was	ft. a	ifter hours pur	mping gpm	
a			Est. Yield	gpm: Well v	water was	ft.	after hours pu	mping gpm	
1 Mile	/ 	E	Bore Hole Diameter	12 in.	to 70	ft.	and in.	to ft.	
= '		l l	WELL WATER TO I	BE USED AS:	5 Public water	r supply	8 Air conditioning 11	Injection well	
			1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering 12	Other (Specify below)	
- 1	3W		2 Irrigation	4 Industrial	7 Lawn and g	arden only 1	0 Monitoring well		
ļ			Was a chemical/bacte	riological sample su	bmitted to De	partment? Yes	No X; If yes,	mo/day/yr sample was	
		S	submitted	•		-	er Well Disinfected? Yes	X No	
5 TY	PE OF CA	SING USED:		5 Wrought iron	9	Concrete tile		Glued X Clamped	
1 Ste		3 RMP (SR)		6 Asbestos-Cemer	-	Other (Specify be		Welded	
2 PV		4 ABS		7 Fiberglass	•		•	Threaded	
				_			***		
	asing Diam	•	in. to 50	ft., Dia	in.	to	ft., Dia in.	to ft.	
_		ve land surface 24	,	weight 5			Wall thickness or gauge No. 10 Asbestos-cen	.332	
		EN OR PERFORAT	ION MATERIAL:	5 Fiberglass		RMP (SR)			
1 Ste		3 Stainless Steel		_			11 other (speci		
2 Bra	188	4 Galvanized steel		6 Concrete tile	9	ABS	12 None used (open hole)	
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrappe						8 Saw cut 11 None (open hole)			
1 Cont	inous slot	3 Mill slot	t	6 Wire	wrapped		9 Drilled holes		
2 Louv	e <mark>red shutt</mark> e	r 4 Key pur	nched	7 Torch	cut		10 Other (specify)		
SCREE	N-PERFO	RATION INTERVA	ALS: from 50	•	to 70	ft., From	ft. to	ft.	
			from			•		•	
GRAVEL PACK INTERVALS: from 24				ft. to ft. to 70		ft., From ft., From			
	GRAVI	EL FACK INTERV	from		to	ft., From			
c CP	OUT MAT	ERIAL: 1 Neat co		ement grout		ntonite	4 Other		
			ft. to 24						
Grout Intervals: From 4 ft. to 24 What is the nearest source of possible contamination:				ft. From	om ft. to 10 Livestock pen:		ft. From	ft. to ft.	
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel sto		14 Abandon water well	
				8 Sewage lagoon		12 Fertiliz	10	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool							dda atamana	Other (specify below)	
	ertight sew		ge pit	9 Feedyard		10 1111/0011	Non-	e Apparent	
	n from we		WW.01 0 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	4.00			How many feet?		
FROM	то		ITHOLOGIC LOG		FROM	TO	PLUGGING INT	ERVALS	
0	2	topsoil			_				
2	48	clay							
48	50	fine sil	ty sand						
50	57	clay	-						
57	62	fine to m	medium san	d					
52	70	shale							
	1								
							100		
	†				 				
						+			
	-						ми.		
	_								
7 60	NTDACTO	D'S OD I ANDOUATED	e centieres tron. Th	is water well was f	1) construct	ed (2) reconstru	ıcted, or (3) plugged under	my juriediation and	
CO	omnleted	ou (woldanhaas) w ank rankamer,	08/15/	1997	and this re-	ord is true to the	icted, or (3) plugged under e best of my knowledge an	my juniaulcuon and d baliaf Kanesa Mata-	
Well 4	Contractor	vii (iiiv/uay/year) . r'e l icense No		Thie Water Well D	anu uns rec	oru is true to th	e best of my knowledge an o/day/yr)Ω <u>8./.</u> 1	u vellet. Natisas vvater	
Unde	r the huci	ness name of HA1	rp Well &	Pump Servi	LCe. Tr	Ompreted Off (III)	v:way:y:;	van.f	
Jilue	uie publi	icaa iidiife Ul.AAMA		m.mmgrns.34.4s7.4	······································	กส มy (Signa	9. J.J	S. Harn	