		WA	TER WELL R	ECORD	Form WWC-5	KSA 82a	-1212 ID N	lo			
	N OF WATER		Fraction	ć r	- 111	/ Se	ction Number	Township Nu		Range Num	iber
County: Q			3W	1/4 <b>5</b> E	= 14 /V W	1/4	5	<u> </u>	s	R 5	EW)
Distance and	direction from	nearest tov	wn or city stree	et address	of well if located	d within city?	6. U	+2miles	E	st	
2 WATER I	フのいれ WELL OWNER	n llat	showal	er , r	-), <u>/</u>	ruits	purn	· May	-u	<i>\$ (</i>	
RR#, St. Add	ress, Box #	803	Engt	Ar	motor	Aven	w			ision of Water Re	
		ION WITH	4 DEPTH OF	COMPLE	TED WELL	551	ft. ELEVA	TION:			
	SECTION BOX							t. 2			ft.
	N		WELL'S STA	TIC WATE	R LEVEL	ft. be	low land surface	ce measured on mo/	day/yr	-18-05	-/
	1		Fst Yield	250	lata: Well wat ınm: Well wat	er was	it. ·	afterafter	nours pur	nping	gpm
	/W   N	1E	WELL WATE		JSED AS: 5	Public water	supply	8 Air conditioning		ction well	gp
٠ ١	*	<u> </u>	1 Domes			Oil field water		9 Dewatering		er (Specify belov	
w —	I I	E	#rrigation	on 4 i	ndustrial 7	Domestic (la	wn & garden)	10 Monitoring well .			
	sw	 	Mas a sham	iaal/baatari	alasiaal aamals	outhoritted to	Department?	vaa Na 🗶	o If was ma	/day/yra cample i	was sub-
·	1		mitted	iicai/bacteri	ologicai sampie	e submitted to		Yes No		No	
L									,		
5 TYPE OF	BLANK CAS	ING USED:		5 Wro	ught iron	8 Conc	rete tile	CASING JOIN	JTS: Glued		
1 Steel		3 RMP (SF	R)		estos-Cement		(specify below		Welded	i	
<b>₽</b> PVC		4 ABS		7 Fibe						led	
-		•						ft., Dia			
0 0	nt above land s		N MATERIAL:		weight			. lbs./ft. Wall thicknes	ss or guage estos-Ceme	_	·
1 Steel	DUEEN OU LE	3 Stainles		5 Fibe	rglass	8 R	MP (SR)				
2 Brass		4 Galvaniz	zed Steel		crete tile	9 AI		12 None	e used (ope	n hole)	
SCREEN OF	R PERFORATI	ON OPENIN	NGS ARE:			azed wrapped		8 Saw cut		11 None (open h	iole)
l .	nuous slot	<b>32</b> N			6 Wir	e wrapped		<ul><li>9 Drilled holes</li><li>10 Other (specify)</li></ul>			ft
	red shutter		ey punched	25							
SCREEN-PE	RFORATED II	NTERVALS:						} 1			
GF	RAVEL PACK I	NTERVALS						1 1			
			From		ft. to	•••••	ft., From	1	ft. to		ft.
6 GROUT	MATERIAL:	1 Nea	t cement	620	ement grout	3 Ber	ntonite	4 Other			
Grout Interva	als: From	3	ft. to	20	ft., From	ft.	to	ft., From		ft. to	ft.
		•	contamination	n:				tock pens		andoned water w	vell
1 Septic tank 4 Lateral lii				• •				storage	_	well/Gas well	
2 Sewe		5 Cess	•		8 Sewage lagoon			izer storage			
Direction from	tight sewer lin	es 6 Seep	page pit		9 Feedya	ıra	How mai	cticide storage		0	
FROM	TO		LITHOLOG	GIC LOG		FROM	TO		GGING INTI	BVALS	
0	3 7	10000	7	0.0 200		1110111			<u> </u>		
3	18	May	<u> </u>								
19	25 9	mull	Sand								
25	45 1	Medita	m to Co	Darse	Sand						
45	53	tan l	lay								
53	55	mal	1 SAM	L							
			,,								
	4	Tell E	#2	West	-				-		7 7
				/-							
										:	
										<u> </u>	
∠ CONTRACT	CTOR'S OR L	ANDOWNE	R'S CERTIFIC					onstructed, or (3) pla			
	(mo/day/year)	Ł						ecord is true to the be	st of my kno	wledge and belief	f. Kansas
	ontractor's Lic	ence No	27.0.		I nis Wate	er well Hecord	ı was complete	ed on (mo/day/yr)		S. J.	
	iness name of	1,1	. 1	-	/_	_	by		Mo	/ -	
	siness name of		nshyer	- In	TOTAL DISTORT	see fill in blanks		(signature)	Three parises	Kansas Daramani	of Health
INSTRUCTIO	NS: Use typewrite	r or ball point pe ter, Geology Se	en. <u>PLEASE PRES</u>				nderline or circle the				