					NELL REC	CORD	Form WW		SA 82a-1						
F-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	ON OF WATE								Number		wnship Nu		1	nge Numb	
County:		eno					W 1/4		9	Ţ	24	S	R	5	W
Distance and		mneares	t town or city st				lutchins		isas						
		R Co	lins Indust					enty rear	louo						
			9 E. Essex							Roan		ulture Dis	vision of M	Vater Reso	urcec
01 01-1- 5		. Hut	chineon K	e 6750	2					4 mm/i	action No.	mak a m			
LOCATE	WELL'S LOO	CATON W		5 0/00	<u> </u>						Cation Nu				
³ AN "X" IN	SECTION E	BOX:	/ITH 4 DEPTH	H OF COM	IPLETED	WELL		35	ft. ELEV	ATION:					
			Depth(s)	Groundwat	er Encou	ntered	1 28		ft.	2		Ft.	3		Ft.
	Ν		WELL'S S	TATIC WA	ATER LE	VEL	22.96	ft. belo	w land s	urface m	easured o	on mo/day	/yr 06/0	6/05	
		i	1					-							
			Est. Yield		Gpm:	Well wat	er was		F	t. after		Hours	pumping		Gpm
	NW	NE	Bore Hole	Diameter	8.00	In. to	35	•••••		ft. and		 i	n.to		Ft.
∯ w _		1	E Bore Hole WELL WA 1 Do	TER TO B	BE USED	AS: 5	Public wa	er supply	ý	8 Air	condition	ning	1 Injectio	on well	
?			- 1 Do	mestic 3	3 Feed lo	ot 6	Oil field w	ater supp	bly	9 De	watering	1	2 Other (Specify be	elow)
	siX	SE	2 Irri	gation 4	4 Industri	ial 7	Lawn and	garden (domestic) 10 N	Ionitoring	well	MW-6		
	i	i	Was a che	mical/bact	teriologica	al sample	submitte	to Depa	rtment?	Yes 🗌	No X	If yes	, mo/day/	yr sample	was
† L	_!	1	Submitted		· ·	•		•							
5 TYPE OF	BLANK CAS	SING USE	D:	5	Wrough	nt Iron	8 C	oncrete ti						Clamped	
1 Stee			MP (SR)				nt 9 O						led		
2 PVC		4 AE	. ,		Fibergl				,			Thre	aded	X	
					Ft.										
Blank casing	diameter	2	in. to	15	Dia			In. to		ft., Dia			in. to		Ft.
Casing heigh	nt above land	surface	FLUSH	In.,	weight		SCH 40		Lbs./ft.	Wall thic	kness or	gauge No).		
			TION MATERIA					7 PVC	>		10 Asbes	stos-ceme	ent		
1 Stee	el	3 St	ainless steel	5	Fibergla	ass		8 RM	P (SR)		11 Other	(specify)			
2 Bras			alvanized steel		Concre			9 ABS)		12 None	used (op	en nole)		
1		FION OPE	NINGS ARE:				zed wrapp						11 Non	e (open ho	ole)
	tinuous slot		3 Mill slot				e wrapped				ed holes				
1			4 Key punche				ch cut	-		10 Oth	er (specit	y)			
SCREEN-PE	RFORATED	INTERVA		15											
			From _	42		t. to			ft. Fi	rom		ft. '	to		Ft.
SAN	D PACK INT	ERVALS:		13											
							·····								
	MATERIAL:	1 No	eat cement			ut	3	Bentonite	e	4 Other	·			 .	
Grout Interva	ls From3	11	13	3	Ft. From2		0	Ft.	11	ft.	From		ft. to		ft.
1			ole contaminatio											water well	
1 Sept	tic tank		4 Lateral	lines	7	Pit priv	у	11	Fuel st	torage		15 Oil	well/ Gas	well	
2 Sew	er lines		5 Cess p	ool	8	Sewag	e lagoon	12	2 Fertiliz	er storag	e		ner (specif		
3 Wate	ertight sewer	lines	6 Seepag			Feedya	-			cide stor				ated Si	te
Direction from	•			. ,	-	-,-			w many f		•				
FROM	то	CODE	L[THOLOGI	CLOG		FRO	M	то		PLU	GGING IN	TERVAL	s	
0	1		Gravel and			ave									
	18		Clay with s	ilt (CL)	grav									1	
18	32		Clayey silt	(ML) br	rown										
32	35		Clay with s	ome si											
35	TD		End of Bor	ehole											
													-		
								-							
7 CONTRAC	CTOR'S OR I		NER'S CERTIF			er well wa	as (x) con	structed,	(2) recon	structed,	or (3) plu	igged und	er my juri:	sdiction ar	nd w
Completed or				06/02/0										elief. Kans	
Water Well Co	ontractor's Li	cense No	·		85			is Water	Well Rec	ord was	completed	d on (mo/	day/yr)	06/14	85 /
Under the bus	siness name	of	Asso	ciated	Enviro	nment	al, Inc.		Ву	(signatu	re) Bra	dley J.	Johns	on	HU
INSTRUC Kanaga (CTIONS: Plea	ase fill in bl	anks and circle th	e correct a	nswers. S	end three	copies to k	ansas De	partment	of Health a	and Enviro	nment, Bu	reau of Wa	iter/Topeka	í,
Nai Isas b	0020-0001. 1	elebuone:	913-296-5545.	send one to	WAIER	WELL OV	VINER and I	erail one	ior your re	JUUIUS.					

•