WAIL	K WEI	LL RECORD	FORM W	WC-3			r Resources App. N			
1 LOCATION OF WATER WELL: Fraction				Secti			Range Number			
County: Reno SE			SE 1/4 SW 1/4 SW	/ ¼ NW ¼		19	T 24 S	R 5 □E 🗹 W		
Street/Rural Address of Well Location; if unknown, distance & direction Glob							Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here . Latitude: .37.94843 (in decimal de								(in decimal degrees)		
						Longitude: 097.91958 (in decimal degrees)				
						Elevation: 1538				
						Datum: WGS 84, NAD 83, NAD 27				
2 WATER WELL OWNER: Vernon Bontrager						Collection Method:				
RR#, Street Address, Box #: 875 South Sand Creek Road						GPS unit (Make/Model: Garnin csx				
C'a Cha ZID Cala						Digital Map/Photo, Topographic Map, Land Survey				
Hutchinson, Kansas 67501						Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m				
3 LOCATE WELL										
EE .										
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1)									
Pump test data: Well water wasft. after										
N	w N									
w		E Bore Hole Diam	eter 40in. to							
WELL WATER TO BE USED AS:										
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)										
SW SE										
Was a chemical/bacteriological sample submitted to Department? Yes No										
	S									
and you, and only you was a substantial and a su										
water well districted: W Tes 110										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter 16 in. to 35 ft., Diameter in. to										
Casing height above land surface. 18 in., Weight SCH 40 lbs./ft., Wall thickness or gauge No500										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
Steel Stainless Steel PVC Other (Specify)										
Brass Galvanized Steel None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)										
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)										
SCREEN-PERFORATED INTERVALS: From. ft. to .55. ft., From										
			From	II. 10		π., From	n.	ю п.		
	GRAV	EL PACK INTERVALS:								
			From	ft. to		ft., From	ft.	to ft.		
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From 20 ft. to 0 ft., From ft. to ft. ft. ft. ft. ft. ft. ft. ft.										
What is	the near	est source of possible conta	mination:							
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)										
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well										
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well										
	_	n well			_	ell				
FROM		LITHOLOG		FROM	TO			GGING INTERVALS		
0	3		200	110101	-10		() <u>or</u> 1 20			
	+	Top soil		 		 				
3	15	Tan clay		ļI			~			
15	27	Tan clay-fine sand mix	80/20				,			
27	54	Small sand		<u> </u>						
54	55	Tan clay								
		7.000								
				†						
				 						
										
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged										
under my jurisdiction and was completed on (mo/day/year) .11-9-10 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 11-19-10										
under the business name of Rosencrantz-Bemis Ent. by (signature) J. Dadaaa										
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies										
		o Kansas Department of Health								
		5522. Send one copy to WAT								
		ov/waterwell/index.html.								
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy										