47,522 WATER WELL RECORD Form WWC-5 Division of Water Resources App. No. 1 LOCATION OF WATER WELL: Fraction Section Number Township No. Range Number SW 1/4 NW 1/4 S.W 1/4 19 County: Reno T 24 R 5 Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information: Latitude: .37.947.29.....(in decimal degrees) from nearest town or intersection: If at owner's address, check here \square . Longitude: 097.92120 (in decimal degrees) Elevation: 1531 Datum: ☐ WGS 84, ☐ NAD 83, **[** NAD 27 WATER WELL OWNER: Vernon Bontrager Collection Method: GPS unit (Make/Model: Garmin csx RR#, Street Address, Box #: 8705 South Sand Creek Road City, State, ZIP Code ☐ Digital Map/Photo, ✓ Topographic Map, ☐ Land Survey Hutchinson, Kansas 67501 3 LOCATE WELL 4 DEPTH OF COMPLETED WELL 48 ft. WITH AN "X" IN **SECTION BOX:** (3)..... ft. Pump test data: Well water was......ft. after...... hours pumping...... gpm NW - --- NE -Bore Hole Diameter 40. in. to 48. ft., and in. to ft. WELL WATER TO BE USED AS: Public water supply Geothermal ☐ Feedlot ☐ Oil field water supply ☐ Dewatering Other (Specify below) - SW - --- SE --☐ Domestic-lawn & garden ☐ Monitoring well ✓ Irrigation ☐ Industrial Was a chemical/bacteriological sample submitted to Department? Yes No S If yes, mo/day/yr sample was submitted..... 1 mile--Water well disinfected?

✓ Yes

No PVC Other.... 5 TYPE OF CASING USED: Steel CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .16. in. to .28. ft., Diameter in. to .ft., Diameter in. to .ft., Casing height above land surface. 18. in., Weight SCH.40. lbs/ft., Wall thickness or gauge No. ..500. TYPE OF SCREEN OR PERFORATION MATERIAL: ✓ PVC☐ None used (open hole) ☐ Steel ☐ Stainless Steel Other (Specify) Brass Galvanized Steel SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Drilled holes ☐ None (open hole)
☐ Other (specify) ☐ Torch cut Saw cut From ft. to ft., From ft. to ft. 6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other

Grout Intervals: From .20. ft. to .0. ft., From ... ft. to ... ft., From ... ft. to ... ft. What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy Livestock pens Other (specify below) ☐ Insecticide storage Abandoned water well none Direction from well Distance from well FROM TO LITHOLOGIC LOG FROM LITHO. LOG (cont.) or PLUGGING INTERVALS 0 3 Top soil 3 10 Brown clay 10 14 Tan clay w/pcs. caliche 17 14 Tan clay & fine sand 80/20 and pcs. of caliche Tan clay tight 17 22 22 26 Tan clay tight-fine sand 80/20 Small sand 26 45 45 47 Yellowish tan clay 47 48 Hard caliche 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was

✓ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) .11-30-10...... and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134...... This Water Well Record was completed on (mo/day/year) 12-3-10...... (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.

Check: White Copy, Blue Copy, Pink Copy

KSA 82a-1212