WATER WELL RECORD	Form WW	C-5	Division of Water			
1 LOCATION OF WATER WELL:	Fraction		Section Number			
County: Reno 1/4 NW/4 NW/4 NW/4				R 5 □E 🔯W		
Street/Rural Address of Well Location; if unknown, distance & direction			Global Positioning	System (GPS) in	nformation:	
from nearest town or intersection: If at owner's address, check here .		ere 🔲.	Latitude: .3798497(in decimal degrees)			
SE of EM: 1/s Ave + S Halstead Ad		d	Longitude: <b>09.7.88.4.16</b>			
2 WATER WELL OWNER: Richard Petersheim		im	Elevation:			
RR#, Street Address, Box #: 5802 S Halstead		GPS unit (Make/Model:)				
City, State, ZIP Code : Hutch, KS 67501			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: ☐ <3 m, ☐ 5-15 m, ☐ >15 m			
	101/10 670 -7		Est. Accuracy: $\square < 3$	s m, <b>½</b> 3-5 m, □	5-15 m, <u></u> >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL.	61	ft			
	Depth(s) Groundwater Encountered (1)					
N WELL'S STA	WELL'S STATIC WATER LEVEL 3.3ft. below land surface measured on mo/day/yr 614					
Pun	Pump test data: Well water was 3.6ft. after					
EST. YIELD	EST. YIELDgpm. Well water wasft. after hours pumping gpm					
W         E   Bore Hole Dia						
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well					
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well 5. ★ > . < ★						
Was a chemical/bacteriological sample submitted to Department? Yes No  If yes, mo/day/yr sample was submitted						
1 mile  Water well disinfected? \( \overline{\text{V}} \) Yes \( \subseteq \) No						
5 TYPE OF CASING USED: Steel PVC Other Other						
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter						
Casing height above land surface. 2.4. in., Weight 2.35. lbs./ft., Wall thickness or gauge No. 16.0.						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot       ☐ Mill slot       ☐ Gauze wrapped       ☐ Torch cut       ☐ Drilled holes       ☐ None (open hole)         ☐ Louvered shutter       ☐ Key punched       ☐ Wire wrapped       ☑ Saw cut       ☐ Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
From						
GRAVEL PACK INTERVALS: From						
From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other						
Grout Intervals: From						
What is the nearest source of possible contamination:						
☐ Septic tank       ☐ Lateral lines       ☐ Pit privy       ☐ Livestock pens       ☐ Insecticide storage       ☐ Other (specify below)         ☐ Sewer lines       ☐ Cesspool       ☐ Sewage lagoon       ☐ Fuel storage       ☐ Abandoned water well						
Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well						
Direction from well	fi'eld		om well		•••••	
FROM TO LITHOLO		FROM	TO LITHO. LO	G (cont.) or PLU	IGGING INTERVALS	
0 24 Br Clay						
24 32 Br Clay - Sm	layers F Sand					
32 35 F Sand						
	layers F Sand					
49 53 F-M Sand						
53 61 Sand + Sm 6	irave/					
61 64 F-M Sand						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   Constructed, □ reconstructed, or □ plugged						
under my jurisdiction and was completed on (mo/day/year)						
Kansas Water Well Contractor's License No4.4.7 This Water Well Record was completed on (mo/day/year)						
under the business name of Miller Drilling by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FURMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212						