WATE	R WEL	L RECORD	Form WV	WC-5	Division of V	Water Resources App. N	vo. L	
1 LOCATION OF WATER WELL:			Fraction	- 1,11 -	Section Number		Range Number	
County: Reno			NE 1/4 NE 1/4 NE		14	T 24 S	R 5 DE ZW	
	Street/Rural Address of Well Location; if unknown, distance & direction					ning System (GPS) i	nformation:	
	from nearest town or intersection: If at owner's address, check here .					Latitude: .37,96959 (in decimal degrees)		
2 North of Yoder 1 1/4 East SSR					Longitude: 097.84013 (in decimal degrees) Elevation: 1508			
					Datum: ☐ WGS 84, ☐ NAD 83, ✓ NAD 27			
2 WATER WELL OWNER: Sam Miller					Collection Method:			
RR#, Street Address, Box #: 5203 E. Trailswest					GPS unit (Make/Model: Garmin 62S			
City, State, ZIP Code : Haven, I			Kansas 67543		☐ Digital Map/Photo, ☑ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☑ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL] 3-13 m,	
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 55 ft.								
SECT	TON BO							
	SECTION BOX: Depth(s) Groundwater Encountered (1)							
						ft. after hours pumping gpm		
EST. YIELDgpm. Well water wasft. after hours pumping								
Bore Hole Diameter 10 in. to .55 ft., and in. to								
	WELL WATER TO BE USED AS:							
SW SE								
	Was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted								
Water well disinfected? ✓ Yes □ No								
5 TYPE OF CASING USED: Steel PVC Other								
		'S: 🗹 Glued 🔲 Clar	nped Welded					
Casing diameter 5 in. to 55 ft. Diameter in. to ft. Diameter in. to ft.								
Casing height above land surface. 14 in., Weight .160lbs./ft., Wall thickness or gauge No214								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
6 GROUT MATERIAL: Neat cement Cement grout Dente Other								
Grout Intervals: From .20 ft. to .0 ft., From ft. to ft., From ft. ft.								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well								
Direction from well North Distance from well 20'								
FROM	ТО	LITHOLOG	IC LOG	FROM			UGGING INTERVALS	
0	3	Top soil				<u> </u>		
3	11	Brown clay silty						
11	28	Fine sand & brown clar						
28	55	Smal-med. sand & gra	vel					
							1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	
			·	<u> </u>				
 								
<u></u>				 				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .10/3/2013 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/glay/year) 10/8/2013								
under the business name of Rosencrntz-Bemis Ent. by (signature)								
INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								