WATER WELL REC	ORD	Form W	WC-5	Divisi	ion of Water	Resources App. No	0.	
1 LOCATION OF WAT County: RENO		Fraction NE 4 NE 4 A	F4 36		Number	Township No.	Range Number R 5 □E	
Street/Rural Address of Well Location; if unknown, distance & direction					Positioning	System (GPS) in	formation:	
from nearest town or intersection: If at owner's address, check here								
SN intersection of E Red Rock RD + S. Helshand				Longitude: (in decimal degrees)				
310 maximum					Elevation:			
A WARDS WITH AWARD					Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 ♣A ○ 89			
2 WATER WELL OWNER: RR#, Street Address, Box #: US Army Corps of Engineers					Collection Method:			
				GPS unit (Make/Model:)				
City, State, ZIP Code : 601 & 12 th 811801				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL	- NAMES C	1+3 1 MO 6710	(G	ESL ACCI	Itack: 🗀 <	y m, □ 3-3 m, □	2-13 m, 🗀 >13 m	
WITH AN "X" IN	4 DEPTH OF	COMPLETED WEL	L	59'	ft.			
SECTION BOX:	Depth(s) Groundwater Encountered (1),							
N	WELL 3 31A11C WATER LEVEL							
l	Pump test data: Well water wasft. after							
EST. YIELDgpm. Well water was								
W E Bore Hole Diameter 3.25 in. to								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
sw se Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
Irrigation Industrial Domestic-lawn & garden Monitoring well Company Section Was a phonical (bottorial scale) Programment Var. No. No.								
A as a calcustrandacter to to Result and the structure of the Debartation:								
S If yes, mo/day/yr sample was submitted								
water wert disintected: 11 to 12 to								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (over hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 58.15 ft. to 46.15 ft., From ft. to ft.								
SCREEN-PERFORATED INTERVALS: From 55.75 ft. to								
From								
UKAVEL PACK INTERVALS: From J.J								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
What is the nearest source of possible contamination:								
Septic tank								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
Direction from well		· · · · · · · · · · · · · · · · · · ·	Distance	from well .				
FROM TO	LITHOLOG	IC LOG	FROM	TO L	LITHO. LO	G (cont.) or PLU	GGING INTERVALS	
0 20 5.114	Clay w/ Sa							
20 35 SILH	Clay w/ Son	Bra Iral Itan						
35 40 Clay	ey Sand	Ben						
40 58 Sand	whithere	Brn/gmy/red	ļ					
58 60 weethe	red Shole	rel mulle say						
		- Andrews	 					
7 CONTRACTORIO CO	LANDOMATE	10 OPPOPERCY TEC	N. 74-1		/	-4-1 =		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No. Manual Mark Well Record was completed on (mo/day/year) This Water Well Record was completed on (mo/day/year)								
under the business name of Environmental Lield Scrulety (signature)								
INSTRUCTIONS Use ty pewrit	er or ball point nen	PLEASE PRESS FIRM	and PRINT of	arly Please 1	fill in blanks	ind church the correct	answers Send three conies	
(white, blue, pink) to Kansas Dep	ar timent of Health a	and E nvironment, Bureau	of Water, Geolo	gy Section, 1	1000 SW Jack	cson St., Suite 420, T	opeka, Kansas 66612-1367	
Telephone 785-296-5524. Sen d	one copy to WATI							
http://www.kdhcks.gov/waterweil/index.html KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								
NOA 628-1212				Check	ĸ: ∐ Whi	աշсору, 🔲 Віш	e Copy, Pink Copy	