



USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Reno	Fraction SW 1/4 NW 1/4 SW 1/4	Section number 9	Township number 24	Range number 5	EW
2. Distance and direction from nearest town or city: Street address of well location if in city:		2 N, 1 W 1/4 N of Yoder, KS		3. Owner of well: Wendel Diener R.R. or street: Rd 2 City, state, zip code: Hutchinson, KS 67501			
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 10 in. Completion date 8-28-89 Well depth 70 ft.			
				7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary			
5. Type and color of material		From		To		8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
Silty Br Clay		0		22		9. Casing: Material PLST Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 14 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 3.58 lbs./ft. Dia. 6 in. to 70 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 250	
Light Br Clay		22		35		10. Screen: Manufacturer's name Pumpco Type PVC Dia. 6" Slot/gauze .070 Length 10' Set between 60 ft. and 70 ft. ft. and <input type="checkbox"/> ft.	
Reddish Br clay		35		55		Gravel pack? Yes Size range of material F-1/2	
Sand & gravel		55		75		11. Static water level: <input type="checkbox"/> mo./day/yr. 54 ft. below land surface Date 8-18-79	
						12. Pumping level below land surfaces: 61 ft. after 3 hrs. pumping 18 g.p.m. ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 35 g.p.m.	
						13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>	
						14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter <input type="checkbox"/> Inches above grade	
						15. Well grouted? Yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 3 ft. to 13 ft.	
						16. Nearest source of possible contamination: ft. 55 Direction W Type septic Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
						17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Valley Model number 51208 HP 1/2 Volts 220 Length of drop pipe 62 ft. capacity 12 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Miller Water Well 382 Business name Hutch, KS License No. <input type="checkbox"/> Address Egan miller Signed Egan miller Date 8-4-80 Authorized representative			

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5