

1 LOCATION OF WATER WELL:		Fraction	Pump Wells	ROR 02a-1212	Section Number	Township Number	Range Number
County: <u>Reno</u>		<u>NE 1/4 NE 1/4 NE 1/4</u>	<u>12</u>	<u>24</u>	<u>S</u>	<u>6 E</u>	<u>EAD</u>
Distance and direction from nearest town or city street address of well if located within city? <u>2 mi S of Hutchinson on McNew Rd</u>							
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources					
RR#, St. Address, Box # : City, State, ZIP Code :		Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 53 ft. ELEVATION:					
<p>Diagram of a section box divided into four quadrants: NW, NE, SW, SE. An 'X' is marked in the NE quadrant.</p>		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.					
		WELL'S STATIC WATER LEVEL 7 ft. below land surface measured on mo/day/yr 6-26-97					
		Pump test data: Well water was 13 ft. after 1/2 hours pumping 30 gpm					
		Est. Yield gpm: Well water was ft. after hours pumping gpm					
		Bore Hole Diameter 9 in. to 54 ft., and in. to ft.					
		WELL WATER TO BE USED AS:					
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well pond					
		Was a chemical/bacteriological sample submitted to Department? Yes.....No...X....; If yes, mo/day/yr sample was submitted					
		Water Well Disinfected? Yes X No					
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued X Clamped					
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile					
2 PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below)					
Blank casing diameter 6 in. to 17 ft., Dia in. to ft., Dia in. to ft.		7 Fiberglass Threaded					
Casing height above land surface 12 in., weight lbs./ft. Wall thickness or gauge No. 160							
TYPE OF SCREEN OR PERFORATION MATERIAL:		10 Asbestos-cement					
1 Steel 3 Stainless steel 5 Fiberglass		8 RMP (SR)					
2 Brass 4 Galvanized steel 6 Concrete tile		9 ABS					
		11 Other (specify)					
		12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped					
1 Continuous slot 3 Mill slot		8 Saw cut 11 None (open hole)					
2 Louvered shutter 4 Key punched		9 Drilled holes					
		10 Other (specify)					
SCREEN-PERFORATED INTERVALS:		From 17 ft. to 53 ft., From ft. to ft., From ft. to ft.					
		GRAVEL PACK INTERVALS: From 16 ft. to 54 ft., From ft. to ft., From ft. to ft.					
		FROM ft. to ft., FROM ft. to ft.					
6 GROUT MATERIAL:		1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 16 ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well					
1 Septic tank 4 Lateral lines 7 Pit privy		11 Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard		13 Insecticide storage open Field					
Direction from well?		How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS		
0	7	Br Clay					
7	17	sand & silt					
17	29	sand & Gravel					
29	31	Br clay					
31	53	sand & Gravel					
53	54	Br clay					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-26-97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 447 This Water Well Record was completed on (mo/day/yr) 7-12-97 under the business name of Miller Drilling by (signature) [Signature]							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.							