

1 LOCATION OF WATER WELL:

County: Reno

Fraction

SW ¼ NE ¼ SE ¼

Section Number

11

Township Number

T 24 S

Range Number

R 6 E

Distance and direction from nearest town or city street address of well if located within city?

3 miles South of South Hutchinson

2 WATER WELL OWNER:

Harold Conrad/ C.B. Showalter

RR#, St. Address, Box # :

6305 S. HWY 96

City, State, ZIP Code :

Hutchinson, KS 67501

Board of Agriculture, Division of Water Resources

Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL. was 120 ft. ELEVATION:

Depth(s) Groundwater Encountered

1 ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL was 38 ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter in. to ft. and in. to ft.

WELL WATER TO BE USED AS:

5 Public water supply

8 Air conditioning

11 Injection well

1 Domestic

3 Feedlot

6 Oil field water supply

9 Dewatering

12 Other (Specify below)

2 Irrigation

4 Industrial

7 Lawn and garden only

10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No X

If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:

1 Steel

3 RMP (SR)

5 Wrought iron

8 Concrete tile

CASING JOINTS: Glued Clamped

2 PVC

4 ABS

6 Asbestos-Cement

9 Other (specify below)

Welded

7 Fiberglass

transite

Threaded

Blank casing diameter 16 in. to ft. Dia in. to ft. Dia in. to ft.

Casing height a land surface 36 in. weight lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel

3 Stainless steel

5 Fiberglass

8 RMP (SR)

10 Asbestos-cement

2 Brass

4 Galvanized steel

6 Concrete tile

9 ABS

11 Other (specify) NB

12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot

3 Mill slot

5 Gauzed wrapped

8 Saw cut

11 None (open hole)

2 Louvered shutter

4 Key punched

6 Wire wrapped

9 Drilled holes

10 Other (specify) NA

7 Torch cut

SCREEN-PERFORATED INTERVALS: From N/A ft. to ft. From ft. to ft.

GRAVEL PACK INTERVALS: From N/A ft. to ft. From ft. to ft.

6 GROUT MATERIAL:

1 Neat cement

2 Cement grout

3 Bentonite

4 Other N/A

Grout Intervals: From 35 ft. to 3 ft. From ft. to ft. From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank

4 Lateral lines

7 Pit privy

10 Livestock pens

14 Abandoned water well

2 Sewer lines

5 Cess pool

8 Sewage lagoon

11 Fuel storage

15 Oil well/Gas well

3 Watertight sewer lines

6 Seepage pit

9 Feedyard

12 Fertilizer storage

16 Other (specify below)

13 Insecticide storage

None

Direction from well? N/A

How many feet? N/A

FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS

120 35 Sand

35 3 Cement

3 0 Dirt

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-13-98 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/yr) 8-26-98 under the business name of Rosencrantz-Bemis Ent. Inc. by (signature) Alicia Colley