

12

1 LOCATION OF WATER WELL

County: Renov Fraction: NE 1/4 NE SE 1/4 Section Number: 14 Township Number: T 24 S Range Number: R 6 E

Distance and direction from nearest town or city? 4 So. Hutchinson KS. Street address of well if located within city?

2 WATER WELL OWNER:

RR#, St. Address, Box # : Bill Haines Board of Agriculture, Division of Water Resources

City, State, ZIP Code : Hutchinson Application Number:

3 DEPTH OF COMPLETED WELL

36 ft. Bore Hole Diameter 11 in. to 11 ft., and 11 in. to 11 ft.

Well Water to be used as:
☒ Domestic ☐ Feedlot ☐ Public water supply ☐ Air conditioning ☐ Injection well
☐ Irrigation ☐ Industrial ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below)
☐ Lawn and garden only ☐ Observation well

Well's static water level 18 ft. below land surface measured on 4 yr 11 day 15 mo 80 year

Pump Test Data : Well water was 20 ft. after 4 hr 15 min 80 sec gpm

Est. Yield 30 gpm: Well water was 20 ft. after 4 hr 15 min 80 sec gpm

4 TYPE OF BLANK CASING USED:

☐ Steel ☒ RMP (SR) ☐ Wrought iron ☐ Concrete tile Casing Joints: ☒ Glued ☐ Clamped
☐ PVC ☐ ABS ☐ Asbestos-Cement ☐ Other (specify below) ☐ Welded
☐ Fiberglass ☐ Threaded

Blank casing dia 5 in. to 30 ft., Dia 12 in. to 150 lbs./ft. Wall thickness or gauge No. 200

Casing height above land surface 12 in., weight 150 lbs./ft.

TYPE OF SCREEN OR PERFORATION MATERIAL:

☐ Steel ☐ Stainless steel ☐ Fiberglass ☒ RMP (SR) ☐ Asbestos-cement
☐ Brass ☐ Galvanized steel ☐ Concrete tile ☐ ABS ☐ Other (specify) ☐ None used (open hole)

Screen or Perforation Openings Are:
☐ Continuous slot ☒ Mill slot ☐ Gauzed wrapped ☐ Saw cut ☐ None (open hole)
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Drilled holes
☐ Torch cut ☐ Other (specify)

Screen-Perforation Dia 5 in. to 30 ft., Dia 12 in. to 150 lbs./ft.

Screen-Perforated Intervals: From 30 ft. to 36 ft., From 30 ft. to 36 ft., From 30 ft. to 36 ft., From 30 ft. to 36 ft.

Gravel Pack Intervals: From 13 ft. to 36 ft., From 13 ft. to 36 ft., From 13 ft. to 36 ft., From 13 ft. to 36 ft.

5 GROUT MATERIAL:

☐ Neat cement ☒ Cement grout ☐ Bentonite ☐ Other

Grouted Intervals: From 3 ft. to 13 ft., From 3 ft. to 13 ft., From 3 ft. to 13 ft., From 3 ft. to 13 ft.

What is the nearest source of possible contamination:
☒ Septic tank ☐ Cess pool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well
☐ Sewer lines ☐ Seepage pit ☐ Feed yard ☐ Fertilizer storage ☐ Oil well/Gas well
☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)
☐ Watertight sewer lines

Direction from well SW How many feet 75 ? Water Well Disinfected? ☒ Yes ☐ No

Was a chemical/bacteriological sample submitted to Department? Yes ☐ No ☒ If yes, date sample was submitted 3 month 29 day 80 year Pump Installed? Yes ☐ No ☒

If Yes: Pump Manufacturer's name Wenger Drilling Model No. 315 HP 80 Volts 115

Depth of Pump Intake 30 ft. Pumps Capacity rated at 30 gal./min.

Type of pump: ☐ Submersible ☐ Turbine ☐ Jet ☐ Centrifugal ☐ Reciprocating ☐ Other


6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:

This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on 4 month 11 day 80 year

and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 315

This Water Well Record was completed on 6 month 29 day 80 year under the business name of Wenger Drilling by (signature) James Wenger

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:



LITHOLOGIC LOG

FROM	TO	LITHOLOGIC LOG
0	20	Top So.
2	17	Red clay
17	36	med. gravel

ELEVATION:

Depth(s) Groundwater Encountered 1. 30 ft. 2. 36 ft. 3. 36 ft. 4. 36 ft. (Use a second sheet if needed)

INSTRUCTIONS:

Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T
84
R
6
EW
SEC.
14
NE 1/4 NE 1/4 SE 1/4